

Settings:

$$\Delta = 4$$

Root node chosen to have maximum degree.


Only non-positive entries are printed.




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
	3.000	2.000	1.000	.000	




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
	5.000	4.000	1.000	.000	




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
0	7.000	5.000	2.000	.000	




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
	9.000	8.000	1.000	.000	




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
0	11.000	9.000	2.000	.000	




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
0, 0	15.000	11.000	4.000	.000	




Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
	17.000	16.000	1.000	.000	



Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
0	19.000	17.000	2.000	.000	



Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
0, 0	23.000	19.000	4.000	.000	



Level-2 down-degrees	$\Pi(G)$	$\Pi(G - x)$	$\Pi(G - x - N_x)$	Difference	Negative?
0, 0, 0	31.000	23.000	8.000	.000	