

CURRICULUM VITAE

Colin Philip Jessop

Department of Physics and Astronomy
225 Niewland Science Hall
University of Notre Dame
Notre Dame, IN 46556
(574-631-5657)

cjessop@nd.edu

Education

B.A.(Hons.)(Physics)	University of Cambridge (Trinity College)	1987
Ph.D (Physics)	Harvard University	1993

Positions

Research Assistant	Harvard University	1988-1993
Research Associate	Stanford Linear Accelerator Center, Stanford University	1994-1997
Physicist	Stanford Linear Accelerator Center, Stanford University	1998-2003
Associate Professor	University of Notre Dame	2004-2010
Professor	University of Notre Dame	2011-

Awards

Research Fellowship	Royal Society, United Kingdom (Declined)	1997
Panofsky Fellowship	Stanford Linear Accelerator Center, Stanford University	1998-2003.

Teaching

Year	Course	Description	Institution
2001	Physics 152	Undergraduate Particle Physics	Stanford University
2004-9	Physics 617	Graduate Particle Physics	University of Notre Dame
2004-5	Physics 132	General Physics II for engineers	University of Notre Dame
2006-9	Physics 10320	Elementary Cosmology for Arts and Letters Freshmen	University of Notre Dame
2010-	Physics 40602	Particle Physics and Cosmology for Physics Majors	University of Notre Dame
2011-	Physics 10111	Fundamentals of Physics	University of Notre Dame

Doctoral Dissertations Directed:

Hiroshisa Tanaka, Stanford University	“Radiative Decays of the B Meson”	2002
Erkcan Veysi, Stanford University	“Measurement of $B(B \rightarrow X_s \gamma)$ ”	2005
Kyle Knoepfel, University of Notre Dame	” A precision measurement of $B(B \rightarrow X_s \gamma)$ ”	2010
Ted Kolberg, University of Notre Dame	” Photon plus jets crosssection at $\sqrt{s} = 7.0$ TeV”	2011 (expected)
Jamie Antonelli, University of Notre Dame	” $Z \rightarrow \tau\tau$ crosssection at $\sqrt{s} = 7.0$ TeV”	2012 (expected)
Sean Lynch, University of Notre Dame	” SUSY trilepton search at $\sqrt{s} = 7.0$ TeV”	2012 (expected)
Doug Berry, University of Notre Dame	research in progress	

Post Doctoral Researchers Supervised:

Wenfeng Wang BaBar Experiment 2007-
Jeff Kolb CMS Experiment 2007-

University Service

2004-8 Faculty Senate (College of Science Representative)
2006-7 Faculty Senate - Chair Academic Affairs Committee(2006-7)
2007-8 Chair of Faculty Senate
2006-8 Academic Council
2006-7 University Committee to review Notre Dame child development center
2010- College of Science Council

Departmental Service

2004-6 Labs and Demonstrations committee
2004-8 High energy physics seminar coordinator
2007-8 Graduate Exams Committee
2009-11 Library Committee
2010-11 Space Committee (Chair)
2010-11 Graduate Admissions

Research

Experimental particle physics using electron-positron and hadron-hadron colliders. Searches for new particles. Heavy quark decays, particularly the radiative “penguin” decays of B mesons, and tau leptons. Calorimeter Detector development.

Funding:

8/1/06 to 7/31/09	DOE Base Grant for BaBar Experiment (P.I.)	\$235,000
6/1/07 to 5/31/10	NSF Base Grant for CMS experiment (Co P.I.)	\$1, 920,000
1/1/07 to 12/31/11	NSF M.O.U with UCLA for CMS experiment (Co P.I)	\$656,000
8/1/09 to 7/31/12	DOE Base Grant for BaBar Experiment (P.I.)	\$360,000
8/1/10 to 7/31/13	NSF Base grant for CMS experiment (Co P.I.)	\$2,180,000

Management:

1999-2002 BaBar Electromagnetic Calorimeter Calibration Manager
1999-2002 BaBar B Meson Radiative Decays Analysis Working Group Convenor
2005-7 Member BaBar Speakers Bureau
2006-7 Fermilab CMS LHC Physics center electron/photon group leader
2009- Chair of US CMS ECAL institution Board

Reviewing:

Reviewer	Physical Review Letters	2002-present
Reviewer	Physical Review D (Particles and Fields)	2002-present
Reviewer	National Science Foundation, Elementary Particles	2004-present
Reviewer	Depart of Energy, Office of High Energy Physics	2004-present

Invited Talks at International Conferences

1. “Jet and Photon Physics with CMS”

- “Conference on LHC First Data, Ann Arbor, Michigan, USA
December 2010.
2. “Rare Decays at BaBar”.
Xth International Conference on Heavy Quarks and Leptons.
Frascati, Italy, October 2010 .
 3. “Recent Results in CKM Physics at BaBar”.
III Brookhaven Forum: A Spacetime Odyssey.
Brookhaven, NY. USA, May 2010.
 4. “ Radiative B mesons decays at BaBar”.
XXXIVth International Conference on High Energy Physics.
Philadelphia,PA, USA, July 2008.
 5. “ Measurements of $b \rightarrow s\gamma$ at BaBar”.
European Physical Society conference on High energy Physics, Lisbon, Portugal, 2005.
 6. “Study of $b \rightarrow s, d\gamma$ Penguin Decays at BaBar”.
XXXIst International Conference on High Energy Physics.
Amsterdam, Netherlands, July 2002.
 7. “Radiative Penguin Decays at BaBar”.
XXXth International Conference on High Energy Physics.
Osaka, Japan, August 2000.
 8. “Tau Physics at Low Energy e^+e^- Storage Rings”
17th International Workshop on Neutrino’s and Weak Interactions.
Capetown, South Africa, January 1999.
 9. “Tau and Charm Physics at CLEO”
22nd Rencontres de Moriond, Electroweak Interactions and Unified Theories.
Les Arcs, France, March 1997.
 10. “Design and Construction of the BaBar CsI(tl) Calorimeter”
American Physical Society, Division of Particles and Fields.
Minnesota, USA, Aug 1996.
 11. “A Search for the Top Quark Decaying to Charged Higgs in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$
TeV at the Collider Detector at Fermilab”
International Conference on Proton-Antiproton Physics.
Tsukuba, Japan, October 1993.

Seminars

I have given seminars at the following institutions.

Boston University, BrookHaven National Laboratory, University of California Berkeley, University of California Davis, University of California Irvine, University of Cambridge, University of Chicago, Cornell University, Columbia University, Edinburgh University, Fermi National Accelerator Laboratory, Harvard University, Indiana University, University of London, University of Liverpool, University of Oregon, Ohio State University, University of South Carolina, Southern Methodist University, University of Texas at Austin, Texas A&M University.

Most Significant Publications

1. “Precision Measurement of $B \rightarrow X_s\gamma$ Decays,”
The BaBar Collaboration, B. Aubert *et al.*
In preparation for submission to Phys. Rev D. spring 2010. 15pp

2. "Performance and Operation of the CMS Electromagnetic Calorimeter,"
The CMS Collaboration.
JINST **5**, T03010 (2010) 39pp
3. "The CMS Barrel Calorimeter Response To Particle Beams From 2-GeV/C To 350-GeV/C,"
The CMS Collaboration.
Eur. Phys. J. C **60**, 359-373 (2009).
4. "Measurement of Branching Fractions and CP and Isospin Asymmetries in $B \rightarrow K^*(892)\gamma$ Decays,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **103**, 211802 (2009) 7pp
5. "The CMS experiment at the CERN LHC,"
The CMS Collaboration.
JINST **0803**, S08004 (2008) 361pp
6. "Measurement of the $B \rightarrow X_s\gamma$ Branching Fraction and Photon Energy Spectrum using the Recoil Method,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **77**, 051103 (2008) 9pp
7. "Measurements of Branching Fractions for $B^+ \rightarrow \rho^+\gamma$, $B^0 \rightarrow \rho^0\gamma$, and $B^0 \rightarrow \omega\gamma$,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **78**, 112001 (2008) 11pp
8. "Measurement of the Branching Fraction of $B \rightarrow \rho\gamma$ and $B \rightarrow \omega\gamma$ "
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **98**, 151802 (2007) 7pp
9. "Measurement of the Branching Fraction and Photon Energy Moments of $B \rightarrow X_s\gamma$ and $A_{CP}(B \rightarrow X_{s+d}\gamma)$ "
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **97**, 171803 (2006) 8pp hep-ex/0607071,0207076,0507001
10. "Measurement of V_{ub} from lepton endpoint spectrum in $B \rightarrow X_u l \nu$ "
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 012006 (2006) 19pp
11. "Search for the radiative penguin decays $B^+ \rightarrow \rho^+\gamma$, $B^0 \rightarrow \rho^0\gamma$, and $B^0 \rightarrow \omega\gamma$,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **94**, 011801 (2005) 7pp
12. "Search for the rare decay $\bar{B}^0 \rightarrow D^{*0}\gamma$,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 051106 (2005) 7pp
13. "Measurements of the $B \rightarrow X_s\gamma$ branching fraction and photon spectrum from a sum of exclusive final states,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 052004 (2005) 16pp
14. "Search for the radiative decays $B \rightarrow \rho\gamma$ and $B \rightarrow \omega\gamma$,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **94**, 111801 (2004) 7pp
15. "Measurement of branching fractions, and CP and isospin asymmetries, for $B \rightarrow K^*\gamma$,"
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 112006 (2004) 7pp

16. “Measurement of the direct CP asymmetry in $b \rightarrow s\gamma$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 021804 (2004) 7pp
17. “Measurement of the $B^0 \rightarrow K_2^*(1430)\gamma$ and $B^+ \rightarrow K_2^*(1430)\gamma$ branching fractions,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 091105 (2004) 17pp
18. “Measurement of $B \rightarrow K^*\gamma$ Branching Fractions and Charge Asymmetries.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **88**, 101805 (2002). 8pp
19. “The BaBar Detector.”
The BaBar Collaboration, B. Aubert *et al.*
Nucl. Instrum. Methods **479**, 1-116 (2002).
20. “Search for $B^0 \rightarrow \gamma\gamma$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 241803 (2001). 8pp
21. “Measurements of the Branching Fractions of Exclusive Charmless B Meson Decays with eta-prime or Omega mesons.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 221802 (2001). 8pp
22. “Measurement of CP Violating Asymmetries in B^0 Decays to CP Eigenstates.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **86**, 2515-2522 (2001).
23. “Study of Exclusive Radiative B Meson Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 5283-5287 (2000.)
24. “First Search for CP Violation in Tau Lepton Decay.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **81**, 3823-3827 (1998)
25. Evidence for Top Quark production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **73**, 225-231 (1994)
26. Evidence for Top Quark production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 2966-3026 (1994)
27. Search for the Top Quark decaying to Charged Higgs in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **72**, 1977-1981 (1994)

Full Publication List

1. V. Khachatryan *et al.* [CMS Collaboration], “First Measurement of the Cross Section for Top-Quark Pair Production in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **695**, 424 (2011)

2. V. Khachatryan *et al.* [CMS Collaboration], “Search for Quark Compositeness with the Dijet Centrality Ratio in pp Collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **105**, 262001 (2010)
3. V. Khachatryan *et al.* [CMS Collaboration], “Search for Dijet Resonances in 7 TeV pp Collisions at CMS,” *Phys. Rev. Lett.* **105**, 211801 (2010)
4. V. Khachatryan *et al.* [CMS Collaboration], “Observation of Long-Range Near-Side Angular Correlations in Proton-Proton Collisions at the LHC,” *JHEP* **1009**, 091 (2010)
5. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation of new resonances decaying to $D\pi$ and $D^*\pi$ in inclusive e^+e^- collisions near $\sqrt{s} = 10.58$ GeV,” *Phys. Rev. D* **82**, 111101 (2010)
6. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for the Rare Decay $B \rightarrow K\nu\bar{n}u$,” *Phys. Rev. D* **82**, 112002 (2010)
7. P. del Amo Sanchez *et al.* [BaBar Collaboration], “Measurement of the Absolute Branching Fractions for $D_s^- \rightarrow \ell^- \bar{\nu}_\ell$ and Extraction of the Decay Constant f_{D_s} ,” *Phys. Rev. D* **82**, 091103 (2010)
8. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Exclusive Production of $D_s^+ D_s^-$, $D_s^{*+} D_s^-$, and $D_s^{*+} D_s^{*-}$ via e^+e^- Annihilation with Initial-State-Radiation,” *Phys. Rev. D* **82**, 052004 (2010)
9. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for $f_J(2220)$ in radiative J/ψ decays,” *Phys. Rev. Lett.* **105**, 172001 (2010)
10. V. Khachatryan *et al.* [CMS Collaboration], “CMS Tracking Performance Results from early LHC Operation,” *Eur. Phys. J. C* **70**, 1165 (2010)
11. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of CP observables in $B^\pm \rightarrow D_C PK^\pm$ decays and constraints on the CKM angle γ ,” *Phys. Rev. D* **82**, 072004 (2010)
12. P. del Amo Sanchez *et al.* [Babar Collaboration], “Search for $b \rightarrow u$ transitions in $B^- \rightarrow DK^-$ and $B^- \rightarrow D^* K^-$ Decays,” *Phys. Rev. D* **82**, 072006 (2010)
13. B. Aubert *et al.* [BABAR Collaboration], “Correlated leading baryon-antibaryon production in $e^+e^- \rightarrow c\bar{c} \rightarrow \Lambda_c^+ \Lambda_{c^-} X$,” *Phys. Rev. D* **82**, 091102 (2010)
14. V. Khachatryan *et al.* [CMS Collaboration], “Measurement of the Underlying Event Activity in Proton-Proton Collisions at 0.9 TeV,” *Eur. Phys. J. C* **70**, 555 (2010)
15. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Study of $B^- \rightarrow X\gamma$ Decays and Determination of $|V_{td}/V_{ts}|$,” *Phys. Rev. D* **82**, 051101 (2010)
16. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Evidence for direct CP violation in the measurement of the Cabibbo-Kobayashi-Maskawa angle γ with $B^\pm \rightarrow D(*)K(*)\pm$ decays,” *Phys. Rev. Lett.* **105**, 121801 (2010)
17. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for $B^+ \rightarrow D^+ K^0$ and $B^+ \rightarrow D^+ K^{*0}$ decays,” *Phys. Rev. D* **82**, 092006 (2010)
18. P. del Amo Sanchez *et al.* [BaBar Collaboration], “ B -meson decays to $\eta'\rho$, $\eta'f_0$, and $\eta'K^*$,” *Phys. Rev. D* **82**, 011502 (2010)
19. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of the $\Upsilon(1^3D_J)$ Bottomonium State through Decays to $\pi^+\pi^-\Upsilon(1S)$,”
20. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for CP violation using T -odd correlations in $D^0 \rightarrow K^+K^-\pi^+\pi^-$ decays,” *Phys. Rev. D* **81**, 111103 (2010)
21. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation of the Rare Decay $B^0 \rightarrow K_s K^0 + \pi^-$,” *Phys. Rev. D* **82**, 031101 (2010)
22. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Test of lepton universality in Upsilon(1S) decays at BaBar,” *Phys. Rev. Lett.* **104**, 191801 (2010)

23. J. P. Lees *et al.* [The BABAR Collaboration], “Measurement of the $\gamma\gamma^* \rightarrow \eta_c$ transition form factor,” *Phys. Rev. D* **81**, 052010 (2010)
24. V. Khachatryan *et al.* [CMS Collaboration], “Transverse momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9$ & 2.36 TeV,” *JHEP* **1002**, 041 (2010)
25. B. Aubert *et al.* [BABAR Collaboration], “Observation of the $\chi_{c2}(2P)$ meson in the reaction $\gamma\gamma \rightarrow D\bar{D}$ at BABAR,” *Phys. Rev. D* **81**, 092003 (2010)
26. J. P. Lees *et al.* [The BABAR Collaboration], “Search for Charged Lepton Flavor Violation in Narrow Upsilon Decays,” *Phys. Rev. Lett.* **104**, 151802 (2010)
27. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B\bar{B} \rightarrow \Lambda_C\bar{p}\pi^0$ ” *Phys. Rev. D* **82**, 031102 (2010)
28. V. Khachatryan *et al.* [CMS Collaboration], “Measurement of the charge ratio of atmospheric muons with the CMS detector,” *Phys. Lett. B* **692**, 83 (2010)
29. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Evidence for the decay $X(3872) - - > J/\psi\omega$ ” *Phys. Rev. D* **82**, 011101 (2010)
30. V. Khachatryan *et al.* [CMS Collaboration], “Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **105**, 022002 (2010)
31. V. Khachatryan *et al.* [CMS Collaboration], “First Measurement of Bose-Einstein Correlations in Proton-Proton Collisions at $\sqrt{s} = 0.9$ and 2.36 TeV at the LHC,” *Phys. Rev. Lett.* **105**, 032001 (2010)
32. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Measurement of $D0$ - $\bar{D}0$ mixing parameters using $D0 \rightarrow K_s^0\pi^+\pi^-$ and $D0 \rightarrow K_s^0K^+K^-$ decays,” *Phys. Rev. Lett.* **105**, 081803 (2010)
33. P. Adzic *et al.* [CMS Collaboration], “Radiation hardness qualification of PbWO4 scintillation crystals for the CMS Electromagnetic Calorimeter,” *JINST* **5**, P03010 (2010)
34. B. Aubert *et al.* [BABAR Collaboration], “A Search for $B^+ \rightarrow \tau^+\nu$ Recoiling Against $B^- \rightarrow D^0l^-\nu X$ ”
35. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Charged Current Lepton Universality and $|V_{us}|$ using Tau Lepton Decays to $e^-\bar{\nu}_e\nu_\tau$, $\mu^-\bar{\nu}_\mu\nu_\tau$, $\pi^-\nu_\tau$, and $K^-\nu_\tau$,” *Phys. Rev. Lett.* **105**, 051602 (2010)
36. S. Chatrchyan *et al.* [CMS Collaboration], “Commissioning and Performance of the CMS Pixel Tracker with Cosmic Ray Muons,” *JINST* **5**, T03007 (2010)
37. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of the CMS Level-1 Trigger during Commissioning with Cosmic Ray Muons,” *JINST* **5**, T03002 (2010)
38. S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Muon Stopping Power in Lead Tungstate,” *JINST* **5**, P03007 (2010)
39. S. Chatrchyan *et al.* [CMS Collaboration], “Commissioning and Performance of the CMS Silicon Strip Tracker with Cosmic Ray Muons,” *JINST* **5**, T03008 (2010)
40. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of CMS Muon Reconstruction in Cosmic-Ray Events,” *JINST* **5**, T03022 (2010) [41]
41. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of the CMS Cathode Strip Chambers with Cosmic Rays,” *JINST* **5**, T03018 (2010)
42. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of the CMS Hadron Calorimeter with Cosmic Ray Muons and LHC Beam Data,” *JINST* **5**, T03012 (2010)
43. S. Chatrchyan *et al.* [CMS Collaboration], “Fine Synchronization of the CMS Muon Drift-Tube Local Trigger using Cosmic Rays,” *JINST* **5**, T03004 (2010)

44. S. Chatrchyan *et al.* [CMS Collaboration], “Calibration of the CMS Drift Tube Chambers and Measurement of the Drift Velocity with Cosmic Rays,” JINST **5**, T03016 (2010)
45. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of the CMS Drift-Tube Local Trigger with Cosmic Rays,” JINST **5**, T03003 (2010)
46. S. Chatrchyan *et al.* [CMS Collaboration], “Commissioning of the CMS High-Level Trigger with Cosmic Rays,” JINST **5**, T03005 (2010)
47. S. Chatrchyan *et al.* [CMS Collaboration], “Identification and Filtering of Uncharacteristic Noise in the CMS Hadron Calorimeter,” JINST **5**, T03014 (2010)
48. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of CMS Hadron Calorimeter Timing and Synchronization using Test Beam, Cosmic Ray, and LHC Beam Data,” JINST **5**, T03013 (2010)
49. S. Chatrchyan *et al.* [CMS Collaboration], “Performance of the CMS Drift Tube Chambers with Cosmic Rays,” JINST **5**, T03015 (2010)
50. S. Chatrchyan *et al.* [CMS Collaboration], “Commissioning of the CMS Experiment and the Cosmic Run at Four Tesla,” JINST **5**, T03001 (2010)
51. S. Chatrchyan *et al.* [CMS Collaboration], “CMS Data Processing Workflows during an Extended Cosmic Ray Run,” JINST **5**, T03006 (2010)
52. S. Chatrchyan *et al.* [CMS Collaboration], “Aligning the CMS Muon Chambers with the Muon Alignment System during an Extended Cosmic Ray Run,” JINST **5**, T03019 (2010)
53. S. Chatrchyan *et al.* [CMS Collaboration], “Performance Study of the CMS Barrel Resistive Plate Chambers with Cosmic Rays,” JINST **5**, T03017 (2010)
54. S. Chatrchyan *et al.* [CMS Collaboration], “Time Reconstruction and Performance of the CMS Electromagnetic Calorimeter,” JINST **5**, T03011 (2010)
55. S. Chatrchyan *et al.* [CMS Collaboration], “Alignment of the CMS Muon System with Cosmic-Ray and Beam-Halo Muons,” JINST **5**, T03020 (2010)
56. B. Aubert *et al.* [BaBar Collaboration], “Observation of inclusive $D^{*\pm}$ production in the decay of $\Upsilon(1S)$,” Phys. Rev. D **81**, 011102 (2010)
57. S. Chatrchyan *et al.* [CMS Collaboration], “Precise Mapping of the Magnetic Field in the CMS Barrel Yoke using Cosmic Rays,” JINST **5**, T03021 (2010)
58. S. Chatrchyan *et al.* [CMS Collaboration], “Performance and Operation of the CMS Electromagnetic Calorimeter,” JINST **5**, T03010 (2010)
59. S. Chatrchyan *et al.* [CMS Collaboration], “Alignment of the CMS Silicon Tracker during Commissioning with Cosmic Rays,” JINST **5**, T03009 (2010)
60. B. Aubert *et al.* [BaBar Collaboration], “Measurement of CP violation observables and parameters for the decays $B^\pm \rightarrow DK^{*\pm}$,” Phys. Rev. D **80**, 092001 (2009)
61. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the τ Mass and Mass Difference of the τ^+ and τ^- at BaBar,” Phys. Rev. D **80**, 092005 (2009)
62. B. Aubert *et al.* [BABAR Collaboration], “Precise measurement of the $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$ cross section with the Initial State Radiation method at BABAR,” Phys. Rev. Lett. **103**, 231801 (2009)
63. B. Aubert *et al.* [BABAR Collaboration], “A Search for Invisible Decays of the Upsilon(1S),” Phys. Rev. Lett. **103**, 251801 (2009)
64. B. Aubert *et al.* [BABAR Collaboration], “Study of D_{sJ} decays to D^*K in inclusive e^+e^- interactions,” Phys. Rev. D **80**, 092003 (2009)

65. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $D^0 - \overline{D}^0$ Mixing using the Ratio of Lifetimes for the Decays $D^0 \rightarrow K^- \pi^+, K^+ K^-$,” Phys. Rev. D **80**, 071103 (2009)
66. B. Aubert *et al.* [BABAR Collaboration], “Observation of the baryonic B-decay $\overline{B}^0 \rightarrow \Lambda_c^+ \overline{p} K^- \pi^+$,” Phys. Rev. D **80**, 051105 (2009)
67. B. Aubert *et al.* [BABAR Collaboration], “Search for B-meson decays to $b_1 \rho$ and $b - 1K^*$,” Phys. Rev. D **80**, 051101 (2009)
68. S. Abdullin *et al.* [USCMS Collaboration and ECAL/HCAL Collaboration], “The Cms Barrel Calorimeter Response To Particle Beams From 2-GeV/C To 350-GeV/C,” Eur. Phys. J. C **60**, 359 (2009).
69. B. Aubert *et al.* [BABAR Collaboration], “Observation and Polarization Measurement of $B^0 \rightarrow a_1(1260)^+ a_1(1260)^-$ Decay,” Phys. Rev. D **80**, 092007 (2009)
70. B. Aubert *et al.* [The BABAR Collaboration], “B meson decays to charmless meson pairs containing η or η' mesons,” Phys. Rev. D **80**, 112002 (2009)
71. B. Aubert *et al.* [BABAR Collaboration], “A Model-independent search for the decay $B^+ \rightarrow l^+ \nu(l) \gamma$,” Phys. Rev. D **80**, 111105 (2009)
72. B. Aubert *et al.* [BABAR Collaboration], “Search for a low-mass Higgs boson in $\Upsilon(3S) \rightarrow \gamma A^0, A^0 \rightarrow \tau^+ \tau^-$ at BABAR,” Phys. Rev. Lett. **103**, 181801 (2009)
73. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Branching Fractions and CP and Isospin Asymmetries in $B \rightarrow K^*(892) \gamma$ Decays,” Phys. Rev. Lett. **103**, 211802 (2009)
74. B. Aubert *et al.* [The BABAR Collaboration], “Measurement of the $\gamma \gamma^* \rightarrow \pi^0$ transition form factor,” Phys. Rev. D **80**, 052002 (2009)
75. B. Aubert *et al.* [BABAR Collaboration], “Search for Dimuon Decays of a Light Scalar Boson in Radiative Transitions $\Upsilon \rightarrow \gamma A^0$,” Phys. Rev. Lett. **103**, 081803 (2009)
76. B. Aubert *et al.* [BABAR Collaboration], “Time-dependent amplitude analysis of $B^0 \rightarrow K_S^0 \pi^+ \pi^-$,” Phys. Rev. D **80**, 112001 (2009)
77. B. Aubert *et al.* [BABAR Collaboration], “Search for B^0 Meson Decays to $\pi^0 K_S^0 K_S^0, \eta K_S^0 K_S^0$, and $\eta' K_S^0 K_S^0$,” Phys. Rev. D **80**, 011101 (2009)
78. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fraction and $\overline{\Lambda}$ Polarization in $B^0 \rightarrow \overline{\Lambda} p \pi^-$,” Phys. Rev. D **79**, 112009 (2009)
79. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $|V_c b|$ and the Form-Factor Slope in $\overline{B} \rightarrow D l^- \overline{\nu}$ Decays in Events Tagged by a Fully Reconstructed B Meson,” Phys. Rev. Lett. **104**, 011802 (2010)
80. B. Aubert *et al.* [BABAR Collaboration], “Search for Second-Class Currents in $\tau^- \rightarrow \omega, \pi^- \nu_\tau$,” Phys. Rev. Lett. **103**, 041802 (2009)
81. B. Aubert *et al.* [BABAR Collaboration], “Search for $b \rightarrow u$ transitions in $B^0 \rightarrow D^0 K^* 0$ decays,” Phys. Rev. D **80**, 031102 (2009)
82. B. Aubert *et al.* [BABAR Collaboration], “Improved limits on lepton flavor violating $\tau \rightarrow l \phi, l \rho, l K^*$ and $l \overline{K}^*$,” Phys. Rev. Lett. **103**, 021801 (2009)
83. B. Aubert *et al.* [BABAR Collaboration], “Exclusive Initial-State-Radiation Production of the $D\overline{D}$, $D\overline{D}^*$, and $D^* \overline{D}^*$ Systems,” Phys. Rev. D **79**, 092001 (2009)
84. B. Aubert *et al.* [BABAR Collaboration], “Search for the Rare Leptonic Decay $B \rightarrow e \mu \nu$ ” Phys. Rev. D **79**, 091101 (2009)
85. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the $\eta_b(1S)$ Meson in Radiative Upsilon(2S) Decay,” Phys. Rev. Lett. **103**, 161801 (2009)

86. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Semileptonic Decays $B \rightarrow D\tau^-\bar{\nu}_t au$ and $B \rightarrow D^*\tau^-\bar{\nu}_t au$,” Phys. Rev. D **79**, 092002 (2009)
87. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $B^\pm \rightarrow \pi^\pm\pi^\pm\pi^\mp$ Decays,” Phys. Rev. D **79**, 072006 (2009)
88. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Time-Dependent CP Asymmetry in $B^0 \rightarrow c\bar{c}K^{(*)0}$ Decays,” Phys. Rev. D **79**, 072009 (2009)
89. B. Aubert *et al.* [BABAR Collaboration], “Observation of B Meson Decays to ωK^* and Improved Measurements for $\omega\rho$ and ωf_0 ,” Phys. Rev. D **79**, 052005 (2009)
90. B. Aubert *et al.* [BaBar Collaboration], “Improved Measurement of $B^+ \rightarrow \rho^+\rho^0$ and Determination of the Quark-Mixing Phase Angle α ,” Phys. Rev. Lett. **102**, 141802 (2009)
91. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $B^- \rightarrow D^+\pi^-\pi^-$,” Phys. Rev. D **79**, 112004 (2009)
92. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^+ \rightarrow K^{*0}K^{*+}$,” Phys. Rev. D **79**, 051102 (2009)
93. B. Aubert *et al.* [BaBar Collaboration], “Search for Lepton Flavour Violating Decays $\tau \rightarrow \ell K_S^0$ with the BaBar Experiment,” Phys. Rev. D **79**, 012004 (2009)
94. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^+ \rightarrow K_S^0 K_S^0 \pi^+$,” Phys. Rev. D **79**, 051101 (2009)
95. B. Aubert *et al.* [BABAR Collaboration], “Search for the $Z(4430)^-$ at BABAR,” Phys. Rev. D **79**, 112001 (2009)
96. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $e^+e^- \rightarrow b\bar{b}$ cross section between $\sqrt{s} = 10.54\text{-GeV}$ and 11.20-GeV ,” Phys. Rev. Lett. **102**, 012001 (2009)
97. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time dependent CP asymmetry parameters in B^0 meson decays to ωK_S^0 , $\eta' K_S^0$, and $\pi^0 K_S^0$,” Phys. Rev. D **79**, 052003 (2009)
98. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the Semileptonic Decays $B \rightarrow D\ell\nu$ and $B \rightarrow D^*\ell\nu$ Using a Global Fit to $DX\ell\nu$ Final States,” Phys. Rev. D **79**, 012002 (2009)
99. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $X(3872) \rightarrow \psi_{2S}\gamma$ in $B^\pm \rightarrow X_{3872}K^\pm$ decays, and a study of $B \rightarrow c\bar{c}\gamma K$,” Phys. Rev. Lett. **102**, 132001 (2009)
100. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^+ \rightarrow \omega\ell^+\nu$ and $B^+ \rightarrow \eta\ell^+\nu$ Branching Fractions,” Phys. Rev. D **79**, 052011 (2009)
101. B. Aubert *et al.* [BABAR Collaboration], “Measurements of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)}D^{(*)}$ decays,” Phys. Rev. D **79**, 032002 (2009)
102. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B(\tau^- \rightarrow \bar{K}^0\pi^-\nu_{\tau au})$ using the BaBar detector,” Nucl. Phys. Proc. Suppl. **189**, 193 (2009)
103. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $D_{s+} \rightarrow \pi^+\pi^-\pi^+$,” Phys. Rev. D **79**, 032003 (2009)
104. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Semileptonic B Decays into Orbitally Excited Charmed Mesons,” Phys. Rev. Lett. **103**, 051803 (2009)
105. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B \rightarrow X\gamma$ Decays and Determination of $|V_{td}/V_{ts}|$,” Phys. Rev. Lett. **102**, 161803 (2009)
106. B. Aubert *et al.* [BABAR Collaboration], “Constraints on the CKM angle γ in $B^0 \rightarrow \bar{D}^0(D^0)K^{*0}$ with a Dalitz analysis of $D^0 \rightarrow K_S\pi^+\pi^-$,” Phys. Rev. D **79**, 072003 (2009)

107. B. Aubert *et al.* [BABAR Collaboration], “Branching Fractions and CP-Violating Asymmetries in Radiative B Decays $\rightarrow \eta K \gamma$,” Phys. Rev. D **79**, 011102 (2009)
108. P. Adzic *et al.* [CMS Electromagnetic Calorimeter Group], “Intercalibration of the barrel electromagnetic calorimeter of the CMS experiment at start-up,” JINST **3**, P10007 (2008).
109. R. Adolphi *et al.* [CMS Collaboration], “The CMS experiment at the CERN LHC,” JINST **0803**, S08004 (2008) [JINST **3**, S08004 (2008)].
110. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Branching Fractions of the Radiative Charm Decays $D^0 \rightarrow \bar{K}^{*0} \gamma$ and $D^0 \rightarrow \phi \gamma$,” Phys. Rev. D **78**, 071101 (2008)
111. B. Aubert *et al.* [BaBar Collaboration], “Study of the $\pi^+ \pi^- J\psi$ Mass Spectrum via Initial-State Radiation at BaBar,”
112. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B_0 \rightarrow \chi_c^0 K^{*0}$ and evidence for $B^+ \rightarrow \chi_c^0 K^{*+}$,” Phys. Rev. D **78**, 091101 (2008)
113. B. Aubert *et al.* [BaBar Collaboration], “Measurements of Branching Fractions for $B^+ \rightarrow \rho^+ \gamma$, $B^0 \rightarrow \rho^0 \gamma$, and $B^0 \rightarrow \omega \gamma$,” Phys. Rev. D **78**, 112001 (2008)
114. B. Aubert *et al.* [BaBar Collaboration], “Search for $B \rightarrow K^* \nu \bar{n} u$ decays,” Phys. Rev. D **78**, 072007 (2008)
115. B. Aubert *et al.* [BaBar Collaboration], “Search for the highly suppressed decays $B^- \rightarrow K^+ \pi^- \pi^-$ and $B^- \rightarrow K^- K^- \pi^+$ ” Phys. Rev. D **78**, 091102 (2008)
116. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Branching Fractions of $\bar{B} \rightarrow D^{*+} l^- \bar{\nu}_l$ decays in Events Tagged by a Fully Reconstructed B Meson,” Phys. Rev. Lett. **101**, 261802 (2008)
117. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Branching Fraction, Polarization, and CP Asymmetries in $B \rightarrow \rho \rho$ Decay, and Implications for the CKM Angle α ,” Phys. Rev. D **78**, 071104 (2008)
118. B. Aubert *et al.* [BaBar Collaboration], “Measurements of $\mathcal{B}(\bar{B}^0 \rightarrow \Lambda_c^+ \bar{p})$ and $\mathcal{B}(B^- \rightarrow \Lambda_c^+ \bar{p} \pi^-)$ and Studies of $\Lambda_c^+ \pi^-$ Resonances,” Phys. Rev. D **78**, 112003 (2008)
119. B. Aubert *et al.* [BaBar Collaboration], “Searches for B meson decays to $\phi \phi$, $\phi \rho$, $\phi f_{zero}(980)$, and $f_{zero}(980) f_{zero}(980)$ final states,” Phys. Rev. Lett. **101**, 201801 (2008)
120. B. Aubert *et al.* [BaBar Collaboration], “Measurement of Time-Dependent CP Asymmetry in $B^0 \rightarrow K S \pi^0 \gamma$ Decays,” Phys. Rev. D **78**, 071102 (2008)
121. B. Aubert *et al.* [BaBar Collaboration], “Measurement of Ratios of Branching Fractions and CP-Violating Asymmetries of $B \rightarrow D^* K$ Decays,” Phys. Rev. D **78**, 092002 (2008)
122. B. Aubert *et al.* [BaBar Collaboration], “Study of hadronic transitions between Y states and observation of $Y(4S) \rightarrow \eta Y(1S)$ decay,” Phys. Rev. D **78**, 112002 (2008)
123. B. Aubert *et al.* [BaBar Collaboration], “Study of the decay $Ds^+ \rightarrow K^+ K^- e^+ \nu$,” Phys. Rev. D **78**, 051101 (2008)
124. B. Aubert *et al.* [BaBar Collaboration], “Observation of the bottomonium ground state in the decay $\Upsilon(3S) \rightarrow \gamma \eta_b$,” Phys. Rev. Lett. **101**, 071801 (2008)
125. B. Aubert *et al.* [BaBar Collaboration], “Search for $B^0 \rightarrow K^{*+} K^{*-}$ ” Phys. Rev. D **78**, 051103 (2008)
126. B. Aubert *et al.* [BaBar Collaboration], “Observation and Polarization Measurements of $B^\pm \rightarrow \phi K_1^\pm$ and $B^\pm \rightarrow \phi K_2^{*\pm}$,” Phys. Rev. Lett. **101**, 161801 (2008)
127. B. Aubert *et al.* [BaBar Collaboration], “Observation of $e^+ e^- \rightarrow \rho^+ \rho^-$ near $\sqrt{s} = 10.58$ GeV,” Phys. Rev. D **78**, 071103 (2008)

128. B. Aubert *et al.* [BaBar Collaboration], “A Measurement of CP Asymmetry in $b \rightarrow s\gamma$ using a Sum of Exclusive Final States,” Phys. Rev. Lett. **101**, 171804 (2008)
129. B. Aubert *et al.* [BaBar Collaboration], “Measurements of $B^- \rightarrow (\pi, \eta, \eta')l\nu$ Branching Fractions and Determination of $|Vub|$ with Semileptonically Tagged B Mesons,” Phys. Rev. Lett. **101**, 081801 (2008)
130. B. Aubert *et al.* [BaBar Collaboration], “Branching Fractions and CP-Violating Asymmetries in Radiative $B \rightarrow \eta K\gamma$ ” Phys. Rev. D **79**, 011102 (2009)
131. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B^+ \rightarrow b_1^+ K0$ and search for B^- meson decays to $b_1^0 K^0$ and $b_1\pi^0$,” Phys. Rev. D **78**, 011104 (2008)
132. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Mass Difference $m(B^0) - m(B^+)$,” Phys. Rev. D **78**, 011103 (2008)
133. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B \rightarrow \eta\rho^+$ and search for $B^0 \rightarrow \eta'\eta, \eta\pi^0, \eta'\pi^0, \omega\pi^0$ ” Phys. Rev. D **78**, 011107 (2008)
134. B. Aubert *et al.* [BaBar Collaboration], “Improved measurement of the CKM angle gamma in $B^\pm \rightarrow D^* K^{(*)\pm}$ decays with a Dalitz plot analysis of $D \rightarrow K_S^0\pi^+\pi^-, K_S^0K^+K^-$ ” Phys. Rev. D **78**, 034023 (2008)
135. B. Aubert *et al.* [BaBar Collaboration], “Study of $B^- \rightarrow \eta_c K^{(*)}, \eta_c(2S)K^{(*)}$ and $\eta_c\gamma K^{(*)}$,” Phys. Rev. D **78**, 012006 (2008)
136. B. Aubert *et al.* [BaBar Collaboration], “Evidence for CP violation in $B^0 \rightarrow \psi\pi^0$ decays,” Phys. Rev. Lett. **101**, 021801 (2008)
137. B. Aubert *et al.* [BaBar Collaboration], “Study of B Meson Decays with Excited η and η' Mesons,” Phys. Rev. Lett. **101**, 091801 (2008)
138. B. Aubert *et al.* [BaBar Collaboration], “Evidence for Direct CP Violation from Dalitz-plot analysis of $B^\pm \rightarrow K^\pm\pi^\pm\pi^\mp$ ” Phys. Rev. D **78**, 012004 (2008)
139. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Branching Fractions of the Rare Decays $B^0 \rightarrow Ds(*) + \pi^-, B^0 \rightarrow Ds(*) + \rho^-,$ and $B^0 \rightarrow Ds(*) - K(*) +$ ” Phys. Rev. D **78**, 032005 (2008)
140. B. Aubert *et al.* [BaBar Collaboration], “A study of $B \rightarrow X(3872)K$, with $X(3872) \rightarrow \psi\pi^+\pi^-$ ” Phys. Rev. D **77**, 111101 (2008)
141. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Spin of the Xi(1530) Resonance,” Phys. Rev. D **78**, 034008 (2008)
142. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the $\tau \rightarrow 3\pi\eta\nu$ Branching Fraction and a Search for a Second-Class Current in the $\tau \rightarrow \eta'(958)\pi\nu$ Decay,” Phys. Rev. D **77**, 112002 (2008)
143. B. Aubert *et al.* [BaBar Collaboration], “Measurement of CP observables in $B^- \rightarrow D_{CP}^0 K^-$ decays,” Phys. Rev. D **77**, 111102 (2008)
144. B. Aubert *et al.* [BaBar Collaboration], “Search for CP Violation in Neutral D Meson Cabibbo-suppressed Three-body Decays,” Phys. Rev. D **78**, 051102 (2008)
145. B. Aubert *et al.* [BaBar Collaboration], “Searches for the decays $B^0 \rightarrow l + \tau^-$ and $B^+ \rightarrow l + \nu(l = e, \mu)$ using hadronic tag reconstruction,” Phys. Rev. D **77**, 091104 (2008)
146. B. Aubert *et al.* [BaBar Collaboration], “A Measurement of the Branching Fractions of exclusive $\bar{B} \rightarrow D(*)\pi l - \bar{\nu}$ Decays in Events with a Fully Reconstructed B Meson,” Phys. Rev. Lett. **100**, 151802 (2008)
147. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Decay $B^- \rightarrow D^{*0}e^-\bar{\nu}$,” Phys. Rev. Lett. **100**, 231803 (2008)

148. B. Aubert *et al.* [BaBar Collaboration], “Time-dependent Dalitz plot analysis of $B^0 \rightarrow D^{-(+)}K^0\pi^{+(-)}$ decays,” Phys. Rev. D **77**, 071102 (2008)
149. B. Aubert *et al.* [BaBar Collaboration], “Measurement of $D^0\bar{D}^0$ Mixing using the Ratio of Lifetimes for the Decays $D^0 \rightarrow K^-\pi^+, K^-K^+, \pi^-\pi^+$ ” Phys. Rev. D **78**, 011105 (2008)
150. B. Aubert *et al.* [BaBar Collaboration], “Study of $B^0 \rightarrow l^+l'^-$ decays ($l, l' = e, \mu$),” Phys. Rev. D **77**, 032007 (2008)
151. B. Aubert *et al.* [BaBar Collaboration], Spectrum using the Recoil Method,” Phys. Rev. D **77**, 051103 (2008)
152. B. Aubert *et al.* [BaBar Collaboration], “Dalitz Plot Analysis of the Decay $B^0(B^0\text{bar}) \rightarrow K^\pm\pi^\mp\pi^0$ ” Phys. Rev. D **78**, 052005 (2008)
153. B. Aubert *et al.* [BaBar Collaboration], “Search for CPT and Lorentz Violation in $B^0 - \bar{B}^0$ Oscillations with Dilepton Events,” Phys. Rev. Lett. **100**, 131802 (2008)
154. B. Aubert *et al.* [BaBar Collaboration], “Observation of $Y(3940) \rightarrow \psi\omega$ in $B \rightarrow \psi\omega K$ at BaBar,” Phys. Rev. Lett. **101**, 082001 (2008)
155. B. Aubert *et al.* [BaBar Collaboration], “Search for Lepton Flavor Violating Decays $\tau^\pm \rightarrow l^\pm\omega$ ($l = e, \mu$)” Phys. Rev. Lett. **100**, 071802 (2008)
156. B. Aubert *et al.* [BaBar Collaboration], “A study of $\bar{B} \rightarrow X i_c \Lambda_c^-$ and $\bar{B} \rightarrow \Lambda_c^+ \Lambda_c^- \bar{K}$ decays at BaBar,” Phys. Rev. D **77**, 031101 (2008)
157. B. Aubert *et al.* [BaBar Collaboration], “A Study of Excited Charm-Strange Baryons with Evidence for new Baryons $\Xi_c(3055)^+$ and $\Xi_c(3123)^+$ ” Phys. Rev. D **77**, 012002 (2008)
158. B. Aubert *et al.* [BaBar Collaboration], “Measurements of $e^+e^- \rightarrow K^+K^-\eta, K^+K^-\pi^0$ and $K_s K^+\pi^-$ Cross Sections Using Initial State Radiation Events,” Phys. Rev. D **77**, 092002 (2008)
159. B. Aubert *et al.* [BaBar Collaboration], “Study of the Exclusive Initial-State-Radiation Production of the DDbar System,” arXiv:0710.1371 [hep-ex].
160. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B^+ \rightarrow a_1(1260)^+K^0$ and $B^0 \rightarrow a_1(1260) - K^+$ ” Phys. Rev. Lett. **100**, 051803 (2008)
161. B. Aubert *et al.* [BaBar Collaboration], “Search for CP Violation in the Decays $D^{0-} \rightarrow K^-K^+$ and $D^{0-} \rightarrow \pi^-\pi^+$ ” Phys. Rev. Lett. **100**, 061803 (2008)
162. B. Aubert *et al.* [BaBar Collaboration], “Study of $e^+e^- \rightarrow \Lambda\bar{\Lambda}, \Lambda\Sigma^0, \Sigma^0\bar{\Sigma}^0$ using Initial State Radiation with BaBar,” Phys. Rev. D **76**, 092006 (2007)
163. B. Aubert *et al.* [BaBar Collaboration], “Observation of the Semileptonic Decays $B^- \rightarrow D^* \tau \bar{\nu}$ and Evidence for $B^- \rightarrow D^* \tau \bar{\nu}$,” Phys. Rev. Lett. **100**, 021801 (2008)
164. B. Aubert *et al.* [BaBar Collaboration], “Measurements of Partial Branching Fractions for $\bar{B} \rightarrow X_u e l \bar{\nu}$ and Determination of $|V_{ub}|$,” Phys. Rev. Lett. **100**, 171802 (2008)
165. B. Aubert *et al.* [BaBar Collaboration], “A search for $B^+ - \rightarrow \tau + \nu$ with Hadronic B tags,” Phys. Rev. D **77**, 011107 (2008)
166. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B^0 \rightarrow K^* \bar{K}^* \bar{0}$ and search for $B^0 \rightarrow K^* \bar{0} K^* \bar{0}$ ” Phys. Rev. Lett. **100**, 081801 (2008)
167. B. Aubert *et al.* [BaBar Collaboration], “Study of Resonances in Exclusive $B \rightarrow \bar{D}^*(*)D^*(*)K$ ” Phys. Rev. D **77**, 011102 (2008)
168. B. Aubert *et al.* [The BaBar Collaboration], “Search for the rare charmless hadronic decay $B^+ \rightarrow a_0 + \pi^0$ ” Phys. Rev. D **77**, 011101 (2008)

169. B. Aubert *et al.* [BaBar Collaboration], “Exclusive branching fraction measurements of semileptonic τ decays into three charged hadrons, $\tau^- \rightarrow \phi\pi^-\nu_\tau$ and $\tau^- \rightarrow \phi K^-\nu_\tau$,” Phys. Rev. Lett. **100**, 011801 (2008)
170. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the CP-Violating Asymmetries in $B^0 \rightarrow K_S\pi^0$ and of the Branching Fraction of $B^0 \rightarrow K0\pi^0$ ” Phys. Rev. D **77**, 012003 (2008)
171. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the $\tau^- \rightarrow K^-\pi^0\nu_\tau$ Branching Fraction,” Phys. Rev. D **76**, 051104 (2007)
172. B. Aubert *et al.* [BaBar Collaboration], “A study of $B^- \rightarrow \eta_c K^*, \eta_c \gamma K^*$ ”
173. B. Aubert *et al.* [BaBar Collaboration], “Study of $B^0 \rightarrow \pi^0\pi^0$, $B \rightarrow \pi\pi^0$, and $B \rightarrow K\pi^0$ Decays, and Isospin Analysis of $B \rightarrow \pi\pi$ Decays,” Phys. Rev. D **76**, 091102 (2007)
174. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B^- \rightarrow D_s^{(*)+} K^-\pi^-$ and $\overline{B}^0 \rightarrow D_s^+ K_s^0\pi^-$ and Search for $\overline{B}^0 \rightarrow D_s^{*+} K_s\pi^-$ and $B^- \rightarrow D_s^{(*)+} K^- K^-$,” Phys. Rev. Lett. **100**, 171803 (2008)
175. B. Aubert *et al.* [BaBar Collaboration], “Search for the Decays $B^0 \rightarrow e^+e^- \text{gamma}$ and $B^0 \rightarrow \mu^+\mu^-\gamma$ ” Phys. Rev. D **77**, 011104 (2008)
176. B. Aubert *et al.* [BaBar Collaboration], “Determination of the Form Factors for the Decay $B^0 \rightarrow D^* -l + \nu_l$ and of the CKM Matrix Element $|V_{cb}|$,” Phys. Rev. D **77**, 032002 (2008)
177. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the absolute branching fraction of $D^{0-} \rightarrow K^-\pi^+$ ” Phys. Rev. Lett. **100**, 051802 (2008)
178. B. Aubert *et al.* [BABAR Collaboration], “Study of $e^+e^- \rightarrow \Lambda \text{ anti-}\Lambda$, $\Lambda \text{ anti-}\Sigma^0$, $\Sigma^0 \text{ anti-}\Sigma^0$ using Initial State Radiation with BABAR,” Phys. Rev. D **76**, 092006 (2007)
179. B. Aubert *et al.* [The BABAR Collaboration], “Search for $b \rightarrow u$ transitions in $B^- \rightarrow [K^+\pi^-\pi^0]_D K^-$,” Phys. Rev. D **76**, 111101 (2007)
180. B. Aubert *et al.* [BABAR Collaboration], “Observation of the Decay $B^+ \rightarrow K^+K^-\pi^+$,” Phys. Rev. Lett. **99**, 221801 (2007)
181. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^+ \rightarrow K^+\tau^- / +\mu^+/-$,” Phys. Rev. Lett. **99**, 201801 (2007)
182. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $\cos 2\beta$ in $B^0 \rightarrow D^{(*)}h0$ Decays with a Time-Dependent Dalitz Plot Analysis of $D \rightarrow K^*S\pi^+\pi^-$,” Phys. Rev. Lett. **99**, 231802 (2007)
183. B. Aubert *et al.* [BaBar Collaboration], “Improved Measurement of Time-Dependent CP Asymmetries and the CP-Odd Fraction in the Decay $B^0 \rightarrow D^* + D^* -$,” Phys. Rev. D **76**, 111102 (2007)
184. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$, $2(\pi^+\pi^-)\eta$, $K^+K^-\pi^+\pi^-\pi^0$ and $K^+K^-\pi^+\pi^-\eta$ Cross Sections Measured with Initial-State Radiation,” Phys. Rev. D **76**, 092005 (2007)
185. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the Branching Fractions of $B^0 \rightarrow K^*0K^+K^-$, $B^0 \rightarrow K^*0\pi^+K^-$, $B^0 \rightarrow K^*0K^+\pi^-$, and $B^0 \rightarrow K^*0\pi^+\pi^-$,” Phys. Rev. D **76**, 071104 (2007)
186. B. Aubert *et al.* [BABAR Collaboration], “Improved Limits on the Lepton-Flavor Violating Decays $\tau^- \rightarrow l - l + l^-$,” Phys. Rev. Lett. **99**, 251803 (2007)
187. B. Aubert *et al.* [BABAR Collaboration], “Search for Prompt Production of χ_c and X(3872) in e^+e^- Annihilations,” Phys. Rev. D **76**, 071102 (2007)
188. B. Aubert *et al.* [BaBar Collaboration], “Evidence for the $B^0 \rightarrow p\bar{p}K^*0$ and $B^+ \rightarrow \eta_c K^* +$ decays and Study of the Decay Dynamics of B Meson Decays into $p\bar{p}h$ Final States,” Phys. Rev. D **76**, 092004 (2007)

189. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^0 \rightarrow \pi^0\pi^0$, $B \rightarrow pi\pi^0$, and $B \rightarrow K\pi^0$ Decays, and Isospin Analysis of $B \rightarrow \pi\pi$ Decays,” Phys. Rev. D **76**, 091102 (2007)
190. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\tau^- \rightarrow K^- \pi^0 \nu_\tau$ Branching Fraction,” Phys. Rev. D **76**, 051104 (2007)
191. B. Aubert *et al.* [The BABAR Collaboration], “Observation of B^- meson decays to $b_1\pi$ and b_1K ,” Phys. Rev. Lett. **99**, 241803 (2007)
192. B. Aubert *et al.* [The BaBar Collaboration], “Search for the decay $B^+ \rightarrow K\bar{K}^*0(892)K^+$,” Phys. Rev. D **76**, 071103 (2007)
193. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-Violating Asymmetries in the Decay $B^0 \rightarrow K^+K^-K^0$,” Phys. Rev. Lett. **99**, 161802 (2007)
194. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction and CP-violation charge asymmetry measurements for B^- meson decays to ηK^{+-} , $\eta\pi^{+-}$, $\eta'K$, $\eta'\pi^{+-}$, ωK , and $\omega\pi^\pm$,” Phys. Rev. D **76**, 031103 (2007)
195. B. Aubert *et al.* [BABAR Collaboration], “Evidence of a broad structure at an invariant mass of 4.32-GeV/c² in the reaction $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$ measured at BaBar,” Phys. Rev. Lett. **98**, 212001 (2007)
196. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^0 \rightarrow \phi(K^+\pi^-)$ decays with large $K^+\pi^-$ invariant mass,” Phys. Rev. D **76**, 051103 (2007)
197. B. Aubert *et al.* [BABAR Collaboration], “Search for $D^0 - \text{anti} - D^0$ mixing using doubly flavor tagged semileptonic decay modes,” Phys. Rev. D **76**, 014018 (2007)
198. B. Aubert *et al.* [BaBar Collaboration], “Measurement of CP-Violating Asymmetries in $B^0 \rightarrow D^{(*)\pm}D^\pm$,” Phys. Rev. Lett. **99**, 071801 (2007)
199. B. Aubert *et al.* [BABAR Collaboration], “A search for $B^+ \rightarrow \tau^+\nu$,” Phys. Rev. D **76**, 052002 (2007)
200. B. Aubert *et al.* [Babar Collaboration], “A Study of $B^0 \rightarrow \rho^+\rho^-$ Decays and Constraints on the CKM Angle alpha,” Phys. Rev. D **76**, 052007 (2007)
201. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$, $K^+K^-\pi^0\pi^0$ and $K^+K^-\pi^+K^-$ Cross Sections Measured with Initial-State Radiation,” Phys. Rev. D **76**, 012008 (2007)
202. B. Aubert *et al.* [BABAR Collaboration], “Measurement of decay amplitudes of $B \rightarrow J/\psi K^*$, $\psi(2SK^*$, and $\chi(c1)K^*$ with an angular analysis,” Phys. Rev. D **76**, 031102 (2007)
203. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction and charge asymmetry measurements in $B \rightarrow J/\psi p\bar{p}i\bar{i}$ decays,” Phys. Rev. D **76**, 031101 (2007)
204. B. Aubert *et al.* [BABAR Collaboration], “Amplitude Analysis of the decay $D^0 \rightarrow K^-K^+\pi^0$,” Phys. Rev. D **76**, 011102 (2007)
205. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP-violating asymmetries in $B^0 \rightarrow (\rho\pi)\pi^0$ using a time-dependent Dalitz plot analysis,” Phys. Rev. D **76**, 012004 (2007)
206. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in $B^0 \rightarrow K^+\pi^-$ and $B^0 \rightarrow \pi^+\pi^-$,” Phys. Rev. Lett. **99**, 021603 (2007)
207. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decay $B \rightarrow \rho\pi + l^-$,” Phys. Rev. Lett. **99**, 051801 (2007)
208. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the time-dependent CP asymmetry in $B^0 \rightarrow D^{(*)0}(CP)h^0$ decays,” Phys. Rev. Lett. **99**, 081801 (2007)
209. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $D^0 - \text{anti} - D^0$ mixing,” Phys. Rev. Lett. **98**, 211802 (2007)

210. B. Aubert *et al.* [BABAR Collaboration], “Improved Measurement of CP Violation in Neutral B Decays to $c\bar{c}s$,” Phys. Rev. Lett. **99**, 171803 (2007)
211. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the relative branching fractions of $\mathbf{anti} - \mathbf{B} \rightarrow \mathbf{D}/\mathbf{D}^*/\mathbf{D}^*\mathbf{l} - \mathbf{anti} - \nu/\mathbf{l}$ decays in events with a fully reconstructed B meson,” Phys. Rev. D **76**, 051101 (2007)
212. B. Aubert *et al.* [BABAR Collaboration], “Production and decay of Omega/c0,” Phys. Rev. Lett. **99**, 062001 (2007)
213. B. Aubert *et al.* [BaBar Collaboration], “Measurement of CP violation parameters with a Dalitz plot analysis of $\mathbf{B}^{+-} \rightarrow \mathbf{D}(\pi^+\pi^-\pi^0)\mathbf{K}^{+-}$,” Phys. Rev. Lett. **99**, 251801 (2007)
214. B. Aubert *et al.* [BABAR Collaboration], “Search for neutral \mathbf{B}^- meson decays to $\mathbf{a0}\pi, \mathbf{a0K}, \eta\rho$, and $\eta\mathbf{f0}$,” Phys. Rev. D **75**, 111102 (2007)
215. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP asymmetry in $\mathbf{B}^0 \rightarrow \mathbf{K}_S^0\pi^0\pi^0$ decays,” Phys. Rev. D **76**, 071101 (2007)
216. B. Aubert *et al.* [BaBar Collaboration], “Observation of $\mathbf{B}^+ \rightarrow \rho^+\mathbf{K}^0$ and measurement of its branching fraction and charge asymmetry,” Phys. Rev. D **76**, 011103 (2007)
217. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP Asymmetries in $\mathbf{B}^0 \rightarrow \mathbf{K}_S^0\mathbf{K}_S^0\mathbf{K}_S^0$ Decays,” Phys. Rev. D **76**, 091101 (2007)
218. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\mathbf{B}^{+-} \rightarrow \rho^+ - \pi^0$ branching fraction and direct CP asymmetry,” Phys. Rev. D **75**, 091103 (2007)
219. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of $\mathbf{B}^+ \rightarrow \rho^+\gamma, \mathbf{B}^0 \rightarrow \mathbf{rho0}\gamma$, and $\mathbf{B}^0 \rightarrow \omega\gamma$,” Phys. Rev. Lett. **98**, 151802 (2007)
220. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\mathbf{B}^0 \rightarrow \pi^-l + \nu$ form-factor shape and branching fraction, and determination of $-\mathbf{V}(\mathbf{ub})-$ with a loose neutrino reconstruction technique,” Phys. Rev. Lett. **98**, 091801 (2007)
221. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $\mathbf{B}^0 \rightarrow \mathbf{rho0rho0}$ decay and implications for the CKM angle alpha,” Phys. Rev. Lett. **98**, 111801 (2007)
222. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries in $\mathbf{B}^0 \rightarrow \mathbf{a1(1260)} + -\pi^- +$ decays,” Phys. Rev. Lett. **98**, 181803 (2007)
223. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the rare decay $\mathbf{B}^+ \rightarrow \mathbf{D}/\mathbf{s} + \pi^0$,” Phys. Rev. Lett. **98**, 171801 (2007)
224. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $\mathbf{B} \rightarrow \phi\mathbf{K}\gamma$,” Phys. Rev. D **75**, 051102 (2007)
225. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurement of $\mathbf{anti} - \mathbf{B}^0 \rightarrow \mathbf{D}(\mathbf{*}) + \pi^-$, $\mathbf{B}^- \rightarrow \mathbf{D}(\mathbf{*})\mathbf{0}\pi^-$ and isospin analysis of $\mathbf{anti} - \mathbf{B} \rightarrow \mathbf{D}(\mathbf{*})\mathbf{pi}$ decays,” Phys. Rev. D **75**, 031101 (2007)
226. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violating decays $\tau^{+-} \rightarrow l + -\pi^0, l + -\eta, l + -\eta'$,” Phys. Rev. Lett. **98**, 061803 (2007)
227. B. Aubert *et al.* [BABAR Collaboration], “Vector - tensor and vector - vector decay amplitude analysis of $\mathbf{B}^0 \rightarrow \phi\mathbf{K}^*\mathbf{0}$,” Phys. Rev. Lett. **98**, 051801 (2007)
228. B. Aubert *et al.* [BABAR Collaboration], “Inclusive Lambda/c production in e^+e^- annihilations at $s^{**}(1/2) = 10.54\text{-GeV}$ and in Upsilon(4S) decays,” Phys. Rev. D **75**, 012003 (2007)
229. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in $\mathbf{B}^0 \rightarrow \eta'\mathbf{K}^0$ decays,” Phys. Rev. Lett. **98**, 031801 (2007)

230. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CP asymmetry and branching fraction of $B^0 \rightarrow \rho^0 K^0$,” Phys. Rev. Lett. **98**, 051803 (2007)
231. B. Aubert *et al.* [BABAR Collaboration], “Search for the reactions $e + e^- \rightarrow \mu^+ \tau^-$ and $e + e^- \rightarrow e + \tau^-$,” Phys. Rev. D **75**, 031103 (2007)
232. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the q^{*2} dependence of the hadronic form factor in $D^0 \rightarrow K^- e + \nu_e$ decays,” Phys. Rev. D **76**, 052005 (2007)
233. B. Aubert *et al.* [BABAR Collaboration], “Study of the exclusive initial-state radiation production of the D anti-D system,” Phys. Rev. D **76**, 111105 (2007)
234. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the pseudoscalar decay constant $f(D/s)$ using charm-tagged events in $e + e^-$ collisions at $s^{*2}(1/2) = 10.58\text{-GeV}$,” Phys. Rev. Lett. **98**, 141801 (2007)
235. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B \rightarrow \eta' K^*$ and evidence for $B^+ \rightarrow \eta' \rho^+$,” Phys. Rev. Lett. **98**, 051802 (2007) [arXiv:hep-ex/0607109].
236. B. Aubert *et al.* [BABAR Collaboration], “Study of inclusive B^- and anti- B^0 decays to flavor-tagged D, D/s and Lambda/c+,” Phys. Rev. D **75**, 072002 (2007)
237. B. Aubert *et al.* [BABAR Collaboration], “Observation of decays $B^0 \rightarrow D/s(*) + \pi^-$ and $B^0 \rightarrow D/s(*) - K^+$,” Phys. Rev. Lett. **98**, 081801 (2007)
238. B. Aubert *et al.* [BABAR Collaboration], “Observation of a charmed baryon decaying to D0 p at a mass near $2.94\text{-GeV}/c^{*2}$,” Phys. Rev. Lett. **98**, 012001 (2007)
239. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Lambda/c+ branching fractions of Cabibbo-suppressed decay modes involving Lambda and Sigma0,” Phys. Rev. D **75**, 052002 (2007)
240. “Search for the decay $B^0 \rightarrow K_s^0 K_s^0 K_L^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 032005 (2006)
241. “Search for doubly charmed baryons Ξ_{cc}^+ and Ξ_{cc}^{++} in BaBar,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 011103 (2006)
242. “Search for $B^+ \rightarrow \phi \pi^+$ and $B^0 \rightarrow \phi \pi^0$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 011102 (2006)
243. “Study of $B \rightarrow D^{(*)} D_{s(J)}^{(*)}$ decays and measurement of D_s^- and $D_{s(J)}^+$ (2460) branching fractions,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 031103 (2006)
244. “Search for the decay $B^0 \rightarrow a_1^\pm \rho^\mp$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 031104 (2006)
245. “Search for $B \rightarrow \eta' \eta' K$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 031105 (2006)
246. “Dalitz plot analysis of the decay $B^\pm \rightarrow K^\pm K^\pm K^\mp$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 032003 (2006)

247. “Measurement of branching fractions and CP-violating charge asymmetries for B meson decays to $D^{(*)}\bar{D}^{(*)}$, and implications for the CKM angle γ ,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 112004 (2006)
248. “Observation of $\Upsilon(4S)$ decays to $\pi^+\pi^-\Upsilon(1S)$ and $\pi^+\pi^-\Upsilon(2S)$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **96**, 232001 (2006)
249. “A study of the $D_{sJ}^{*+}(2317)$ and $D_{s(J)}^+(2460)$ mesons in inclusive $c\bar{c}$ production near $\sqrt{s} = 10.6$ GeV,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 032007 (2006)
250. “Measurement of the $B^- \rightarrow D^0 K^{*-}$ branching fraction,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 111104 (2006)
251. “Measurement of $\bar{B}^0 \rightarrow D^{(*)0}\bar{K}^{(*)0}$ branching fractions,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 031101 (2006)
252. “Search for the decay $\tau^- \rightarrow 3\pi^- 2\pi^+ 2\pi^0 \nu_\tau$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 112003 (2006)
253. “Study of the decay $\bar{B}^0 \rightarrow D^{*+}\omega\pi^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 012001 (2006)
254. “Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays $B \rightarrow K\ell^+\ell^-$ and $B \rightarrow K^*\ell^+\ell^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 092001 (2006)
255. “Search for the charmed pentaquark candidate $\Theta_c^0(3100)$ in e^+e^- annihilations at $\sqrt{s} = 10.58$ GeV,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 091101 (2006)
256. “Measurement of branching fractions in radiative B decays to $\eta K\gamma$ and search for B decays to $\eta' K\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 031102 (2006)
257. “Search for T, CP and CPT violation in $B^0\bar{B}^0$ mixing with inclusive dilepton events,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **96**, 251802 (2006)
258. “Observation of B^0 meson decay to $a_1(1260)^\pm\pi^\mp$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **97**, 051802 (2006)
259. “Measurements of CP-violating asymmetries and branching fractions in B decays to ωK and $\omega\pi$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 011106 (2006)
260. “Branching fraction limits for B^0 decays to $\eta'\eta$, $\eta'\pi^0$ and $\eta\pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 071102 (2006)

261. “Measurements of the branching fraction and time-dependent CP asymmetries of $B^0 \rightarrow J/\psi\pi^0$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **74**, 011101 (2006)
262. “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)\pm}\pi^\mp$ and $B^0 \rightarrow D^\pm\rho^\mp$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 111101 (2006)
263. “The $e^+e^- \rightarrow 3(\pi^+\pi^-)$, $2(\pi^+\pi^-\pi^0)$ and $K^+K^-2(\pi^+\pi^-)$ cross sections at center-of-mass energies from production threshold to 4.5-GeV measured with initial-state radiation,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 052003 (2006)
264. “Measurement of the \bar{B}^0 lifetime and the $B^0\bar{B}^0$ oscillation frequency using partially reconstructed $\bar{B}^0 \rightarrow D^{*\pm}\ell^-\bar{\nu}_\ell$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 012004 (2006)
265. “Measurement of branching fractions and resonance contributions for $B^0 \rightarrow \bar{D}^0 K^+\pi^-$ and search for $B^0 \rightarrow D^0 K^+\pi^-$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **96**, 011803 (2006)
266. “Study of $J/\psi\pi^+\pi^-$ states produced in $B^0 \rightarrow J/\psi\pi^+\pi^-K^0$ and $B^- \rightarrow J/\psi\pi^+\pi^-K^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 011101 (2006)
267. “A search for the decay $B^+ \rightarrow \tau^+\nu_\tau$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 057101 (2006)
268. “Search for lepton flavor violation in the decay $\tau^\pm \rightarrow e^\pm\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **96**, 041801 (2006)
269. “Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic endpoint and determination of $|V(\mathbf{ub})|$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 012006 (2006)
270. “Measurements of the absolute branching fractions of $B^\pm \rightarrow K^\pm X(c\bar{c})$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **96**, 052002 (2006)
271. “A search for the rare decay $B^0 \rightarrow \tau^+\tau^-$ at BABAR,” Phys. Rev. Lett. **96**, 241802 (2006)
272. “A study of $e^+e^- \rightarrow p\bar{p}$ using initial state radiation with BABAR,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 012005 (2006)
273. “Search for rare quark-annihilation decays, $B^- \rightarrow D_s^{(*)}\phi$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 011103 (2006)
274. “Measurements of the branching fractions and CP-asymmetries of $B^- \rightarrow D^0(CP)K^-$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **73**, 051105 (2006)

275. “Search for the W-exchange decays $B^0 \rightarrow D_s^{(*)-} D_s^{(*)+}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 111101 (2005)
276. “Measurement of the branching ratios $\Gamma(D_s^{*+} \rightarrow D_s^+ \pi^0)/\Gamma(D_s^{*+} \rightarrow D_s^+ \gamma)$ and $\Gamma(D^{*0} \rightarrow D^0 \pi^0)/\Gamma(D^{*0} \rightarrow D^0 \gamma)$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 091101 (2005)
277. “Search for decays of $B^0 \rightarrow e^+ e^-$, $B^0 \rightarrow \mu^+ \mu^-$, $B^0 \rightarrow e^\pm \mu^\mp$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **94**, 221803 (2005).
278. “Measurements of the $B \rightarrow X_s \gamma$ branching fraction and photon spectrum from a sum of exclusive final states,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 052004 (2005)
279. “A study of $b \rightarrow c$ and $b \rightarrow u$ interference in the decay $B^- \rightarrow D(K^+ \pi^-) K^{*-}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 071104 (2005)
280. “Measurement of the time-dependent CP-violating asymmetry in $B^0 \rightarrow K_S^0 \pi^0 \gamma$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 051103 (2005)
281. “Dalitz plot analysis of $D^0 \rightarrow \bar{K}^0 K^+ K^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 052008 (2005)
282. “An amplitude analysis of the decay $B^\pm \rightarrow \pi^\pm \pi^\pm \pi^\mp$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 052002 (2005)
283. “Evidence for $B^+ \rightarrow \bar{K}^0 K^+$ and $B^0 \rightarrow K^0 \bar{K}^0$, and measurement of the branching fraction and search for direct CP violation in $B^+ \rightarrow K^0 \pi^+$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 221801 (2005)
284. “Measurement of the $B^+ \rightarrow p \bar{p} K^+$ branching fraction and study of the decay dynamics,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 051101 (2005)
285. “A precision measurement of the Λ_c^+ baryon mass,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 052006 (2005)
286. “Dalitz-plot analysis of the decays $B^\pm \rightarrow K^\pm \pi^\mp \pi^\pm$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 072003 (2005)
287. “Study of $B \rightarrow p i l \nu$ and $B \rightarrow p l \nu$ decays and determination of $|V(\text{ub})|$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 051102 (2005)
288. “Measurement of CP observables for the decays $B^\pm \rightarrow D^0(CP) K^{*\pm}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 071103 (2005)

289. “Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+}D^{*-}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 151804 (2005)
290. “Observation of a broad structure in the $\pi^+\pi^-J/\psi$ mass spectrum around 4.26-GeV/ c^2 ,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 142001 (2005)
291. “Search for the rare decay $\bar{B}^0 \rightarrow D^{*0}\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 051106 (2005)
292. “Search for lepton-flavor and lepton-number violation in the decay $\tau \rightarrow l^\mp h^\pm h'^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 191801 (2005)
293. “Measurement of double charmonium production in e^+e^- annihilations at $\sqrt{s} = 10.6\text{GeV}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 031101 (2005)
294. “Determination of $|V(\text{ub})|$ from measurements of the electron and neutrino momenta in inclusive semileptonic B decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 111801 (2005) [Erratum-ibid. **97**, 019903 (2006)]
295. “Search for the decay $\tau^- \rightarrow 4\pi^- 3\pi^+(\pi^0)\nu_\tau$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 012003 (2005)
296. “Search for the rare decays $B^+ \rightarrow D^{(*)+}K_S^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 011102 (2005)
297. “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)\pm}D^\mp$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 131802 (2005)
298. “Measurement of the branching fraction and decay rate asymmetry of $B^- \rightarrow D(\pi^+\pi^-\pi^0)K^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 071102 (2005)
299. “Study of the $\tau^- \rightarrow 3h^-2h^+\nu_\tau$ decay,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 072001 (2005)
300. “Search for $b \rightarrow u$ transitions in $B^- \rightarrow D^0K^-$ and $B^- \rightarrow D^{*0}K^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 032004 (2005)
301. “Measurement of gamma in $B^\pm \rightarrow D^{(*)}K^\mp +$ decays with a Dalitz analysis of $D \rightarrow K_S^0\pi^-\pi^+$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 121802 (2005)
302. “Measurement of time-dependent CP-violating asymmetries and constraints on $\sin(2\beta + \gamma)$ with partial reconstruction of $B \rightarrow D^{*\mp}\pi^\pm$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 112003 (2005)

303. “Production and decay of Ξ_{c0} at BaBar,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 142003 (2005)
304. “Evidence for the decay $B^\pm \rightarrow K^{*\pm}\pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 111101 (2005)
305. “Measurement of the branching fraction of $\Upsilon(4S) \rightarrow B^0\bar{B}^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 042001 (2005)
306. “Improved measurement of the CKM angle alpha using $B^0(\bar{B}^0) \rightarrow \rho^+\rho^-$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 041805 (2005)
307. “Measurement of branching fractions and charge asymmetries in $B^+ \rightarrow \eta\pi^+, \eta K^+, \eta\rho^+, \eta'\pi^+$, and search for $B^0 \rightarrow \eta K^0, \eta\omega$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 131803 (2005)
308. “Search for $B \rightarrow J/\psi D$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 091103 (2005)
309. “Measurement of the branching fraction and the CP-violating asymmetry for the decay $B^0 \rightarrow K_S^0\pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 111102 (2005)
310. “Measurement of the $B^0 \rightarrow D^{*-}D_s^{*+}$ and $D_s^+ \rightarrow \phi\pi^+$ branching fractions,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 091104 (2005)
311. “Search for lepton flavor violation in the decay $\tau \rightarrow \mu\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 041802 (2005)
312. “The $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$, $K^+K^-\pi^+\pi^-$, and $K^+K^-K^+K^-$ cross sections at center-of-mass energies 0.5-GeV - 4.5-GeV measured with initial-state radiation,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 052001 (2005)
313. “Measurement of CP asymmetries in $B^0 \rightarrow \phi K^0$ and $B^0 \rightarrow K^+K^-K_S^0$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 091102 (2005)
314. “Measurements of branching fractions and time-dependent CP-violating asymmetries in $B \rightarrow \eta' K$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **94**, 191802 (2005)
315. “Search for strange-pentaquark production in e^+e^- annihilation at $\sqrt{s} = 10.58$ -GeV,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 042002 (2005)
316. “A search for CP violation and a measurement of the relative branching fraction in $D^+ \rightarrow K^-K^+\pi^+$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **71**, 091101 (2005)

317. “Improved measurements of CP-violating asymmetry amplitudes in $B^0 \rightarrow \pi^+\pi^-$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **95**, 151803 (2005)
318. “Search for factorization-suppressed $B \rightarrow \chi_c K^{(*)}$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **94**, 171801 (2005)
319. “Search for the radiative decay $B \rightarrow \phi\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **72**, 091103 (2005)
320. “Measurement of the branching fractions for inclusive B^- and \bar{B}^0 decays to flavor-tagged D, D_s and Λ_c ,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 091106 (2004)
321. “Search for $D^0 - \bar{D}^0$ mixing using semileptonic decay modes,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 091102 (2004)
322. “Study of $e^+e^- \rightarrow \pi^+\pi^-\pi^0$ process using initial state radiation with BaBar,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 072004 (2004)
323. “Study of $B \rightarrow D_{s(J)}^{(*)} + \bar{D}^{(*)}$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 181801 (2004)
324. “Search for flavor-changing neutral current and lepton flavor violating decays of $D^0 \rightarrow l^+l^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 191801 (2004)
325. “Search for the decay $B^0 \rightarrow J/\psi\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 091104 (2004)
326. “Measurement of the $B^0 \rightarrow \phi K^0$ decay amplitudes,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 231804 (2004)
327. “Observation of direct CP violation in $B^0 \rightarrow K^+\pi^-$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 131801 (2004)
328. “Search for B^- meson decays to two-body final states with $a_0(980)$ mesons,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 111102 (2004)
329. “Measurement of branching fractions, and CP and isospin asymmetries, for $B \rightarrow K^*\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 112006 (2004)
330. “Branching fractions and CP asymmetries in $B^0 \rightarrow K^+K^-K_S^0$ and $B^+ \rightarrow K^+K_S^0K_S^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 181805 (2004)
331. “Measurement of time-dependent CP-violating asymmetries in $B^0 \rightarrow K^{*0}\gamma(K^{*0} \rightarrow K_S^0\pi^0)$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 201801 (2004)

332. “Search for B^0 decays to invisible final states and to $\nu\bar{\nu}\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 091802 (2004)
333. “Study of the decay $B^0(\bar{B}^0) \rightarrow \rho^+\rho^-$, and constraints on the CKM angle α ,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 231801 (2004)
334. “Determination of the branching fraction for $B \rightarrow X_c l \nu$ decays and of $|V(\text{cb})|$ from hadronic mass and lepton energy moments,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 011803 (2004)
335. “Measurement of the $B \rightarrow X_s l^+ l^-$ branching fraction with a sum over exclusive modes,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 081802 (2004)
336. “Measurement of the ratio of decay amplitudes for $\bar{B}^0 \rightarrow J/\psi K^{*0}$ and $B^0 \rightarrow J/\psi K^{*0}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 081801 (2004)
337. “Searches for B^0 decays to combinations of charmless isoscalar mesons,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 181806 (2004)
338. “Measurement of the direct CP asymmetry in $b \rightarrow s\gamma$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 021804 (2004)
339. “Measurements of moments of the hadronic mass distribution in semileptonic B decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 111103 (2004)
340. “Measurement of the electron energy spectrum and its moments in inclusive $B \rightarrow X e \nu$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 111104 (2004)
341. “Measurement of the time-dependent CP asymmetry in the $B^0 \rightarrow \phi K^0$ decay,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 071801 (2004)
342. “B meson decays to $\eta(')K^*$, $\eta(')\rho$, $\eta(')\pi^0$, $\omega\pi^0$, and $\phi\pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 032006 (2004)
343. “Branching fraction measurements of $B \rightarrow \eta_c K$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 011101 (2004)
344. “Search for the decay $B^0 \rightarrow p\bar{p}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 091503 (2004)
345. “Limits on the decay rate difference of neutral-B mesons and on CP, T, and CPT violation in $B^0\bar{B}^0$ oscillations,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 012007 (2004)
346. “Measurements of CP violating asymmetries in $B^0 \rightarrow K_S^0\pi^0$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 131805 (2004)

347. “Observation of the decay $B \rightarrow J/\psi\eta K$ and search for $X(3872) \rightarrow J/\psi\eta$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 041801 (2004)
348. “Search for $B^\pm \rightarrow (K^\mp\pi^\pm)(D)K^\pm$ and upper limit on the $b \rightarrow u$ amplitude in $B^\pm \rightarrow DK^\pm$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 131804 (2004)
349. “Study of $B^\pm \rightarrow J/\psi\pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ decays: Measurement of the ratio of branching fractions and search for direct CP violation,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 241802 (2004)
350. “Measurement of the B^+/B^0 production ratio from the Upsilon(4S) meson using $B^+ \rightarrow J/\psi K^+$ and $B^0 \rightarrow J/\psi K_S^0$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 071101 (2004)
351. “Study of high momentum η' production in $B \rightarrow \eta' X_s$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 061801 (2004)
352. “Search for the rare leptonic decay $B^+ \rightarrow \mu^+\nu_\mu$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 221803 (2004)
353. “Measurements of branching fractions and CP-violating asymmetries in B meson decays to charmless two-body states containing a K^0 ,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 201802 (2004)
354. “Measurement of the branching fraction for $B^- \rightarrow D^0 K^{*-}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 051101 (2004)
355. “Search for lepton flavor violation in the decay $\tau^- \rightarrow l^- l^+ l^-$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 121801 (2004)
356. “Measurement of branching fractions and charge asymmetries in $B^\pm \rightarrow \rho^\pm \pi^0$ and $B^\pm \rightarrow \rho^0 \pi^\pm$ decays, and search for $B^0 \rightarrow \rho^0 \pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **93**, 051802 (2004)
357. “Measurements of the mass and width of the η_c meson and of an $\eta_c(2S)$ candidate,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 142002 (2004)
358. “Limits on the decay-rate difference of neutral B mesons and on CP, T, and CPT violation in $B^0\bar{B}^0$ oscillations,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 181801 (2004)
359. “Measurement of the branching fractions and CP-asymmetry of $B^- \rightarrow D^0(CP)K^-$ decays with the BaBar detector,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 202002 (2004)
360. “Observation of the decay $B^0 \rightarrow \rho^+\rho^-$ and measurement of the branching fraction and polarization,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 031102 (2004)

361. “Observation of $B^0 \rightarrow \omega K^0$, $B^+ \rightarrow \eta \pi^+$, and $B^+ \rightarrow \eta K^+$ and study of related decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 061801 (2004)
362. “Measurement of the average ϕ multiplicity in B meson decay,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 052005 (2004)
363. “Observation of a narrow meson decaying to $D_s^+ \pi^0 \gamma$ at a mass of 2.458 GeV/c²,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 031101 (2004)
364. “Measurement of time-dependent CP asymmetries and constraints on $\sin(2\beta + \gamma)$ with partial reconstruction of $B^0 \rightarrow D^{*\mp} \pi^\pm$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 251802 (2004)
365. “Measurement of branching fractions of color-suppressed decays of the $\bar{B}^0 \rightarrow D^{*0} \pi^0$, $D^{*0} \eta$, $D^{*0} \omega$, and $D^0 \eta'$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 032004 (2004)
366. “ J/ψ production via initial state radiation in $e^+ e^- \rightarrow \mu^+ \mu^- \gamma$ at an $e^+ e^-$ center-of-mass energy near 10.6 GeV,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 011103 (2004)
367. “Measurement of the branching fraction for $B^\pm \rightarrow \chi_{c0} K^\pm$ ”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 071103 (2004)
368. “Measurement of $\sin(2\beta)$ using hadronic J/ψ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 052001 (2004)
369. “Measurements of branching fractions in $B \rightarrow \phi K$ and $B \rightarrow \phi \pi$ and search for direct CP violation in $B^\pm \rightarrow \phi K^\pm$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **69**, 011102 (2004)
370. “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)\pm} \pi^\mp$ decays and constraints on $\sin(2\beta + \gamma)$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 251801 (2004)
371. “Measurements of the branching fractions of charged B decays to $K^\pm \pi^\mp \pi^\pm$ final states,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 092001 (2004)
372. “Measurement of the branching fraction and polarization for the decay $B^- \rightarrow D^{(*)0} K^{(*)-}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 141801 (2004)
373. “Measurement of the $B^0 \rightarrow K_2^{*0}(1430) \gamma$ and $B^+ \rightarrow K_2^{*+}(1430) \gamma$ branching fractions,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **70**, 091105 (2004)
374. “Measurement of time dependent CP asymmetry in $B^0 \rightarrow D^{(*)\pm} \pi^\mp$ decays and constraints on $|\sin(2\beta + \gamma)|$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 251801 (2004)

375. “Measurement of the inclusive charmless semileptonic branching ratio of B mesons and determination of $|V(ub)|$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 071802 (2004)
376. “Search for the radiative decays $B \rightarrow \rho\gamma$ and $B^0 \rightarrow \omega\gamma$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **92**, 111801 (2004)
377. “Evidence for the rare decay $B \rightarrow K^*l^+l^-$ and measurement of the $B \rightarrow Kl^+l^-$ branching fraction,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 221802 (2003)
378. “Observation of the decay $B^0 \rightarrow \pi^0\pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 241801 (2003)
379. “Rates, polarizations, and asymmetries in charmless vector-vector B meson decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 171802 (2003)
380. “Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+}D^{*-}$ ”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 131801 (2003)
381. “Measurements of branching fractions and CP-violating asymmetries in $B^0 \rightarrow \rho^\pm h^\mp$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 201802 (2003)
382. “Limits on $D^0\bar{D}^0$ mixing and CP violation from the ratio of lifetimes for decay to $K^-\pi^+$, K^-K^+ and $\pi^-\pi^+$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 121801 (2003)
383. “Measurement of the branching fractions for the exclusive decays of B^0 and $B^+ \rightarrow \bar{D}^{(*)}D^{(*)}K$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **68**, 092001 (2003)
384. “Observation of a narrow meson decaying to $D_s^+\pi^0$ at a mass of 2.32-GeV/c²,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **90**, 242001 (2003)
385. “Rare B decays into states containing a J/ψ meson and a meson with $s\bar{s}$ quark content,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 071801 (2003)
386. “Search for $D^0 - \bar{D}^0$ mixing and a measurement of the doubly Cabibbo-suppressed decay rate in $D^0 \rightarrow K\pi$ decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 171801 (2003)
387. “Measurements of the branching fractions and charge asymmetries of charmless three-body charged B decays,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 051801 (2003)
388. “Measurements of CP-violating asymmetries and branching fractions in B meson decays to $\eta'K$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 161801 (2003)

389. “Evidence for $B^+ \rightarrow J/\psi p \bar{\Lambda}$ and search for $B^0 \rightarrow J/\psi p \bar{p}$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **90**, 231801 (2003)
390. “Observation of the decay $B^\pm \rightarrow \pi^\pm \pi^0$, study of $B^\pm \rightarrow K^\pm \pi^0$, and search for $B^0 \rightarrow \pi^0 \pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 021801 (2003)
391. “Study of time-dependent CP asymmetry in neutral $B \rightarrow J/\psi \pi^0$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **91**, 061802 (2003)
392. “Measurement of the branching fraction and CP-violating asymmetries in neutral B decays to $D^{*\pm} D^\mp$,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **90**, 221801 (2003)
393. “Measurement of $B^0 \rightarrow D_s^{(*)} + D^{*-}$ branching fractions and $B^0 \rightarrow D_s^{(*)} + D^{*-}$ polarization with a partial reconstruction technique,”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **67**, 092003 (2003)
394. “Measurement of the CKM matrix element $|V(\text{ub})|$ with $B \rightarrow \rho e \nu$ decays. ((B)),”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **90**, 181801 (2003)
395. “ Study of $B^\pm \rightarrow \psi \pi^\pm$ and $B^\pm \rightarrow \psi K^\pm$ decays: Measurement of the Ratio of Branching Fractions and Search for Direct CP Violating Charge Asymmetries. ”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **65**, 091101 (2002).
396. “ Measurement of Branching Fractions for Exclusive B Decays to Charmonium Final States.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **65**, 032001 (2002).
397. “ The BaBar Detector.”
The BaBar Collaboration, B. Aubert *et al.*
Nucl. Instrum. Methods **479**, 1 (2002).
398. “ Measurement of the Branching Fraction and CP Content for the Decay $B^0 \rightarrow D^{*+} D^{*-}$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **89**, 061801 (2002).
399. “ Search for T and CP Violation in $B^0 \bar{B}^0$ Mixing with Inclusive Dilepton Events.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **88**, 231801 (2002).
400. “ Measurement of the B^0 Lifetime with Partially Reconstructed $B^0 \rightarrow D^{*-} l^+ \nu$ Decays.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **89**, 011802 (2002).
401. “ Measurement of D_s^+ and D_s^{*+} Production in B meson Decays and from Continuum $e^+ e^-$ Annihilation at $\sqrt{s} = 10.6 \text{ GeV}$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **65**, 091104 (2002).
402. “ A Study of Time Dependent CP Violating Asymmetries and Flavor Oscillations in Neutral B Decays at the $\Upsilon(4s)$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **66**, 032003 (2002).

403. “ Search for the Rare Decays $B \rightarrow Kl^+l^-$ and $B \rightarrow K^*l^+l^-$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **88**, 241801 (2002).
404. “ Measurement of the $B^0\overline{B^0}$ Oscillation Frequency With Inclusive Dilepton Events.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **88**, 221803 (2002).
405. “ Measurement of $B^0\overline{B^0}$ Flavor Oscillations in Hadronic B^0 Decays.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **88**, 221802 (2002).
406. “ Direct CP Violation Searches in Charmless Hadronic B Meson Decays.” Phys. Rev. D **65**, 051101 (2002).
407. “ Measurement of $B \rightarrow K^*\gamma$ Branching Fractions and Charge Asymmetries.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **88**, 101805 (2002).
408. “ Study of CP Violating Asymmetries in $B^0 \rightarrow \pi^+\pi^-, K^+\pi^-$ Decays.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **65**, 051502 (2002).
409. “ Measurement of the Branching Fractions for $\psi(2s) \rightarrow e^+e^-$ and $\psi(2s) \rightarrow \mu^+\mu^-$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. D **65**, 031101 (2002).
410. “ Measurements of the Branching Fractions of Exclusive Charmless B Meson Decays with eta-prime or Omega mesons.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 221802 (2001).
411. “ Search for $B^0 \rightarrow \gamma\gamma$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 241803 (2001).
412. “ Measurement of the $B \rightarrow \psi K^*$ (**892**) Decay Amplitudes.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 241801 (2001).
413. “ Measurement of the B^0 and B^+ Meson Lifetimes with Fully Reconstructed Hadronic Final States.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 201803 (2001).
414. “ Observation of CP Violation in the B^0 Meson System.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 091801 (2001).
415. “ Measurement of ψ Production in Continuum e^+e^- Annihilations near $\sqrt{s} = 10.6$ GeV.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 162002 (2001).
416. “ Measurement of Branching Fractions and Search for CP Violating Charge Asymmetries in Charmless two Body B Decays into Pions and Kaons.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 151802 (2001).
417. “ Measurement Of The Decays $B \rightarrow \phi K$ and $B \rightarrow \phi K^*$.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **87**, 151801 (2001).

418. “ Measurement of CP Violating Asymmetries in B^0 Decays to CP Eigenstates.”
The BaBar Collaboration, B. Aubert *et al.*
Phys. Rev. Lett. **86**, 2515 (2001).
419. “ A Measurement of the Decay Asymmetry Parameters in $\chi_c \rightarrow \chi^- \pi^+$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **63**, 111102 (2001).
420. “ A Measurement of the Λ_c^+ lifetime.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 2232-2236 (2001).
421. “ Bounds on the CP Asymmetry in $B \rightarrow s\gamma$ Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 5661-5665 (2001).
422. “ Study of $B \rightarrow \psi(2s)K$ and $B \rightarrow \psi(2s)K^*(892)$ decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **63**, 031103 (2001).
423. “ Study of Tau Decays to Six Pions and Neutrino.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 4467-4471 (2001).
424. “ First Observation of the Decays $B^0 \rightarrow D^{*-} P \bar{p} \pi^+$ and $B^0 \rightarrow D^{*-} p \bar{n}$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 2732-2736 (2001).
425. “ A Search for $B \rightarrow \tau \nu$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 2950-2954 (2001).
426. “ First Observation of the Σ_c^{*+} Baryon and a New Measurement of the Σ_c^+ Mass.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 1167-1170 (2001).
427. “ Study of B Decays to Charmonium States $B \rightarrow \eta_c K$ and $B \rightarrow \chi_0 K$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 30-34 (2001).
428. “ Measurement of the Relative Branching Fraction of $\Upsilon(4s)$ to Charged and Neutral B meson pairs.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **86**, 2737-2741 (2001).
429. “ Search for Decays of B^0 Mesons into Pairs of Leptons $B^0 \rightarrow e^+ e^-$, $B^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow e^\pm \mu^\pm$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 091102 (2000).
430. “ Observation of $B \rightarrow K^\pm \pi^0$ and $B \rightarrow K^0 \pi^0$, and Evidence for $B \rightarrow \pi^+ \pi^-$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **85**, 515-519 (2000).
431. “ Measurements of $B \rightarrow D_s^{*+} D$ Branching Fractions.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 112003 (2000).
432. “ Measurements of the Mass, Total Width and two Photon Partial Width of the η_c Meson.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **85**, 3095-3099 (2000).

433. “ Study of Charmless Hadronic B Meson Decays to Pseudoscalar Vector Final States.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **85**, 2881-2885 (2000).
434. “ Precise Measurement of $B^0\overline{B}^0$ Mixing Parameters at the Upsilon(4s).”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **490**, 36 (2000).
435. “ Measurement of the Product Branching Fraction $B(\Lambda_c \rightarrow \theta_c X).B(\theta_c \rightarrow \lambda X)$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 092007 (2000).
436. “ Study of Exclusive Two Body B^0 Meson Decays to Charmonium.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 051101 (2000).
437. “ Measurements of Charm Fragmentation into D_s^{*+} and D_s^+ in e^+e^- annihilations at $\sqrt{s} = 10.5$ GeV.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 072003 (2000).
438. “ Resonance Structure of $\tau^- \rightarrow K^- \pi^+ \pi^- \nu(\tau)$ Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 072006 (2000).
439. “ Measurement of $B(\Lambda_c^+ \rightarrow p K^- \pi^+)$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 072005 (2000).
440. “ Search for CP Violation in $B^\pm \rightarrow \psi K^\pm$ and $B^\pm \rightarrow \psi(2s)K^\pm$ Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 5940 (2000).
441. “ Study of the Decays $B^0 \rightarrow D^{*+}D^{*-}$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **62**, 032005 (2000).
442. “ Search for $D^{*0}\overline{D}^{*0}$ Mixing.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 5038-5042 (2000).
443. “ Measurement of the B^0 and B^+ Meson Masses from $B^0 \rightarrow \psi(\psi')K_s^0$ and $B^+ \rightarrow \psi(\psi')K^+$ Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 111101 (2000).
444. “ Measurement of Charge Asymmetries in Charmless Hadronic in B Meson Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **85**, 525-529 (2000).
445. “ Search for the Decay $\overline{B}^0 \rightarrow D^{*0}\gamma$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 4292-4295 (2000).
446. “ Two Body B Meson Decays to η and η' : Observation of $B \rightarrow \eta K^*$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **85**, 520-524 (2000).
447. “ Study of Exclusive Radiative B Meson Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 5283-5287 (2000).

448. “Update of the Search for the Neutrinoless Decay $\tau \rightarrow \mu\gamma$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 071101 (2000).
449. “Hadronic Structure in the Decay $\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 112002 (2000).
450. “Observation of Radiative Leptonic Decay of the τ lepton.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 830-834 (2000).
451. “Structure Functions in the Decay $\tau^\pm \rightarrow \pi^\pm \pi^0 \pi^0 \nu_\tau$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 052004 (2000).
452. “Resonant Structure of $\tau \rightarrow 3\pi \pi^0 \nu_\tau$ and $\tau \rightarrow \omega \pi \nu_\tau$ Decays.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 072003 (2000).
453. “First Observation of the Decay $B \rightarrow \psi \phi K$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 1393 (2000).
454. “Observation of a Broad $L = 1$ $c\bar{q}$ State in $B^- \rightarrow D^{*+} \pi^- \pi^-$.”
The CLEO Collaboration, S. Ahmed *et al.*
Nucl. Phys. A **663**, 647 (2000).
455. “Charged Track Multiplicity in B Meson Decay.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 072002 (2000).
456. “Rare Decays of the Eta-Prime.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **84**, 26 (2000)
457. “Limit on ν_τ Mass from $\tau^- \rightarrow \pi^- \pi^+ \pi^- \pi^0 \nu_\tau$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 052002 (2000).
458. “Measurement of $B \rightarrow \rho \nu$ Decay and $|V(ub)|$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 052001 (2000).
459. “Hadronic Structure in the Decay $\tau^- \rightarrow \nu_\tau \pi^- \pi^0 \pi^0$ and the Sign of the ν_τ Helicity.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **61**, 012002 (2000).
460. “Measurement of the $B \rightarrow D \ell \nu$ Branching Fractions and Form-Factor.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 3746 (1999).
461. “Evidence of New States Decaying Into $\chi_c \pi$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **83**, 3390 (1999).
462. “Measurement of Charm Meson Lifetimes.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 4586 (1999).

463. “ Search for Baryon and Lepton Number Violating Decays of the τ lepton.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **59**, 091303 (1999).
464. “ Measurement of the $B \rightarrow D l \nu$ Branching Fractions and Form-Factor.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 3746 (1999).
465. “ First Observation of the Decay $B^0 \rightarrow D^{*+} D^{*-}$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 3020 (1999).
466. “ Search for Exclusive Rare Baryonic Decays of B mesons.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **59**, 111101 (1999).
467. “ Observation of Two Narrow States Decaying into $\chi_c \gamma$ and $\chi_{c'} \gamma$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 492 (1999).
468. “ Study of Three Prong Hadronic Tau Decays With Charged Kaons.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **60**, 112002 (1999).
469. “ First Observation of the Decay $\tau^- \rightarrow K^{*-} \eta \nu_\tau$.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 281 (1999).
470. “ Upsilon Dipion Transitions At Energies Near the Upsilon(4s).”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **59**, 052003 (1999).
471. First observation of $\Upsilon(1s) \rightarrow \gamma \pi \pi$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **82**, 286 (1999)
472. Measurement of the mass splittings between the $B\bar{B}\chi(B, J)(1p)$ states.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **59**, 032003 (1999)
473. “ First Search for CP Violation in Tau Lepton Decay.”
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **81**, 3823 (1998)
474. Improved measurement of the pseudoscalar decay constant $F_D(s)$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **58**, 320 (1998)
475. Further Search for the two photon production of the glueball candidate $F(J)(2220)$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **81**, 3328 (1998)
476. Observation of High Momentum η' production in B decay.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **81**, 1786 (1998)
477. A Limit on the mass of ν_τ .
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **81**, 1786 (1998)

478. Radiative Decay Modes of the D^0 meson.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **58**, 092001 (1998)
479. Observation of $B^+ \rightarrow \omega K^+$ and search for related B decay modes.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **81**, 272 (1998)
480. The hadronic transitions $\Upsilon(2S) \rightarrow \Upsilon(1S)$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **58**, 052004 (1998)
481. First observation of the cabibbo suppressed decay $B^+ \rightarrow \bar{D}^0 K^+$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 5493 (1998)
482. Continuum charged D^* spin alignment at $\sqrt{s} = 10.5 GeV$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **58**, 052003 (1998)
483. Two Body B Meson Decays to η and η' and observation of $B \rightarrow \eta' K$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 3710 (1998)
484. Measurement of the branching ratios for the decays of $D^+(S) \rightarrow \eta' \pi^+, \eta \rho^+, \eta' \rho^+$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **58**, 052002 (1998)
485. Measurement of the branching ratio ($D^0 \rightarrow K^- \pi^+$) using partial reconstruction of $\bar{B} \rightarrow D^{*+} X l \bar{\nu}$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 3193 (1998)
486. Improved measurement of the pseudoscalar decay constant $f_{d(s)}$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **58**, 32002 (1998)
487. New limits for neutrinoless tau decays.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 5903 (1998)
488. Study of semileptonic decays of b mesons to charmed baryons.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 6604 (1998)
489. Observation of the decay $D^{*+} \rightarrow D^+ \gamma$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 3919 (1998)
490. Observation of exclusive two body b decays to kaons and pions.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 3456 (1998)
491. Flavor - specific inclusive b decays to charm.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 1150 (1998)
492. Search for the decay $B \rightarrow D(2536) X$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 3847 (1998)

493. Search for inclusive $B \rightarrow sl^+l^-$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 2289 (1998)
494. Measurement of the branching fractions of $\lambda_c^+ \rightarrow p\bar{K}n$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 4467 (1998)
495. Investigation of semileptonic B Meson decay to P wave charm mesons.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **80**, 4127 (1998)
496. Search for color suppressed b hadronic decay processes with CLEO.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 5363 (1998)
497. Measurements of the meson - photon transition form-factors of light pseudoscalar mesons at large momentum transfer.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 33 (1998)
498. Search for the decay $\tau^+ \rightarrow 4\pi^+3\pi^-(\pi^0)\nu_\tau$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **56**, 5297 (1997)
499. Search for the decay $\tau^+ \rightarrow 2\pi^+\pi-3\pi^0\nu_\tau$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **79**, 3814 (1997)
500. Measurement of the total cross-section for $e^+e^- \rightarrow \text{hadrons}$ at $\sqrt{s} = 10.52$ GeV
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **57**, 1350 (1998)
501. First observation of $\tau \rightarrow 3\pi\eta\nu_\tau$ and $\tau \rightarrow F1\pi\nu_\tau$ decays.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 2406 (1997)
502. A new measurement of $B \rightarrow D^*\pi$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **80**, 2762 (1998)
503. A new upper limit on the decay $\eta \rightarrow e^+e^-$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **56**, 5359 (1997)
504. Measurement of the $\bar{B}Dl\bar{\nu}$ partial width and form factor parameters.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 2208 (1997)
505. Determination of the Michel parameters and the ν_τ helicity in tau decay.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **56**, 5320 (1997)
506. First Observation of Inclusive B Decays to the Charmed Strange Baryons $\chi_c(\mathbf{0})$ and χ_c^+ .
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 3599 (1997)
507. Observation of the decay $D_S^+ \rightarrow \omega\pi^+$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 1436 (1997)

508. Search for the Decays $B^0 \rightarrow D^{*+}D^{*-}$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 799 (1997)
509. Search for neutrinoless tau decays involving π^0 or η mesons.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 1221 (1997)
510. Limit on the two photon production of the glueball candidate f(j) (2220) at cleo.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **79**, 3829 (1997)
511. The Inclusive Decays $B \rightarrow DX$ and $B \rightarrow D^*X$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **56**, 3783 (1997)
512. A Study of the B^0 Semileptonic Decay Spectrum at the $\nu(4S)$ Resonance.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **399**, 321 (1997)
513. Tau Neutrino Helicity from H^\pm Energy Correlations.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **55**, 7291 (1997)
514. A Measurement of the Michel Parameters in Leptonic Decays of the tau.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **78**, 4686 (1997)
515. Analysis of $D^+ \rightarrow K_S^0 K^+$ and $D^+ \rightarrow K_S^0 \pi^+$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **78**, 3261 (1997)
516. Study of Gluon versus Quark Fragmentation in $\nu \rightarrow gg\gamma$ and $e^+e^- \rightarrow q\bar{q}\gamma$ events at $\sqrt{s} = 10GeV$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **56**, 17 (1997)
517. Search for $B \rightarrow \mu\bar{\nu}_\mu\gamma$ and $B \rightarrow e\bar{\nu}_e\gamma$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **56**, 11 (1997)
518. Search for Neutrinoless Tau decays: $\tau \rightarrow e\gamma$ and $\tau \rightarrow \mu\gamma$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **55**, 3919 (1997)
519. Experimental Test of Lepton Universality in Tau Decay
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **55**, 2559 (1997)
520. Measurement of the Direct Photon Spectrum In Upsilon(1S) Decays
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **55**, 5273 (1997)
521. A Search for Phi Mesons in Tau Lepton Decay
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **55**, 1119 (1997)
522. A Search for Nonresonant $B^+ \rightarrow H^+H^-H^+$ decays
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **77**, 4503 (1996)

523. Observation of two Excited Charmed Baryons Decaying into $\lambda_C \pi^\pm$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **78**, 2304 (1997)
524. A Search for Nonresonant $B^+ \rightarrow H^+ H^- H^+$ decays
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **77**, 4503 (1996)
525. Observation of two Excited Charmed Baryons Decaying into $\lambda_C \pi^\pm$
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **78**, 2304 (1997)
526. First measurement of the $B \rightarrow \pi l \nu$ and $b \rightarrow \rho(\omega) l \nu$ branching fractions.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **77**, 5000 (1996)
527. Measurement of the tau lepton lifetime.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **388**, 402 (1996)
528. Observation of an excited charmed baryon decaying into $\chi_{c0} \pi^+$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **77**, 810 (1996)
529. Analysis of $D^0 \rightarrow K \bar{K} X$ decays.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **373**, 334 (1996)
530. A measurement of $Br(D^0 \rightarrow K^+ \pi^- \pi^0) / Br(D^0 \rightarrow K^- \pi^+)$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **373**, 334 (1996).
531. Measurement of the branching fraction for $D_s \rightarrow \phi \pi^0$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **378**, 364 (1996).
532. First observation of the decay $\tau^- \rightarrow K^- \eta \nu_\tau$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **76**, 4119 (1996).
533. Decays of tau leptons to final states containing K_S^0 mesons.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. D **53**, 6037 (1996).
534. Limits on flavor changing neutral currents in D^0 meson decays.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **76**, 3065 (1996).
535. A study of $B \rightarrow \psi \rho$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Lett. B **369**, 186 (1996).
536. Measurement of the form-factors for $\bar{B}^0 \rightarrow D^* l \bar{\nu}$.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **76**, 3898 (1996).
537. Tau decays into three charged leptons and two neutrinos.
The CLEO Collaboration, S. Ahmed *et al.*
Phys. Rev. Lett. **76**, 2637 (1996).

538. Search for the rare decay $W^\pm \rightarrow \pi^+\gamma$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **76**, 2852 (1996)
539. Reconstruction of $B^0 \rightarrow J/\psi K_s^0$ and measurement of branching ratios involving $B \rightarrow J/\psi K^*$.
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **76**, 2015 (1996)
540. Measurement of the $\gamma + D^{*\pm}$ cross-section in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **77**, 5005 (1996)
541. Measurement of the Mass of the B_s^0 Meson.
The CDF Collaboration, F. Abe *et al.*
, Phys. Rev. D **53**, 3496 (1996)
542. Measurement of $\sigma \cdot Br(W \rightarrow e\nu)$ and $\sigma \cdot Br(Z \rightarrow e^+e^-)$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **76**, 3070 (1996)
543. Upsilon Production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 4358 (1995)
544. Measurement of the Polarization in the Decays $B_d \rightarrow J\psi K^0$ and $B_d \rightarrow J\psi\phi$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 3068 (1995)
545. A Measurement of the ratio $\sigma \cdot Br(W \rightarrow e\nu)/\sigma \cdot Br(Z \rightarrow e^+e^-)$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **52**, 2624 (1995)
546. A Search for Second Generation Leptoquarks in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 1012 (1995)
547. Measurement of B Meson differential Cross-section, $d\sigma/dp_t$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 1451 (1995)
548. Properties of High Mass Multi-Jet events in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 608 (1995)
549. Measurement of the W Boson Mass.
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 11 (1995)
550. Measurement of the W boson Mass.
The CDF Collaboration, F. Abe *et al.*
Submitted to Phys. Rev. D

551. Limits on WWZ and WW γ couplings from WW and WZ production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 1017 (1995)
552. Measurement of the B meson and B quark cross-sections in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 4252 (1994)
553. Measurement of the B_s Meson Lifetime
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 4988 (1995)
554. Search for New Particles Decaying to Dijets in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 3538 (1995)
555. Search for Charged Bosons heavier than the W in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 2900 (1995)
556. Kinematic Evidence for Top Quark Pair Production in W + multijet events in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **51**, 4623 (1995)
557. $B\bar{B}$ Quark Pair Correlations in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Submitted to Phys. Rev. Lett.
558. Limits on Z-photon Couplings in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 1941 (1995)
559. The Charge Asymmetry in W boson Decays produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 850 (1995)
560. A Direct Measurement of the W boson Width $\Gamma(W)$.
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 341 (1995)
561. Measurement of W boson Mass in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **75**, 11 (1995)
562. Measurement of W boson Mass in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **52**, 478 (1995)

563. Measurement of $W + \text{gamma}$ and $Z + \text{gamma}$ Cross-sections in the Electron and Muon Channels in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Submitted to Phys. Rev. D
564. Search for Radiative Decays of Neutralinos in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Submitted to Phys. Rev. Lett.
565. Observation of Rapidity Gaps in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **74**, 855 (1995)
566. A Precision Measurement of the Prompt Photon Cross-section in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **73**, 2662 (1994)
567. Search for New Gauge Bosons Decaying into Dielectrons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **51**, 949 (1995)
568. Analysis of Jet Charged Particle Momentum Distributions for Quark-Gluon Separation in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Submitted to Phys. Rev. D
569. Evidence for Color Coherence in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 5562 (1994)
570. W boson + Jet angular distribution in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **73**, 2296 (1994)
571. A Measurement of the ratio $\sigma \cdot Br(W \rightarrow e\nu) / \sigma \cdot Br(Z \rightarrow e^+e^-)$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **73**, 220 (1994)
572. Evidence for Top Quark production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **73**, 225 (1994)
573. Evidence for Top Quark production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 2966 (1994)
574. Measurement of B^+ and B^0 Meson Lifetimes.
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **72**, 3456 (1994)

575. Search for the Top Quark decaying to Charged Higgs in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **72**, 1977 (1994)
576. Search for Excited Quarks in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **72**, 3004 (1994)
577. Measurement of the anti-proton Total Cross-section in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 5550 (1994)
578. Measurement of Small Angle anti-proton -proton elastic scattering in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 5518 (1994)
579. Measurement of anti proton-proton single diffraction dissociation in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **50**, 5535 (1994)
580. Study of Four Jet Events and Evidence for Double Parton Interactions in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **47**, 4857 (1993)
581. Inclusive χ_c and B quark production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 2537 (1993)
582. Search for Quark Compositeness, Axiguons and Heavy Particles using the Dijet Invariant Mass Spectrum in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 2542 (1993)
583. Measurement of the Average Lifetime of B hadrons produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 3421 (1993)
584. Measurement of Bottom Quark Production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 2396 (1993)
585. Measurement of Drell-Yan Electron and Muon pair differential cross-sections in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **49**, 1 (1994)
586. Observation of the decay $B^0(S) \rightarrow J/\psi\phi$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 1685 (1993)

587. Search for First Generation Leptoquarks in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **48**, 3939 (1993)
588. Measurement of Bottom Quark Production Cross-section using semileptonic decay electrons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 500 (1993)
589. Measurement of Jet Multiplicity in W Events produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **70**, 4042 (1993)
590. The Center of Mass Angular Distribution of Prompt Photons produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **71**, 679 (1993)
591. Measurement of the Dijet Mass Distribution in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **48**, 998 (1993)
592. Measurement of the Production Cross-Section of Two Isolated Prompt Photons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **70**, 2232 (1993)
593. A Prompt Photon Cross-section Measurement in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **48**, 2998 (1993)
594. A Comparison of Jet Production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **70**, 1376 (1993)
595. Search for $\lambda_B \rightarrow J/\psi \lambda_0$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **47**, 2639 (1993)
596. Inclusive J/ψ , ψ_{2s} and B quark Production in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **69**, 3704 (1992)
597. A Measurement of Jet Shapes in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **70**, 713 (1993)
598. Search for Squarks and Gluons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **69**, 3439 (1992)

599. Limit on the Rare Decay $W \rightarrow \gamma\pi$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **69**, 2160 (1992)
600. The Dijet Angular Distribution in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **69**, 2896 (1992)
601. A Measurement of the Production and Muonic Decay Rate of W and Z Bosons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **69**, 28 (1992)
602. Limits on the Production of Massive Stable Charged Particles. in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **46**, 1889 (1992)
603. Measurement of the Isolated Prompt Photon Cross-Sections in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 2734 (1992)
604. A Measurement of the B Meson and B Quark Cross-Sections in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 3403 (1992)
605. A Measurement of the ratio $\sigma.Br(W \rightarrow \tau\nu)/\sigma.Br(W \rightarrow e\nu)$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 3398 (1992)
606. A Limit on The Top Quark Mass in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **45**, 3921 (1992)
607. Lepton Aysmmetry in W decays in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 1458 (1992)
608. Measurement of B^0 anti- B^0 Mixing in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **67**, 3351 (1991)
609. Measurement of the Z P_t Distribution in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **67**, 2937 (1991)
610. Properties of Events with Large Total Transverse Energy Produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **45**, 2249 (1992)

611. Search for New Gauge Bosons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 1463 (1992)
612. A lower Limit on the Top Quark Mass From Events with Two Leptons in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 447 (1992)
613. The Topology of Three Jet Events in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **45**, 1448 (1992)
614. Inclusive Jet Cross-Section in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **68**, 1104 (1992)
615. Search for $W' \rightarrow e\nu$ and $W' \rightarrow \mu\nu$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **67**, 2609 (1991)
616. Measurement of the e^+e^- Invariant Mass Distribution in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **67**, 2609 (1991)
617. A determination of $\sin^2(\theta_w)$ from The Forward Backward Assymetry in $p\bar{p} \rightarrow Z, X \rightarrow e^+e^- X$ interactions in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **67**, 1502 (1991)
618. Measurement of the W P_t Distribution in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **66**, 2951 (1991)
619. A Measurement of the ratio $\sigma.Br(W \rightarrow e\nu)/\sigma.Br(Z \rightarrow e^+e^-)$ in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **44**, 29 (1991)
620. A Measurement of the W Boson Mass in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **43**, 2070 (1991)
621. A Measurement of the W Boson Mass Phys. Rev. Lett. **65**, 2243 (1990)
622. Top Quark Search in the Electron+Jet Channel in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **43**, 664 (1991)
623. Search For New Heavy Quarks in Electron-Muon Events in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **64**, 147 (1990)

624. Search For New Heavy Quarks in Electron-Muon Events in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **64**, 147 (1990)
625. A Search for a Light Higgs Boson in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. D **41**, 1717 (1990)
626. A Search For the Top Quark in the Electron+ Jet Channel in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **64**, 142 (1990)
627. A Measurement of the Mass and Width of the Z0 Boson in Proton-Antiproton Collisions at $\sqrt{s} = 1.8$ TeV at the Collider Detector at Fermilab
The CDF Collaboration, F. Abe *et al.*
Phys. Rev. Lett. **63**, 720 (1989)