



News



News

[For the News Media](#)

[Special Reports](#)

[Research Overviews](#)

[Priority Areas](#)

[Speeches & Lectures](#)

[Multimedia Gallery](#)

[News Archive](#)

News by Research Area

[Arctic & Antarctic](#)

[Astronomy & Space](#)

[Biology](#)

[Chemistry & Materials](#)

[Computing](#)

[Earth & Environment](#)

[Education](#)

[Engineering](#)

[Mathematics](#)

[Nanoscience](#)


[People & Society](#)

[Physics](#)

Press Release 05-071

A Super Job of Spin Control


Nanotechnology combined with superconductivity could pave the way for "spintronics"



[View video](#)

Animation of manipulating spins with a superconductor.

[Credit and Larger Version](#)



[View video](#)

An animated overview of the Janko group's proposal for controlling a "spintronic" device.

[Credit and Larger Version](#)

May 4, 2005

As the ever-increasing power of computer chips brings us closer and closer to the limits of silicon technology, many researchers are betting that the future will belong to "spintronics": a nanoscale technology in which information is carried not by the electron's charge, as it is in conventional microchips, but by the electron's intrinsic spin.

If a reliable way can be found to control and manipulate the spins, these researchers argue, spintronic devices could offer higher data processing speeds, lower electric consumption, and many other advantages over conventional chips--including, perhaps, the ability to carry out radically new quantum computations.

Now, University of Notre Dame physicist Boldizsar Janko and his colleagues believe they have found such a control technique. Their work, funded by the National Science Foundation through a Nanoscale Interdisciplinary Research Team grant, was published in the March 5, 2005, edition of the journal *Nature*.

The idea is to create the device as a series of layers, each only a few dozen nanometers thick. At the base is a layer of diluted magnetic semiconductor, a type of material Janko and his group have been studying intensively. When gallium arsenide is doped with manganese atoms, for example, each manganese atom contributes an extra electron, and thus an extra electron spin; the

result is a semiconductor material that can be magnetized in much the same way as iron. Then an insulator material is layered over the base, followed by a layer of superconducting material.

Next, a magnetic field is applied perpendicular to the top surface (see animation above). Thanks to the basic physics of superconductors, the field can make it through only by pinching itself down into an array of nanoscale flux tubes. That super concentrates the field inside each tube, so that it creates a spot of high-intensity magnetism on the semiconductor layer below, which, in turn, creates a patch of closely aligned electron spins. The resulting spin patches, one for each flux tube, are then available for encoding information.

The effect resembles what happens when you sprinkle iron filings on a piece of paper, and then hold a bar magnet underneath, says Janko: the presence of the magnet (the flux tube) makes the iron filings (the spins) stand at attention. Furthermore, he says, just as you can manipulate the filings by moving the magnet underneath the paper, you can manipulate the spins in this system by moving the flux tubes.

For example, an electric current flowing through the superconductor will cause a given flux tube to move to one side (with the patch of spins underneath moving along with it), while a current flowing in the reverse direction will move it back to the other side (see animation at right).

Although Janko and his colleagues have tested their approach so far only through computer simulations, experiments are now underway to demonstrate the technique in the laboratory.

-NSF-

Media Contacts

William G. Gilroy, University of Notre Dame (574) 631-7367
gilroy.6@nd.edu

M. Mitchell Waldrop, NSF (703) 292-7752 mwaldrop@nsf.gov

Program Contacts

LaVerne D. Hess, NSF (703) 292-4937 lhess@nsf.gov

Principal Investigators

Boldizsar Janko, University of Notre Dame (574) 631 8049
bjanko@nd.edu

Related Websites

Boldizsar Janko's Research Page: <http://www.nd.edu/~bjanko/>

University of Notre Dame press release:

<http://newsinfo.nd.edu/content.cfm?topicid=11102>

Spintronics article in Scientific American:

<http://www.sciam.com/article.cfm?articleID=0007A735-759A-1CDD-B4A8809EC588EEDF>

The National Science Foundation (NSF) is an independent federal agency that supports fundamental research and education across all fields of science and engineering, with an annual budget of nearly \$5.47 billion. NSF funds reach all 50 states through grants to nearly 2,000 universities and institutions. Each year, NSF receives about 40,000 competitive requests for funding, and makes about 11,000 new funding awards. The NSF also awards over \$200 million in professional and service contracts yearly.

Receive official NSF news electronically through the e-mail delivery and notification system, MyNSF (formerly the Custom News Service). To subscribe, visit www.nsf.gov/mynsf/ and fill in the information under "new users".

Useful NSF Web Sites:


NSF Home Page: <http://www.nsf.gov>

NSF News: <http://www.nsf.gov/news/>

For the News Media: <http://www.nsf.gov/news/newsroom.jsp>

Science and Engineering Statistics: <http://www.nsf.gov/statistics/>

Awards Searches: <http://www.nsf.gov/awardsearch/>

 [Print this page](#)

[↑ Top](#)

[Website Policies and Links](#) | [Privacy](#) | [FOIA](#) | [Help](#) | [Contact NSF](#) | [Contact Web Master](#) | [SiteMap](#)



The National Science Foundation, 4201 Wilson Boulevard, Arlington, Virginia 22230, USA
Tel: (703) 292-5111, FIRS: (800) 877-8339 | TDD: (800) 281-8749

Last Updated:
May 5, 2005
[Text Only](#)