

Instability of two-dimensional electron transport in ungated semiconductors

Williams R. Calderón Muñoz

*Department of Aerospace and Mechanical Engineering,
University of Notre Dame,
Notre Dame, IN 46556.*

Nomenclature

e	electron charge [C]
m	effective electron mass [kg]
n	electron concentration [$1/\text{m}^3$]
N_D	doping concentration [$1/\text{m}^3$]
L	length of semiconductor [m]
t	time [s]
T_e	electron temperature [K]
v	electron velocity [m/s]
V	potential [V]
x	coordinate [m]
ϵ_s	permittivity [F/m]
τ	momentum relaxation time [s]

Abstract

Hydrodynamic instability of a two-dimensional cavity flow of electrons in an ungated semiconductor is studied. The electron flow is driven by a voltage difference and electron-phonon interaction is neglected. A dynamical system starting from a simplified hydrodynamic model is constructed. The governing non-dimensional equations are linearized about the steady-flow solution and its instability is studied through the spectrum of eigenvalues. The spectrum shows that the system is essentially unstable oscillatory, which is getting more stable as the imposed voltage drop is decreased. The frequencies of oscillation are found to be of the order of THz under specific circumstances.

1 Introduction

In the last years the study of mechanism of terahertz emissions or sources from semiconductor devices has become more attractive and important. Currently, compact, tunable and small THz sources are required to detect a wide range of process and chemical reactions to characterize and test a wide variety of chemical and biological systems.

There have been some research effort to study semiconductor devices as THz sources. Modelling of ballistic transport in a AlGaAs/InGaAs FET and its analogy with shallow water in order to explain the plasma oscillations and radiation emissions has been reported [1]. This description is generalized and applied in high electron mobility transistors (HEMT) [2–4]. Instabilities in one-dimensional transport have

been found using the hydrodynamic model [5]. Mechanism of current saturation in FET due to chocking of electron flow and plasma waves using the hydrodynamic model and its similarity with shallow water has been described [6]. Nonlinear oscillations due to ballistic transport in FET and analogous phenomena with hydraulic jumps are described using equations which coincide with those for shallow water [7]. Hydrodynamic model applied to a two-dimensional electron plasmas in FET, nonlinear dynamic response and how the boundary conditions are determinant in the nonlinear effects have been studied [8]. Current instabilities and plasma waves in an ungated two-dimensional electron layers using the hydrodynamic model and its comparison with a gated electron layer were reported [9]. Transit-time effects in plasma instability related to the electron drift across the high field region in high electron mobility transistors have been studied [10]. Plasma oscillations in both gated two-dimensional layers and stripes and high electron mobility transistors have been analyzed [11, 12].

Experimental research effort has been very important to detect terahertz radiation in recent years. Experimental technique using two-colour diode laser and its limitations have been described [13]. Sub-terahertz and terahertz radiation in silicon FETs and nanometer gate high electron mobility transistors due to plasma waves have been reported [14, 15]. New techniques and algorithms to determine the radiation spectrum of terahertz sources have been analyzed [16]. Theoretical and experimental studies have showed nonresonant and resonant detection of terahertz radiation in both Si MOSFETs and gated two-dimensional structures such as GaAs HEMT [17, 18]. Under particular conditions, nanometer field effect transistor made of InGaAs/InAlAs can produce terahertz emission [19, 20].

Early analyses [1, 2] used a capacitance approximation and a gated piece of semiconductor. Instead, we include the Poisson's equation in an ungated two-dimensional cavity of semiconductor. As usual, we will also neglect the interaction between the electrons and the phonons, which is the cause of generation of heat.

2 Mathematical Model

Let us consider a two-dimensional piece of semiconductor as it is shown in Fig.1. The two-dimensional hydrodynamic model for electrons is [21].

$$(1) \quad \frac{\partial^2 V}{\partial x^2} + \frac{\partial^2 V}{\partial y^2} - \frac{e}{\epsilon_s} (n - N_D) = 0,$$

$$(2) \quad \frac{\partial n}{\partial t} + \frac{\partial(un)}{\partial x} + \frac{\partial(vn)}{\partial y} = 0,$$

$$(3) \quad \frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x} + v \frac{\partial u}{\partial y} - \frac{e}{m} \frac{\partial V}{\partial x} + \frac{u}{\tau} = 0,$$

$$(4) \quad \frac{\partial v}{\partial t} + u \frac{\partial v}{\partial x} + v \frac{\partial v}{\partial y} - \frac{e}{m} \frac{\partial V}{\partial y} + \frac{v}{\tau} = 0.$$

The boundary and charge neutrality conditions are

$$(5) \quad V(0, y, t) = -V_0,$$

$$(6) \quad V(L, y, t) = 0,$$

$$(7) \quad n(0, y, t) = n_0,$$

$$(8) \quad v(x, 0, t) = 0,$$

$$(9) \quad v(x, H, t) = 0,$$

$$(10) \quad \frac{\partial V}{\partial y}(x, 0, t) = 0,$$

$$(11) \quad \frac{\partial V}{\partial y}(x, H, t) = 0,$$

$$(12) \quad \int_0^L \int_0^H n(x, y, t) dx dy = N_D LH.$$

Defining the aspect ratio as $R = H/L$, the nondimensional versions of Eqs. (1), (2), (3) and (4) are

$$(13) \quad \frac{\partial^2 V}{\partial x^2} + \frac{1}{R^2} \frac{\partial^2 V}{\partial y^2} - \alpha(n - \beta) = 0,$$

$$(14) \quad \frac{\partial n}{\partial t} + \frac{\partial(un)}{\partial x} + \frac{1}{R} \frac{\partial(vn)}{\partial y} = 0,$$

$$(15) \quad \frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x} + \frac{1}{R} v \frac{\partial u}{\partial y} - \frac{\partial V}{\partial x} + \frac{\sqrt{\alpha}}{\gamma} u = 0,$$

$$(16) \quad \frac{\partial v}{\partial t} + u \frac{\partial v}{\partial x} + \frac{1}{R} v \frac{\partial v}{\partial y} - \frac{1}{R} \frac{\partial V}{\partial y} + \frac{\sqrt{\alpha}}{\gamma} v = 0,$$

and the boundary conditions and charge neutrality conditions are

$$(17) \quad V(0, y, t) = -1,$$

$$(18) \quad V(1, y, t) = 0,$$

$$(19) \quad n(0, y, t) = 1,$$

$$(20) \quad v(x, 0, t) = 0,$$

$$(21) \quad v(x, 1, t) = 0,$$

$$(22) \quad \frac{\partial V}{\partial y}(x, 0, t) = 0,$$

$$(23) \quad \frac{\partial V}{\partial y}(x, 1, t) = 0,$$

$$(24) \quad \int_0^1 \int_0^1 n(x, y, t) dx dy = \beta,$$

where the voltage, charge density, length, velocity and time scales are V_0 , n_0 , L , H , $\sqrt{eV_0/m}$, and $L\sqrt{m/eV_0}$. The dimensionless groups are

$$(25) \quad \alpha = \frac{en_0 L^2}{V_0 \epsilon_s},$$

$$(26) \quad \beta = \frac{N_D}{n_0},$$

$$(27) \quad \gamma = \sqrt{\frac{\tau^2 e^2 n_0}{\epsilon_s m}}.$$

Substituting the Eq. (24) into the Eq. (13) by integration in the xy plane, we get

$$(28) \quad \int_0^1 \left(\frac{\partial V}{\partial x}(1, y, t) - \frac{\partial V}{\partial x}(0, y, t) \right) dy + \int_0^1 \left(\frac{\partial V}{\partial y}(x, 1, t) - \frac{\partial V}{\partial y}(x, 0, t) \right) dx = 0,$$

substituting the Eqs. (22) and (23) into Eq. (28), we get

$$(29) \quad \int_0^1 \left(\frac{\partial V}{\partial x}(1, y, t) - \frac{\partial V}{\partial x}(0, y, t) \right) dy = 0,$$

3 Two-dimensional electron flow

We consider Eqs.(1), (2), (3) and (4) looking for a steady state with non-zero electric field and electron flow. The nondimensional steady state solution is

$$(30) \quad \bar{V}(x, y) = x - 1,$$

$$(31) \quad \bar{n}(x, y) = \beta,$$

$$(32) \quad \bar{u}(x, y) = \gamma/\sqrt{\alpha},$$

$$(33) \quad \bar{v}(x, y) = 0.$$

For small perturbation with respect to a time-independent solution we have

$$(34) \quad V(x, y, t) = \bar{V}(x, y) + V'(x, y, t),$$

$$(35) \quad n(x, y, t) = \bar{n}(x, y) + n'(x, y, t),$$

$$(36) \quad u(x, y, t) = \bar{u}(x, y) + u'(x, y, t),$$

$$(37) \quad v(x, y, t) = \bar{v}(x, y) + v'(x, y, t),$$

upon linearization, the nondimensional system of equations becomes

$$(38) \quad \frac{\partial^2 V'}{\partial x^2} + \frac{1}{R^2} \frac{\partial^2 V'}{\partial y^2} - \alpha n' = 0,$$

$$(39) \quad \frac{\partial n'}{\partial t} + \frac{\gamma}{\sqrt{\alpha}} \frac{\partial n'}{\partial x} + \beta \left(\frac{\partial u'}{\partial x} + \frac{1}{R} \frac{\partial v'}{\partial y} \right) = 0,$$

$$(40) \quad \frac{\partial u'}{\partial t} + \frac{\gamma}{\sqrt{\alpha}} \frac{\partial u'}{\partial x} - \frac{\partial V'}{\partial x} + \frac{\sqrt{\alpha}}{\gamma} u' = 0,$$

$$(41) \quad \frac{\partial v'}{\partial t} + \frac{\gamma}{\sqrt{\alpha}} \frac{\partial v'}{\partial x} - \frac{1}{R} \frac{\partial V'}{\partial y} + \frac{\sqrt{\alpha}}{\gamma} v' = 0.$$

For this case, boundary and charge neutrality conditions are

$$(42) \quad V'(0, y, t) = 0,$$

$$(43) \quad V'(1, y, t) = 0,$$

$$(44) \quad n'(0, y, t) = 0,$$

$$(45) \quad v'(x, 0, t) = 0,$$

$$(46) \quad v'(x, 1, t) = 0,$$

$$(47) \quad \frac{\partial V'}{\partial y}(x, 0, t) = 0,$$

$$(48) \quad \frac{\partial V'}{\partial y}(x, 1, t) = 0,$$

$$(49) \quad \int_0^1 \left(\frac{\partial V'}{\partial x}(1, y, t) - \frac{\partial V'}{\partial x}(0, y, t) \right) dy = 0.$$

We are interested in finding a plasma wave-like behavior in the linearized system. Let

$$(50) \quad V'(x, y, t) = \hat{V}(x, y)e^{\omega t},$$

$$(51) \quad n'(x, y, t) = \hat{n}(x, y)e^{\omega t},$$

$$(52) \quad u'(x, y, t) = \hat{u}(x, y)e^{\omega t},$$

$$(53) \quad v'(x, y, t) = \hat{v}(x, y)e^{\omega t}.$$

We re-write Eqs. (38)-(41) as

$$(54) \quad \frac{\partial^2 \widehat{V}}{\partial x^2} + \frac{1}{R^2} \frac{\partial^2 \widehat{V}}{\partial y^2} - \alpha \widehat{n} = 0,$$

$$(55) \quad \omega \widehat{n} + \frac{\gamma}{\sqrt{\alpha}} \frac{\partial \widehat{n}}{\partial x} + \beta \left(\frac{\partial \widehat{u}}{\partial x} + \frac{1}{R} \frac{\partial \widehat{v}}{\partial y} \right) = 0,$$

$$(56) \quad \omega \widehat{u} + \frac{\gamma}{\sqrt{\alpha}} \frac{\partial \widehat{u}}{\partial x} - \frac{\partial \widehat{V}}{\partial x} + \frac{\sqrt{\alpha}}{\gamma} \widehat{u} = 0,$$

$$(57) \quad \omega \widehat{v} + \frac{\gamma}{\sqrt{\alpha}} \frac{\partial \widehat{v}}{\partial x} - \frac{1}{R} \frac{\partial \widehat{V}}{\partial y} + \frac{\sqrt{\alpha}}{\gamma} \widehat{v} = 0,$$

and Eqs. (42)-(49) as

$$(58) \quad \widehat{V}(0, y) = 0,$$

$$(59) \quad \widehat{V}(1, y) = 0,$$

$$(60) \quad \widehat{n}(0, y) = 0,$$

$$(61) \quad \widehat{v}(x, 0) = 0,$$

$$(62) \quad \widehat{v}(x, 1) = 0,$$

$$(63) \quad \frac{\partial \widehat{V}}{\partial y}(x, 0) = 0,$$

$$(64) \quad \frac{\partial \widehat{V}}{\partial y}(x, 1) = 0,$$

$$(65) \quad \int_0^1 \left(\frac{\partial \widehat{V}}{\partial x}(1, y) - \frac{\partial \widehat{V}}{\partial x}(0, y) \right) dy = 0,$$

and writing

$$(66) \quad \widehat{V} = \widetilde{V}(y)e^{\lambda x},$$

$$(67) \quad \widehat{n} = \widetilde{n}(y)e^{\lambda x},$$

$$(68) \quad \widehat{u} = \widetilde{u}(y)e^{\lambda x},$$

$$(69) \quad \widehat{v} = \widetilde{v}(y)e^{\lambda x},$$

we get

$$(70) \quad \frac{d^2 \widetilde{V}}{dy^2}(y) + \lambda^2 R^2 \widetilde{V}(y) - \alpha R^2 \widetilde{n}(y) = 0,$$

$$(71) \quad \frac{d\widetilde{v}}{dy}(y) + \frac{R}{\beta} \left(\omega + \lambda \frac{\gamma}{\sqrt{\alpha}} \right) \widetilde{n}(y) + \lambda R \widetilde{u}(y) = 0,$$

$$(72) \quad \lambda \widetilde{V}(y) - \left(\omega + \lambda \frac{\gamma}{\sqrt{\alpha}} + \frac{\sqrt{\alpha}}{\gamma} \right) \widetilde{u}(y) = 0,$$

$$(73) \quad \frac{d\widetilde{V}}{dy}(y) - R \left(\omega + \lambda \frac{\gamma}{\sqrt{\alpha}} + \frac{\sqrt{\alpha}}{\gamma} \right) \widetilde{v}(y) = 0,$$

If we take the derivative with respect to y in Eq.(73), the whole system can be reduced to the following equation

$$(74) \quad \frac{d\widetilde{V}^2}{dy^2}(y) + k^2 \widetilde{V}(y) = 0,$$

with

$$(75) \quad k^2 = \lambda^2 R^2,$$

and the boundary conditions (61),(62), (63) and (64) can be written as

$$(76) \quad \frac{d\tilde{V}}{dy}(0) = 0,$$

$$(77) \quad \frac{d\tilde{V}}{dy}(1) = 0.$$

The general solution for Eq.(74) is

$$(78) \quad \tilde{V}(y) = C_1 e^{iky} + C_2 e^{-iky},$$

by applying the boundary conditions (76) and (77), the solution for Eq.(74) has the following form

$$(79) \quad \tilde{V}(y) = D \cos(k_n y),$$

with $k_n = \pm 2\pi n$. Therefore, the general solution can be written as

$$(80) \quad \tilde{V}(y) = \sum_0^{\infty} D_n \cos(k_n y).$$

It is easy to show the proposed solution in Eqs. (66)-(69) satisfies the boundary conditions (58), (59), (60) and (65) independently of the eigenvalue k . Let us define $\sigma = \pm ik_n$. Re-writing Eqs. (66)-(69) as

$$(81) \quad \hat{V} = V_0 e^{\lambda x + \sigma y},$$

$$(82) \quad \hat{n} = n_0 e^{\lambda x + \sigma y},$$

$$(83) \quad \hat{u} = u_0 e^{\lambda x + \sigma y},$$

$$(84) \quad \hat{v} = v_0 e^{\lambda x + \sigma y},$$

the system of Eqs. (54)-(57) can be written as

$$\begin{bmatrix} -\lambda^2 - \sigma^2/R^2 & \alpha & 0 & 0 \\ 0 & \omega + \lambda\gamma/\sqrt{\alpha} & \beta\lambda & \beta\sigma/R \\ -\lambda & 0 & \omega + \lambda\gamma/\sqrt{\alpha} + \sqrt{\alpha}/\gamma & 0 \\ -\sigma/R & 0 & 0 & \omega + \lambda\gamma/\sqrt{\alpha} + \sqrt{\alpha}/\gamma \end{bmatrix} \begin{Bmatrix} V_0 \\ n_0 \\ u_0 \\ v_0 \end{Bmatrix} = \begin{Bmatrix} 0 \\ 0 \\ 0 \\ 0 \end{Bmatrix}$$

For a non-trivial solution, the determinant should vanish. This gives

$$(85) \quad -(\lambda^2 R^2 + \sigma^2)(\omega\sqrt{\alpha}\gamma + \alpha + \gamma^2\lambda) \left[\left(\omega + \frac{\gamma}{\sqrt{\alpha}}\lambda \right) \left(\omega + \frac{\gamma}{\sqrt{\alpha}}\lambda + \frac{\sqrt{\alpha}}{\gamma} \right) + \alpha\beta \right] = 0.$$

The roots for λ are

$$(86) \quad \lambda_1 = -\frac{\omega\sqrt{\alpha}\gamma + \alpha}{\gamma^2},$$

$$(87) \quad \lambda_2 = i\frac{\sigma}{R},$$

$$(88) \quad \lambda_3 = -i\frac{\sigma}{R},$$

$$(89) \quad \begin{aligned} \lambda_4 &= \frac{\alpha}{2\gamma^2} \left[-\left(\frac{2\gamma\omega}{\sqrt{\alpha}} + 1 \right) + i\sqrt{4\gamma^2\beta - 1} \right], \\ &= a + ib, \end{aligned}$$

$$(90) \quad \begin{aligned} \lambda_5 &= \frac{\alpha}{2\gamma^2} \left[-\left(\frac{2\gamma\omega}{\sqrt{\alpha}} + 1 \right) - i\sqrt{4\gamma^2\beta - 1} \right] \\ &= a - ib \end{aligned}$$

The root λ_1 satisfies $(\omega + \gamma\lambda/\sqrt{\alpha} + \sqrt{\alpha}/\gamma) = 0$ and it implies $\widehat{V} = 0$, $\widehat{n} = 0$ and

$$\frac{\partial \widehat{u}}{\partial x} + \frac{1}{R} \frac{\partial \widehat{v}}{\partial y} = 0.$$

This is a trivial solution, therefore we are not going to consider λ_1 as an eigenvalue. Since $\sigma = ik_n$ and $k_n = \pm 2\pi n$, we have two cases.

3.1 Case $k_n = k_0 = 0$

$$\begin{aligned} \widehat{V}(x, y) &= \left(A + Bx + Ce^{(a+ib)x} + De^{(a-ib)x} \right) \widetilde{V}(y), \\ \frac{\partial \widehat{V}}{\partial x}(x, y) &= \left(B + C(a+ib)e^{(a+ib)x} + D(a-ib)e^{(a-ib)x} \right) \widetilde{V}(y), \\ \widetilde{n}(x, y) &= \frac{1}{\alpha} \left[Ce^{(a+ib)x}(a+ib)^2 + De^{(a-ib)x}(a-ib)^2 \right] \widetilde{V}(y). \end{aligned}$$

Thus Eqs. (58), (59), (60) and (65) can be written as

$$\begin{aligned} A + C + D &= 0, \\ A + B + Ce^{a+ib} + De^{a-ib} &= 0, \\ C(a+ib)^2 + D(a-ib)^2 &= 0, \\ C(a+ib)(1 - e^{a+ib}) + D(a-ib)(1 - e^{a-ib}) &= 0, \end{aligned}$$

and

$$(91) \quad \begin{bmatrix} 1 & 0 & 1 & 1 \\ 1 & 1 & e^{a+ib} & e^{a-ib} \\ 0 & 0 & (a+ib)^2 & (a-ib)^2 \\ 0 & 0 & (a+ib)(1 - e^{a+ib}) & (a-ib)(1 - e^{a-ib}) \end{bmatrix} \begin{bmatrix} A \\ B \\ C \\ D \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

so that

$$(92) \quad (a+ib)(1 - e^{a-ib}) - (a-ib)(1 - e^{a+ib}) = 0,$$

3.1.1 For $4\gamma^2\beta > 1$

The solution for ω in terms of the dimensionless groups is [5]

$$(93) \quad \omega = -\frac{\gamma}{\sqrt{\alpha}} \left[\frac{\alpha}{2\gamma^2} + b \cot b + W \left(-\frac{be^{-b \cot b}}{\sin b} \right) \right],$$

3.1.2 For $4\gamma^2\beta = 1$

In this case, The solution for ω in terms of the dimensionless groups is [5]

$$(94) \quad \omega = -\frac{\gamma}{\sqrt{\alpha}} \left[\frac{\alpha}{2\gamma^2} + 1 + W(-e^{-1}) \right].$$

3.1.3 For $4\gamma^2\beta < 1$

By writing $b = ib'$ where $b' = b = (\alpha\sqrt{1 - 4\beta\gamma^2})/2\gamma^2$ is now real, ω becomes [5]

$$(95) \quad \omega = -\frac{\gamma}{\sqrt{\alpha}} \left[\frac{\alpha}{2\gamma^2} + b' \coth b' + W \left(-\frac{b'e^{-b' \coth b'}}{\sinh b'} \right) \right].$$

3.2 Case $k_n \neq 0$

$$\begin{aligned}\widehat{V}(x, y) &= \left(A e^{\frac{k_n}{R}x} + B e^{-\frac{k_n}{R}x} + C e^{(a+ib)x} + D e^{(a-ib)x} \right) \widetilde{V}(y), \\ \frac{\partial \widehat{V}}{\partial x}(x, y) &= \left(A \frac{k_n}{R} e^{\frac{k_n}{R}x} - B \frac{k_n}{R} e^{-\frac{k_n}{R}x} + C(a+ib)e^{(a+ib)x} + D(a-ib)e^{(a-ib)x} \right) \widetilde{V}(y), \\ \widetilde{n}(x, y) &= \frac{1}{\alpha} \left[C e^{(a+ib)x} \left((a+ib)^2 - \frac{k_n^2}{R^2} \right) + D e^{(a-ib)x} \left((a-ib)^2 - \frac{k_n^2}{R^2} \right) \right] \widetilde{V}(y).\end{aligned}$$

Thus Eqs. (58), (59), (60) and (65) can be written as

$$\begin{aligned}A + B + C + D &= 0, \\ A e^{\frac{k_n}{R}} + B e^{-\frac{k_n}{R}} + C e^{a+ib} + D e^{a-ib} &= 0, \\ C \left((a+ib)^2 - \frac{k_n^2}{R^2} \right) + D \left((a-ib)^2 - \frac{k_n^2}{R^2} \right) &= 0, \\ A \frac{k_n}{R} (1 - e^{\frac{k_n}{R}}) - B \frac{k_n}{R} (1 - e^{-\frac{k_n}{R}}) + C(a+ib)(1 - e^{a+ib}) + D(a-ib)(1 - e^{a-ib}) &= 0,\end{aligned}$$

and

$$(96) \quad \begin{bmatrix} 1 & 1 & 1 & 1 \\ e^{\frac{k_n}{R}} & e^{-\frac{k_n}{R}} & e^{a+ib} & e^{a-ib} \\ 0 & 0 & (a+ib)^2 - \frac{k_n^2}{R^2} & (a-ib)^2 - \frac{k_n^2}{R^2} \\ \frac{k_n}{R}(1 - e^{\frac{k_n}{R}}) & -\frac{k_n}{R}(1 - e^{-\frac{k_n}{R}}) & (a+ib)(1 - e^{a+ib}) & (a-ib)(1 - e^{a-ib}) \end{bmatrix} \begin{Bmatrix} A \\ B \\ C \\ D \end{Bmatrix} = \begin{Bmatrix} 0 \\ 0 \\ 0 \\ 0 \end{Bmatrix}$$

so that

$$(97) \quad \begin{aligned}& \left(e^{-\frac{k_n}{R}} \frac{k_n}{R} (1 - e^{\frac{k_n}{R}}) + e^{\frac{k_n}{R}} \frac{k_n}{R} (1 - e^{-\frac{k_n}{R}}) \right) \left((a-ib)^2 - (a+ib)^2 \right) \\ & + \left(e^{a-ib} \left((a+ib)^2 - \frac{k_n^2}{R^2} \right) - e^{a+ib} \left((a-ib)^2 - \frac{k_n^2}{R^2} \right) \right) \left(\frac{k_n}{R} (1 - e^{\frac{k_n}{R}}) + \frac{k_n}{R} (1 - e^{-\frac{k_n}{R}}) \right) \\ & + \left(\left((a-ib)^2 - \frac{k_n^2}{R^2} \right) (a+ib)(1 - e^{a+ib}) - \left((a+ib)^2 - \frac{k_n^2}{R^2} \right) (a-ib)(1 - e^{a-ib}) \right) \left(e^{\frac{k_n}{R}} - e^{-\frac{k_n}{R}} \right) = 0.\end{aligned}$$

The solutions for Eq. (97) are $(a+ib)^2 = k_n^2/R^2$ and $(a-ib)^2 = k_n^2/R^2$.

3.2.1 For $4\gamma^2\beta > 1$

The solution for ω in terms of the dimensionless groups is

$$(98) \quad \omega_n = \frac{\sqrt{\alpha}}{2\gamma} \left[\pm \frac{4\gamma^2\pi n}{\alpha R} - 1 \pm i\sqrt{4\gamma^2\beta - 1} \right],$$

3.2.2 For $4\gamma^2\beta = 1$

In this case, the solution for ω in terms of the dimensionless groups is

$$(99) \quad \omega_n = \frac{\sqrt{\alpha}}{2\gamma} \left[\pm \frac{4\gamma^2\pi n}{\alpha R} - 1 \right],$$

3.2.3 For $4\gamma^2\beta < 1$

In the last case, the solution for ω in terms of the dimensionless groups is

$$(100) \quad \omega_n = \frac{\sqrt{\alpha}}{2\gamma} \left[\pm \frac{4\gamma^2\pi n}{\alpha R} - 1 \pm \sqrt{1 - 4\gamma^2\beta} \right],$$

4 Conclusions

Acknowledgment

WC-M is grateful for a scholarship from CONICYT-CHILE.

REFERENCES

- [1] M. Dyakonov and M.S. Shur. Shallow water analogy for a ballistic field effect transistor: New mechanism of plasma wave generation by dc current. *Physical Review Letters*, 71(15):2465–2468, 1993.
- [2] F.J. Crowne. Contact boundary conditions and the dyakonov-shur instability in high electron mobility transistors. *Journal of Applied Physics*, 82(3):1242–1254, 1997.
- [3] F.J. Crowne. Dyakonov-shur plasma excitations in the channel of a real high-electron mobility transistor. *Journal of Applied Physics*, 87(11):8056–8063, 2000.
- [4] F.J. Crowne. Microwave response of a high electron mobility transistor in the presence of a dyakonov-shur instability. *Journal of Applied Physics*, 91(8):5377–5383, 2002.
- [5] W.R. Calderon-Munoz, Mihir Sen, and Debdeep Jena. Instability of one-dimensional electron flow in ungated semiconductors.
- [6] M. Dyakonov and M.S. Shur. Choking of electron flow: A mechanism of current saturation in field-effect transistors. *Physical Review B*, 51(20):14 341–14 345, 1995.
- [7] A.P. Dmitriev, A.S. Furman, V.Yu. Kachorovskii, G.G. Samsonidze, and Ge.G. Samsonidze. Numerical study of the current instability in a two-dimensional electron fluid. *Physical Review B*, 55(16):10 319–10 325, 1997.
- [8] S. Rudin, G. Samsonidze, and F. Crowne. Nonlinear response of two-dimensional electron plasmas in the conduction channels of field effect transistor structures. *Journal of Applied Physics*, 86(4):2083–2088, 1999.
- [9] M. Dyakonov and M.S. Shur. Current instability and plasma waves generation in ungated two-dimensional electron layers. *Applied Physical Letters*, 87(11):111501, 2005.
- [10] V. Ryzhii, A. Satou, and M.S. Shur. Transit-time mechanism of plasma instability in high electron mobility transistors. *Physica Status Solidi A*, 202(10):R113–R115, 2005.
- [11] V.V. Popov, O.V. Polischuk, and M.S. Shur. Resonant excitation of plasma oscillations in a partially gated two-dimensional electron layer. *Journal of Applied Physics*, 98(3):033510, 2005.
- [12] A. Dmitriev and M.S. Shur. Plasma oscillations of two-dimensional electron stripe. *Applied Physics Letters*, 87(24):243514, 2005.
- [13] S. Hoffmann, X. Luo, and M. Hofmann. Bandwidth limitations of two-colour diode lasers for direct terahertz emission. *Electronics Letters*, 42(12), 2006.




Figure 1: Schematic of semiconductor material.

- [14] W. Knap, F. Teppe, Y. Meziani, N. Dyakonova, J. Lusakowski, F. Boeuf, T. Skotnicki, D. Maude, S. Rumyantsev, and M.S. Shur. Plasma wave detection of sub-terahertz and terahertz radiation by silicon field effect transistors. *Applied Physics Letters*, 85(4):675–677, 2004.
- [15] J. Lusakowski, F. Teppe, N. Dyakonova, Y. Meziani, W. Knap, T. Parenty, S. Bollaert, A. Cappy, V. Popov, and M.S. Shur. Terahertz generation by plasma waves in nanometer gate high electron mobility transistors. *Physica Status Solidi A*, 202(4):656–659, 2005.
- [16] Y. Deng, R. Kersting, V. Roytburd, J. Xu, R. Ascazubi, K. Liu, X. Zhang, and M.S. Shur. Spectrum determination of terahertz sources using fabry-perot interferometer and bolometer detector. *Int. Journal of Infrared and Millimeter Waves*, 25(2):215–228, 2004.
- [17] N. Pala, F. Teppe, D. Veksler, Y. Deng, M.S. Shur, and R. Gaska. Nonresonant detection of terahertz radiation by silicon-on-insulator mosfets. *Electronics Letters*, 41(7), 2005.
- [18] D. Veksler, F. Teppe, A. Dmitriev, V.Yu. Kachorovskii, W. Knap, and M.S. Shur. Nonresonant detection of terahertz radiation by silicon-on-insulator mosfets. *Electronics Letters*, 41(7), 2005.
- [19] J. Lusakowski, W. Knap, N. Dyakonova, L. Varani, J. Mateos, T. Gonzalez, Y. Roelens, S. Bollaert, and A. Cappy. Voltage tuneable terahertz emission from a ballistic nanometer ingaas/inalas transistor. *Journal of Applied Physics*, 97(6):064307, 2005.
- [20] N. Dyakonova, A. Fatimy, J. Lusakowski, W. Knap, M.I. Dyakonov, M.-A. Poisson, E. Morvan, S. Bollaert, A. Shchepetov, Y. Roelens, Ch. Gaquiere, D. Theron, and A. Cappy. Room-temperature terahertz emission from nanometer field-effect transistors. *Applied Physics Letters*, 88(14):141906, 2006.
- [21] Chang-Lin Tien, Arunava Majumdar, and Frank M. Gerner. *Microscale Energy Transport*. Taylor&Francis, Washington, DC, 1998.