

# **Passivity and Dissipativity of a System and its Approximation**

Technical Report of the ISIS Group  
at the University of Notre Dame  
ISIS-12-007-Update  
Jun 2013

M. Xia, P. J. Antsaklis and V. Gupta  
Department of Electrical Engineering  
University of Notre Dame  
Notre Dame, IN 46556

**Interdisciplinary Studies in Intelligent Systems**

# Passivity and Dissipativity of a System and its Approximation

M. Xia, P. J. Antsaklis and V. Gupta  
 Department of Electrical Engineering  
 University of Notre Dame  
 Notre Dame, IN 46556

e-mail: { mxia, antsaklis.1, vgupta2}@nd.edu

## Abstract

We consider the following problem: given two mathematical system models, one representing accurately a physical system and the other representing its approximation, what passivity properties of the system can be inferred from studying only the approximate model. Our results show that an excess of passivity (whether in the form of input strictly passive, output strictly passive or very strictly passive) in the approximate model guarantees a certain passivity index for the system, at least if the norm of the error between the two models is sufficiently small. We also consider QSR dissipative systems and show that QSR dissipativity has a similar robustness property, even though the supply rate for the system and its approximation may be different.

## I. INTRODUCTION

Energy dissipation is a fundamental concept in dynamical systems. Passivity and dissipativity characterize the “energy” consumption of a dynamical system and form a powerful tool in many real applications. Passivity is closely related to stability and exhibits a compositional property for parallel and feedback interconnections [1], [2], [3]. Passivity-based control is especially useful in the analysis of complex coupled systems.

It is *impossible* to precisely describe the behavior of any physical system through mathematical models. In modeling physical systems, a classical dilemma is the tradeoff between model accuracy and tractability [4]. A variety of *approximation* methods are used, for analysis, simulation or control design of the ‘real’ systems [5]. It is critical that the approximate model preserves properties and features of interests of the original system, such as stability, Hamiltonian structure or passivity. One example of approximation is the use of linearization methods. Nonlinear behaviors abound in the real world, including saturation, backlash and dead zone [6]. Linearized models are often used, because methods for analysis and control designs are readily available for linear systems [7]. Another example is model reduction [5]. The need for modeling accuracy may result in large-scale, higher-order and complex mathematical models. Model reduction methods lead to a lower-order, simpler system, that can be used to facilitate control designs or speed up simulations [5], [8].

We are particularly interested in the passivity of a system as inferred from studying an approximate model of its dynamical behavior. It is known that under some conditions, linearization [1], [9] and model reduction [8], [10] preserve passivity. The main contribution of this paper is the establishment of relationships between *passivity levels* of two mathematical system models, one of which could represent accurately a physical system and the other representing its approximation; Of course, the two mathematical models can represent two different approximation of the same physical system as well. The approximate model is assumed to have an *excess* of passivity, defined as passivity levels (similar to passivity indices [3]) that characterize how passive it is (how much of the energy introduced into the system is dissipated). If the error between the system and its approximation is “small” in some sense, we show that passivity levels for the system can be guaranteed. Since passivity levels (or indices) are used to design controls for the system [3], [11], these results imply that it is possible to use

the simpler approximate model for control design. Also, we derive conditions under which the system remains passive if the approximate model is passive. These results may be interpreted as *robustness properties* with respect to model uncertainties [12], [13]. If the approximate model does not have an excess of passivity, we consider the case when the approximation is QSR dissipative. In this case, it is shown that if the error between the system and its approximation is “small”, the system will be QSR dissipative as well but for a different supply rate.

As a particular case, we consider linear systems and their positive-real truncations [10] and derive variations in the passivity levels for the full-order and reduced-order systems. There exist various procedures for model reduction preserving passivity [8]. The works such as [5], [8], [10] focus on how to preserve passivity instead of studying the variations in the passivity levels caused by model reduction. However, our results show how passivity levels vary as a function of the order.

The rest of the paper is organized as follows. Section II provides background material on passivity and model reduction preserving passivity. Section III presents the problem statement. The main results are given in Section IV. The results are applied to other approximation methods in Section V, such as linearization, sampled-data systems and quantization. Discussions of results in the discrete-time domain are presented in Section VI. Numerical examples are provided in Section VII. Concluding remarks are given in Section VIII.

**Notation.** The signal space under consideration is  $\mathcal{L}_2$  space or the extended  $\mathcal{L}_2$  space. The Euclidean space of dimension  $m$  is denoted by  $\mathbb{R}^m$ . Denote the truncation of  $u(t)$  up to time  $T$  ( $0 \leq T < \infty$ ) by  $u_T(t)$ . The inner product of truncated signals  $u_T(t), y_T(t)$  is denoted by  $\langle u, y \rangle_T$ , where  $\langle u, y \rangle_T \triangleq \int_0^T u^T(t)y(t)dt$  and  $u^T(t)$  denotes the transpose of  $u(t)$ . The  $\mathcal{L}_2$ -induced norm of a signal  $u$  is denoted by  $\|u\|_T$ , where  $\|u\|_T^2 \triangleq \int_0^T u^T(t)u(t)dt$ . The  $H_\infty$  norm of a transfer function  $G(s)$  is denoted by  $\|G\|_{H_\infty}$ . For a complex matrix  $A \in \mathbb{C}^{n \times n}$ , the minimum eigenvalue of  $A$  is denoted by  $\underline{\lambda}(A)$  and the maximum eigenvalue by  $\bar{\lambda}(A)$ .  $\text{Re}[A]$  is the real part of a complex matrix  $A$ .  $A \geq 0$  denotes that  $A$  is positive semi-definite and  $A > 0$  implies that  $A$  is positive definite. The identity matrix is denoted by  $I$  and the dimensions are omitted when it is clear from context. The notation  $\max\{a, b\}$  denotes the larger value of  $a, b \in \mathbb{R}$  and  $\min\{a, b\}$  denotes the smaller value of  $a, b \in \mathbb{R}$ .

## II. PRELIMINARIES

### A. Passivity

*Definition 1 ([1], [14]):* Consider a system  $\Sigma$  with input  $u$  and output  $y$  where  $u(t), y(t) \in \mathbb{R}^m$ . It is called

- *passive*, if there is a constant  $\beta \leq 0$  such that

$$\langle u, y \rangle_T \geq \beta.$$

- *input strictly passive (ISP)*, if there exist  $\nu > 0$  and a constant  $\beta \leq 0$  such that

$$\langle u, y \rangle_T \geq \beta + \nu \langle u, u \rangle_T. \quad (1)$$

- *output strictly passive (OSP)*, if there exist  $\rho > 0$  and a constant  $\beta \leq 0$  such that

$$\langle u, y \rangle_T \geq \beta + \rho \langle y, y \rangle_T. \quad (2)$$

- *very strictly passive (VSP)*, if there exist  $\rho > 0$  and  $\nu > 0$  and a constant  $\beta \leq 0$  such that

$$\langle u, y \rangle_T \geq \beta + \rho \langle y, y \rangle_T + \nu \langle u, u \rangle_T. \quad (3)$$

In all cases, the inequality should hold for  $\forall u(t), \forall T \geq 0$  and the corresponding  $y(t)$ .

A few remarks about the definitions.

- 1) The constant  $\beta$  is related to the initial conditions and plays an important role in the stability analysis of the system [14].

- 2) The notation  $\langle u, y \rangle_T$  denotes the externally supplied energy to the system during the interval  $[0, T]$ . For instance,  $\langle u, y \rangle$  is the instantaneous power by viewing  $u$  as the voltage and  $y$  as the current [1], [6].
- 3) VSP is referred to *input-output strict passivity* in [15], [16].
- 4) The above definitions can be viewed as special cases of QSR-dissipative systems [2], [17], defined as systems for which there exist  $Q = Q^T, R = R^T$  and  $S$ , such that  $\forall u(t), \forall T \geq 0$  and the corresponding  $y(t)$ ,

$$r(u, y) \triangleq \langle y, Qy \rangle_T + 2\langle y, Su \rangle_T + \langle u, Ru \rangle_T \geq 0. \quad (4)$$

The function  $r(u, y)$  is called the *supply rate* for  $\Sigma$ . It is clear that  $\Sigma$  is ISP for  $\rho$  if  $Q = 0, S = 0.5I, R = -\rho I$ . If  $Q = -\nu I, S = 0.5I, R = 0$ ,  $\Sigma$  is OSP for  $\nu$ . If  $Q = -\nu I, S = 0.5I, R = -\rho I$ ,  $\Sigma$  is VSP for  $(\rho, \nu)$ .

- 5) Definition 1 is the input-output description with the benefits of abstraction [18]. The definitions based on state models can be found in [14], [17]. The relations between the two descriptions are studied in [18], [1].
- 6) Clearly, if a system  $\Sigma$  is ISP for  $\nu > 0$ , it is also ISP for  $\nu - \epsilon$ , where  $0 \leq \epsilon < \nu$ . Analogously, if  $\Sigma$  is OSP for  $\rho > 0$ , it is also OSP for  $\rho - \epsilon$ , where  $0 \leq \epsilon < \rho$  [3]. Finally, if  $\Sigma$  is VSP for  $(\rho, \nu)$ , it is also VSP for  $(\rho - \epsilon, \nu - \epsilon)$ , where  $0 \leq \epsilon < \min\{\rho, \nu\}$  (see Lemma 2 in the Appendix). A positive value of  $\rho$  or  $\nu$  can thus be interpreted as an *excess* of passivity and these two values (called *passivity levels*) characterize ‘how passive’  $\Sigma$  is. If  $\rho$  or  $\nu$  is negative, we say  $\Sigma$  has a *shortage* of passivity. This intuition is captured by the concept of passivity indices [3].

*Definition 2:* For a system  $\Sigma$  with input  $u$  and output  $y$  where  $u(t), y(t) \in \mathbb{R}^m$ ,

- the *input feedforward passivity index* (IFP) is the largest  $\nu > 0$  such that (1) holds for  $\forall u$  and  $\forall T \geq 0$ ,
- the *output feedback passivity index* (OFP) is the largest  $\rho > 0$  such that (2) holds for  $\forall u$  and  $\forall T \geq 0$ .

The two indices are denoted by  $\text{IFP}(\nu)$  and  $\text{OFP}(\rho)$ , respectively.

Note the fact that a system has  $\text{IFP}(\nu)$  and  $\text{OFP}(\rho)$  does *not* necessarily imply that the system is VSP for  $(\rho, \nu)$ . In other words, the system may not have  $\text{IFP}(\nu)$  and  $\text{OFP}(\rho)$  *simultaneously*. A necessary condition for  $\rho$  and  $\nu$  to be VSP is given by  $\rho\nu \leq \frac{1}{4}, \rho > 0, \nu > 0$  (see Lemma 3 in the Appendix). As a result, for VSP, it may not make sense to define the largest  $\rho > 0$  and the largest  $\nu > 0$  (simultaneously) such that (3) holds for  $\forall u$  and  $\forall T \geq 0$ , since a large  $\rho$  corresponds to a small  $\nu$  from the constraint  $\rho\nu \leq \frac{1}{4}$ . To get around this difficulty, we define the notion of passivity levels in the following consistent manner. Consider a system  $\Sigma$ ,

- any  $\tilde{\nu} \in (0, \nu]$  is a *passivity level* of  $\Sigma$  if  $\Sigma$  has  $\text{IFP}(\nu)$ ;
- any  $\tilde{\rho} \in (0, \rho]$  is a *passivity level* of  $\Sigma$  if  $\Sigma$  has  $\text{OFP}(\rho)$ ;
- any  $(\tilde{\rho}, \tilde{\nu})$  are *passivity levels* of  $\Sigma$  if  $\Sigma$  is VSP for  $(\rho, \nu)$  such that  $0 < \tilde{\rho} \leq \rho, 0 < \tilde{\nu} \leq \nu$ .

## B. Model Reduction Preserving Passivity

Model reduction preserving passivity is an effective *approximation* technique when dealing with large-scale systems, such as power grid and circuit interconnect [10], [19]. We are mostly interested in truncated balancing realization (TBR) for model reduction that preserves passivity, so-called positive-real TBR (PR-TBR for short) [8], [10].

For linear time invariant system with transfer function  $G(s)$ , a state space realization is given as

$$\begin{aligned} \dot{x} &= Ax + Bu, \\ y &= Cx + Du. \end{aligned} \quad (5)$$

We assume  $\{A, B\}$  is controllable and  $\{A, C\}$  is observable. The following result, namely the positive real lemma, is useful to test whether (5) is passive.

*Lemma 1 ([6]):* (5) is passive if and only if there exist matrices  $P = P^T > 0, L, W$ , such that

$$\begin{aligned} PA + A^T P &= -L^T L, \\ PB &= C^T - L^T W, \\ W^T W &= D + D^T. \end{aligned} \quad (6)$$

The dual equations of (6), obtained by setting  $A \rightarrow A^T, B \rightarrow C^T, C \rightarrow B^T$ , are given as

$$\begin{aligned} AX + XA^T &= -KK^T, \\ XC^T &= B - KJ^T, \\ JJ^T &= D + D^T, \end{aligned} \quad (7)$$

where  $X = X^T \geq 0, K, J$  are the dual set of  $P, L, W$ .

The non-negative matrices  $P$  and  $X$  are used as the basis for the PR-TBR procedure (see Algorithm 1 in the Appendix).  $P$  and  $X$  are analogous to the observability grammian  $W_o$  and the controllability grammian  $W_c$ , where

$$\begin{aligned} AW_c + W_c A^T &= -BB^T, \\ A^T W_o + W_o A &= -CC^T. \end{aligned}$$

$W_c$  and  $W_o$  are the basis for TBR procedure but do not guarantee passivity of the reduced model in general [8], [10] except for the following special case. The eigenvalues of the product  $W_c W_o$  are called Hankel singular values and are used to establish upper bounds on the error between the transfer functions of the full-order system (denoted by  $G$ ) and its reduced-order approximation (denoted by  $G_a$ ). If we denote  $\sigma_i$  as the  $i$ th Hankel singular values ( $\sigma_1 \geq \sigma_2 \geq \dots \sigma_n \geq 0$ , and  $n$  is the order of  $G$ ), then we obtain

$$\|G - G_a\|_{H_\infty} \leq 2 \sum_{j=r+1}^n \sigma_j,$$

where  $0 \leq r < n$  is the order of the reduced-order approximation  $G_a$ . It is obvious that the larger the order  $r$  is, the smaller the error is.

A special case of (5) is of the relaxation type, i.e.

$$A = A^T, A \leq 0, B^T = C, D \geq 0. \quad (8)$$

Relaxation systems [10], [17] play an important role in applications; examples include integrated circuits and mechanical systems in which inertial effects may be neglected. It can be verified that  $P = I$  is a solution to (6), i.e.  $V(x) = \frac{1}{2}x^T x$  is a storage function for (8), where

$$\begin{aligned} \dot{V}(x) - u^T y &= x^T (Ax + Bu) - u^T (Cx + Du) \\ &= x^T Ax - u^T Du \\ &\leq -u^T Du \leq 0. \end{aligned}$$

Therefore, the system (8) is *passive*. If  $D > 0$ , the above inequality actually shows that the system is ISP for

$$\rho \geq \underline{\lambda}(D) > 0.$$

Furthermore, the reduced model of (8) obtained through Algorithm 1 will also be ISP for  $\tilde{\rho} \geq \underline{\lambda}(D) > 0$ .

*Remark 1:* Positive real balancing for *nonlinear* systems has been studied in [20]. Besides, there exist various approaches to reduce model order, but we do not concentrate on that problem. Model reduction of linear systems are used merely as ‘examples’ to illustrate our main results in Section IV.




Fig. 1. Illustration of two systems:  $\Sigma_1$  with input  $u$  and output  $y_1$  and  $\Sigma_2$  with input  $u$  and output  $y_2 = y_1 + \Delta y$ .

### III. PROBLEM STATEMENT

Consider two system models  $\Sigma_1$  and  $\Sigma_2$  as shown in Fig. 1. One can view  $\Sigma_i$  as the system we are interested in as it describes some behavior of interest and  $\Sigma_j$  as an *approximation* of  $\Sigma_i$ , where  $i, j \in \{1, 2\}$  and  $j \neq i$ . A commonly used measure for judging how well  $\Sigma_j$  approximates  $\Sigma_i$  is to compare the outputs for the same excitation function  $u$  [5]. We denote the difference in the outputs by  $\Delta y$ . The error may be due to modeling, linearization or model reduction, etc. For a ‘good’ approximation, we require that the “worst” case  $\Delta y$  over all control inputs  $u$  be small. Thus,  $\Sigma_j$  is a *good* approximation of  $\Sigma_i$  if there exists a positive constant  $\gamma > 0$  such that

$$\|\Delta y\|_T \leq \gamma \|u\|_T, \quad \forall u \text{ and } \forall T \geq 0. \quad (9)$$

The value of  $\gamma$  obviously constrains how good the approximation is. In the following analysis, without loss of generality, we view  $\Sigma_2$  as an approximation of  $\Sigma_1$ .

*Remark 2:* For stable linear systems,  $\Sigma_1$  (resp.  $\Sigma_2$ ) is characterized by the transfer function  $G_1$  (resp.  $G_2$ ). Defining  $\Delta G = G_1 - G_2$ , we obtain from (9) that

$$\|\Delta G\|_{H_\infty} \leq \gamma.$$

In this case,  $\gamma$  is an upper bound on the  $H_\infty$  norm of the error in the transfer functions  $G_1$  and  $G_2$ .

We are now ready to state the problem of interest (see Fig. 2). Assume that  $\Sigma_2$  has an *excess* of passivity, namely  $\Sigma_2$  has IFP( $\nu$ ) or OFP( $\rho$ ) or is VSP for  $(\rho, \nu)$ . What passivity property for  $\Sigma_1$  can be *inferred* from that of  $\Sigma_2$ ? For the case when  $\Sigma_2$  does not have an *excess* of passivity, we assume it to be  $(Q_2, S_2, R_2)$ -dissipative and consider the problem of obtaining conditions under which  $\Sigma_1$  is  $(Q_1, S_1, R_1)$ -dissipative as well. The problem is summarized as follows.

*Problem 1:* Suppose that an approximate model  $\Sigma_2$

- has IFP( $\nu$ ); or
- has OFP( $\rho$ ); or
- is VSP for  $(\rho, \nu)$ ; or
- is  $(Q_2, S_2, R_2)$ -dissipative.

The aim is to derive the corresponding passivity property for the system  $\Sigma_1$  based on conditions on  $\gamma$  in (9), such that

- 1)  $\Sigma_1$  has ISP level  $(\tilde{\nu})$ ; or
- 2)  $\Sigma_1$  has OSP level  $(\tilde{\rho})$ ; or
- 3)  $\Sigma_1$  is VSP for  $(\tilde{\rho}, \tilde{\nu})$ ; or
- 4)  $\Sigma_1$  is  $(Q_1, S_1, R_1)$ -dissipative.

### IV. MAIN RESULTS

In this section, we present our main results. We begin by considering the case when the approximate model is ISP and then move on to the cases when the approximation is OSP, VSP or QSR-dissipative.




Fig. 2. Problem Statement

### A. Input Strictly Passive Systems

We have the following result that guarantees a certain passivity level given the error constraint  $\gamma$  and an IFP level for the approximate model.

*Theorem 1:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) is satisfied for some  $\gamma > 0$ . If  $\Sigma_2$  has IFP( $\nu$ ) and  $\gamma < \nu$ , then  $\Sigma_1$  will be ISP for  $\tilde{\nu} = \nu - \gamma$ .

*Proof:* From Cauchy-Schwarz inequality and the assumption (9), we obtain

$$|\langle u, \Delta y \rangle_T| \leq \sqrt{\langle u, u \rangle_T} \sqrt{\langle \Delta y, \Delta y \rangle_T} \leq \gamma \langle u, u \rangle_T, \quad (10)$$

For the system  $\Sigma_2$  with input  $u$  and output  $y_2$ , we have

$$\begin{aligned} & \langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T \\ &= \langle u, y_1 \rangle_T - \nu \langle u, u \rangle_T + \langle u, \Delta y \rangle_T \\ &\leq \langle u, y_1 \rangle_T - \nu \langle u, u \rangle_T + |\langle u, \Delta y \rangle_T| \\ &\leq \langle u, y_1 \rangle_T - (\nu - \gamma) \langle u, u \rangle_T. \end{aligned}$$

Now, by assumption,  $\Sigma_2$  is ISP for  $\nu > 0$ , then

$$\langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T \geq \beta.$$

Therefore, defining  $\tilde{\nu} = \nu - \gamma > 0$ , we obtain  $\langle u, y_1 \rangle_T - \tilde{\nu} \langle u, u \rangle_T \geq \beta$ . This implies  $\Sigma_1$  is ISP for  $\tilde{\nu} > 0$ . ■

Note  $\tilde{\nu}$  does *not* represent the IFP of  $\Sigma_1$  ( $\Sigma_1$  may have IFP larger than  $\tilde{\nu}$ ). By viewing  $\Delta y$  as model uncertainties that are not captured by the approximation  $\Sigma_2$ , the results can be interpreted as *robustness properties* [3]. The following result regarding robust passivity is *less* restrictive than Theorem 1.

*Corollary 1:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) is satisfied for some  $\gamma > 0$ . If  $\Sigma_2$  has IFP( $\nu$ ) and  $\gamma \leq \nu$ , then,  $\Sigma_1$  will be passive.

*Proof:* From (10) and  $\gamma \leq \nu$ , we obtain

$$|\langle u, \Delta y \rangle_T| \leq \gamma \langle u, u \rangle_T \leq \nu \langle u, u \rangle_T.$$

The following relation holds for  $\Sigma_1$

$$\begin{aligned} \langle u, y_1 \rangle_T &= \langle u, y_2 \rangle_T - \langle u, \Delta y \rangle_T \\ &\geq \langle u, y_2 \rangle_T - |\langle u, \Delta y \rangle_T| \\ &\geq \langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T \geq \beta. \end{aligned}$$

Therefore,  $\langle u, y_1 \rangle_T \geq \beta$ , i.e.  $\Sigma_1$  is passive. ■

## B. Output Strictly Passive Systems

Computing OFP of a system is more difficult than IFP because of the feedback loops involved. For linear systems, we assume along the lines of [3] that  $\Sigma_2$  is *minimum phase* so that the inverse of  $\Sigma_2$ , denoted by  $\Sigma_2^{-1}$ , is causal and stable (i.e. all the poles of  $\Sigma_2^{-1}$  are with negative real parts).

*Assumption 1:* Consider  $\Sigma_2$  with input  $u$  and output  $y_2$ . Assume the inverse of  $\Sigma_2$  is causal and stable, i.e. there exist  $\eta > 0$ , such that  $\forall y_2, \forall T \geq 0$  [16]

$$\|u\|_T \leq \eta \|y_2\|_T. \quad (11)$$

Note that Assumption 1 is not necessary, however, OFP can be conveniently computed in this way. For linear systems, the OFP for  $G(s)$  is shown to be equivalent to the IFP of the inverse of  $G(s)$ , denoted by  $G^{-1}(s)$ .

*Theorem 2:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) holds for some  $\gamma > 0$  and (11) holds for some  $\eta > 0$ . If  $\Sigma_2$  has OFP( $\rho$ ) and  $\gamma < \rho$ , then  $\Sigma_1$  will be OSP for  $\tilde{\rho} = \rho - \gamma$  if

$$\frac{1}{\eta^2} - \left(1 + 2(\rho - \gamma)\frac{1}{\rho} + (\rho - \gamma)\gamma\right) \geq 0. \quad (12)$$

*Proof:* We use the relation from [6] that

$$u^T y_2 - \rho y_2^T y_2 \leq \frac{1}{2\rho} u^T u - \frac{\rho}{2} y_2^T y_2.$$

$\Sigma_2$  is assumed to be OSP for  $\rho > 0$ , thus

$$\frac{1}{2\rho} \langle u, u \rangle_T - \frac{\rho}{2} \langle y_2, y_2 \rangle_T \geq \langle u, y_2 \rangle_T - \rho \langle y_2, y_2 \rangle_T \geq \beta,$$

and therefore  $\langle y_2, y_2 \rangle_T \leq \frac{1}{\rho^2} \langle u, u \rangle_T - \frac{2\beta}{\rho}$ . From Cauchy-Schwarz inequality, (9) and the fact  $\beta \leq 0$ , we obtain

$$\begin{aligned} |\langle y_2, \Delta y \rangle_T| &\leq \sqrt{\langle \Delta y, \Delta y \rangle_T} \sqrt{\langle y_2, y_2 \rangle_T} \\ &\leq \frac{\gamma}{\rho} \sqrt{\langle u, u \rangle_T} \sqrt{\langle u, u \rangle_T - 2\beta\rho} \\ &\leq \frac{\gamma}{\rho} (\langle u, u \rangle_T - 2\beta\rho) = \frac{\gamma}{\rho} \langle u, u \rangle_T - 2\beta\gamma. \end{aligned} \quad (13)$$

Together with (10), if we define  $a \triangleq \rho - \gamma > 0$ , we obtain

$$\begin{aligned} \Phi &\triangleq \gamma \langle y_2, y_2 \rangle_T - \langle u, \Delta y \rangle_T + 2a \langle \Delta y, y \rangle_T - a \langle \Delta y, \Delta y \rangle_T \\ &\geq \gamma \langle y_2, y_2 \rangle_T - |\langle u, \Delta y \rangle_T| - 2a |\langle \Delta y, y_2 \rangle_T| - a\gamma^2 \langle u, u \rangle_T \\ &\geq \gamma \langle y_2, y_2 \rangle_T - \left(\gamma + 2a\frac{\gamma}{\rho} + a\gamma^2\right) \langle u, u \rangle_T + 4a\beta\gamma. \end{aligned}$$

If (12) is satisfied, from assumption (11), we obtain

$$\begin{aligned} &\gamma \langle y_2, y_2 \rangle_T - \left(\gamma + 2a\frac{\gamma}{\rho} + a\gamma^2\right) \langle u, u \rangle_T \\ &\geq \left[\frac{1}{\eta^2} - \left(1 + 2a\frac{1}{\rho} + a\gamma\right)\right] \gamma \eta^2 \langle y_2, y_2 \rangle_T \geq 0. \end{aligned}$$

Thus,  $\Phi \geq 4a\beta\gamma$ . For  $\Sigma_1$  with  $y_1 = y_2 - \Delta y$ ,

$$\begin{aligned} &\langle u, y_1 \rangle_T - (\rho - \gamma) \langle y_1, y_1 \rangle_T \\ &= \langle u, y_2 \rangle_T - \rho \langle y_2, y_2 \rangle_T + \Phi \geq \beta + 4a\beta\gamma \triangleq \bar{\beta}, \end{aligned}$$

for all functions  $u$ , all  $T \geq 0$  and  $\bar{\beta} \leq 0$ . Therefore, for  $\gamma < \rho$ ,  $\Sigma$  is OSP for  $\tilde{\rho} = \rho - \gamma$ .  $\blacksquare$

Note that  $\Sigma$  may have OFP larger than  $\tilde{\rho}$ . The following result is immediate regarding *robust passivity*.

*Corollary 2:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) holds for some  $\gamma > 0$  and (11) holds for some  $\eta > 0$ . If  $\Sigma_2$  has OFP( $\rho$ ) and  $\gamma\eta^2 \leq \rho$ , then,  $\Sigma_1$  will be passive.

*Proof:* From (10) and the assumption (11), we obtain

$$|\langle u, \Delta y \rangle_T| \leq \gamma \langle u, u \rangle_T \leq \gamma \eta^2 \langle y_2, y_2 \rangle_T.$$

Thus, the following relation holds if  $\gamma\eta^2 \leq \rho$ ,

$$\begin{aligned} \langle u, y_1 \rangle_T &= \langle u, y_2 \rangle_T - \langle u, \Delta y \rangle_T \\ &\geq \langle u, y_2 \rangle_T - \rho \langle y_2, y_2 \rangle_T - |\langle u, \Delta y \rangle_T| + \rho \langle y_2, y_2 \rangle_T \\ &\geq \beta + (\rho - \gamma\eta^2) \langle y_2, y_2 \rangle_T \geq \beta. \end{aligned}$$

Therefore,  $\langle u, y_1 \rangle_T \geq \beta$ , i.e.  $\Sigma_1$  is passive. ■

### C. Very Strictly Passive Systems

We have the following result.

*Theorem 3:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) holds for some  $\gamma > 0$ . Suppose  $\Sigma_2$  is VSP for  $(\rho, \nu)$ , where  $\rho > \gamma, \nu > \gamma$ . Then,  $\Sigma_1$  is VSP for  $(\rho - \gamma, \nu - \gamma)$  if

$$\nu^2 - \frac{2(\rho - \gamma)}{\rho} - (\rho - \gamma)\gamma \geq 0. \quad (14)$$

*Proof:* We use the relation  $u^T y_2 - \nu u^T u \leq \frac{1}{2\nu} y_2^T y_2 - \frac{\nu}{2} u^T u$ .  $\Sigma_2$  is assumed to be ISP for  $\nu > 0$ , thus

$$\frac{1}{2\nu} \langle y_2, y_2 \rangle_T - \frac{\nu}{2} \langle u, u \rangle_T \geq \langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T \geq \beta,$$

and therefore  $\langle y_2, y_2 \rangle_T \geq \nu^2 \langle u, u \rangle_T + 2\beta\nu$ . Also,  $\Sigma_2$  is OSP for  $\rho > 0$ , thus (13) is satisfied. Together with (9) and (10), if we define  $a = \rho - \gamma > 0, \psi = 2a \langle y, \Delta y \rangle_T - \langle u, \Delta y \rangle_T - a \langle \Delta y, \Delta y \rangle_T$ , we obtain

$$\begin{aligned} |\psi| &= |\langle u, \Delta y \rangle_T| + 2a |\langle y, \Delta y \rangle_T| + a \langle \Delta y, \Delta y \rangle_T \\ &\leq \left( \gamma + 2a \frac{\gamma}{\rho} + a\gamma^2 \right) \langle u, u \rangle_T - 4a\beta\gamma. \end{aligned}$$

Thus, the following relation holds

$$\begin{aligned} &\gamma \langle u, u \rangle_T + \gamma \langle y_2, y_2 \rangle_T + \psi \\ &\geq \gamma(1 + \nu^2) \langle u, u \rangle_T + 2\beta\nu\gamma - |\psi| \\ &\geq \left[ \gamma(1 + \nu^2) - \left( \gamma + 2a \frac{\gamma}{\rho} + a\gamma^2 \right) \right] \langle u, u \rangle_T + 2\beta\nu\gamma + 4a\beta\gamma \\ &= \gamma \left( \nu^2 - \frac{2a}{\rho} - a\gamma \right) \langle u, u \rangle_T + 2\beta\nu\gamma + 4a\beta\gamma. \end{aligned}$$

We assume that  $\nu^2 - \frac{2a}{\rho} - a\gamma \geq 0$  from (14), thus

$$\gamma \langle u, u \rangle_T + \gamma \langle y_2, y_2 \rangle_T + \psi \geq 2\beta\nu\gamma + 4a\beta\gamma.$$

For  $\Sigma_1$  with input  $u$  and output  $y_1 = y_2 - \Delta y$ , we have

$$\begin{aligned} &\langle u, y_1 \rangle_T - (\nu - \gamma) \langle u, u \rangle_T - (\rho - \gamma) \langle y_1, y_1 \rangle_T \\ &= \langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T - \rho \langle y_2, y_2 \rangle_T \\ &\quad + \gamma \langle u, u \rangle_T + \gamma \langle y_2, y_2 \rangle_T + \psi \\ &\geq \langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T - \rho \langle y_2, y_2 \rangle_T + 2\beta\nu\gamma + 4a\beta\gamma. \end{aligned}$$

$\Sigma_2$  is assumed to be VSP for  $(\rho, \nu)$  and therefore

$$\langle u, y_2 \rangle_T - \nu \langle u, u \rangle_T - \rho \langle y_2, y_2 \rangle_T \geq \beta.$$

Defining  $\bar{\beta} = \beta + 2\beta\nu\gamma + 4a\beta\gamma \leq 0$ , we have

$$\langle u, y_1 \rangle_T - (\nu - \gamma) \langle u, u \rangle_T - (\rho - \gamma) \langle y_1, y_1 \rangle_T \geq \bar{\beta}.$$

Thus, for  $\gamma < \rho, \gamma < \nu$ ,  $\Sigma_1$  is VSP for  $(\rho - \gamma, \nu - \gamma)$ .  $\blacksquare$

$\Sigma_1$  is VSP for  $(\rho, \nu)$  implies that  $\rho$  is a passivity level for OSP and  $\nu$  is a passivity level for ISP. The OFP for  $\Sigma_1$  is larger than  $\rho$  and the IFP is larger than  $\nu$  in general.

*Corollary 3:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) holds for some  $\gamma > 0$ . If  $\Sigma_2$  is VSP for  $(\rho, \nu)$  and  $\rho\nu^2 + \nu - \gamma \geq 0$ , then,  $\Sigma_1$  will be passive.

*Proof:*  $\Sigma_2$  is ISP for  $\nu$ , it has been shown that  $\langle y_2, y_2 \rangle_T \geq \nu^2 \langle u, u \rangle_T + 2\beta\nu$ . From (10), we obtain

$$\begin{aligned} \chi &\triangleq -|\langle u, \Delta y \rangle_T| + \rho \langle y_2, y_2 \rangle_T + \nu \langle u, u \rangle_T \\ &\geq (\rho\nu^2 + \nu - \gamma) \langle u, u \rangle_T + 2\beta\rho\nu. \end{aligned}$$

Thus, if  $\rho\nu^2 + \nu - \gamma \geq 0$ , we obtain  $\chi \geq 2\beta\rho\nu$ .  $\Sigma_2$  is VSP for  $(\rho, \nu)$ , thus  $\langle u, y_2 \rangle_T - \rho \langle y_2, y_2 \rangle_T - \nu \langle u, u \rangle_T \geq \beta$ . For  $\Sigma_1$  with input  $u$  and output  $y_1$ , we have

$$\begin{aligned} \langle u, y_1 \rangle_T &= \langle u, y_2 \rangle_T - \langle u, \Delta y \rangle_T \\ &\geq \langle u, y_2 \rangle_T - \rho \langle y_2, y_2 \rangle_T - \nu \langle u, u \rangle_T + \chi \\ &\geq \beta + 2\beta\rho\nu \triangleq \bar{\beta}. \end{aligned}$$

Thus,  $\langle u, y_1 \rangle_T \geq \bar{\beta}$  and  $\bar{\beta} \leq 0$ , i.e.  $\Sigma_1$  is passive.  $\blacksquare$

*Remark 3:* It can be verified that the above results hold when  $\Sigma_1$  and  $\Sigma_2$  exchange places. In other words, it does not really matter whether we view  $\Sigma_1$  as an approximation of  $\Sigma_2$  or  $\Sigma_2$  as an approximation of  $\Sigma_1$ . In practice, however, a simple model is usually used as an approximation of a complex system, e.g. linearized model vs. nonlinear model and lower-order model vs. higher-order model.

*Remark 4:* Theorem 1-3 relate passivity levels between  $\Sigma_1$  and  $\Sigma_2$  for ISP, OSP and VSP systems. It is worth stressing that these results are applicable to *any* approximation methods and *any* system structure in general. In particular, if we consider *linear* systems and *PR-TBR* as a particular approximation approach, then the error  $\gamma$  in (9) is characterized by the Hankel singular values, and the results in Theorem 1-3 provide a tool to trade off the error as a function of *variations in the passivity levels* for the full-order system  $\Sigma_1$  (or  $\Sigma_2$ ) and the reduced-order system  $\Sigma_2$  (or  $\Sigma_1$ ).

#### D. Extension to QSR-dissipative Systems

In this section, we extend the results to QSR-dissipative systems, for which the system may be not passive or have a *shortage* of passivity.

*Theorem 4:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1. Suppose (9) holds for some  $\gamma > 0$ . Let  $\Sigma_2$  be  $(Q_2, S_2, R_2)$ -dissipative and assume  $S_1 - S_2 = 0, Q_1 - Q_2 > 0, R_1 - R_2 > 0$ . If there exists a  $\xi > 0$  such that

$$\begin{aligned} \lambda(R_1 - R_2) - \frac{\gamma^2}{\xi} - 2\lambda_1\gamma - b &\geq 0, \\ \lambda(Q_1 - Q_2) - \xi\lambda_2 &\geq 0, \end{aligned} \tag{15}$$

where  $b = 2 \max\{0, \bar{\lambda}(-Q_1)\gamma^2\}$ , and

$$\lambda_1 \triangleq \sqrt{\bar{\lambda}(S_1^T S_1)} \geq 0, \lambda_2 \triangleq \sqrt{\bar{\lambda}(Q_1^T Q_1)} \geq 0,$$

then  $\Sigma_1$  is  $(Q_1, S_1, R_1)$ -dissipative.

*Proof:* From Cauchy-Schwarz inequality, we obtain

$$|\langle S_1 u, \Delta y \rangle_T| \leq \sqrt{\bar{\lambda}(S_1^T S_1)} \gamma \langle u, u \rangle_T = \lambda_1 \gamma \langle u, u \rangle_T.$$

Also, for some  $\xi > 0$ , the following relation holds

$$2\langle Q_1 y_2, \Delta y \rangle_T \leq \frac{\gamma^2}{\xi} \langle u, u \rangle_T + \xi \lambda_2 \langle y_2, y_2 \rangle_T.$$

Define the supply rate for  $\Sigma_i$  as  $r_i(u, y_i) \triangleq \langle y_i, Q_i y_i \rangle_T + 2\langle y_i, S_i u \rangle_T + \langle u, R_i u \rangle_T$ , then

$$\begin{aligned} r_1 &= r_2 + \langle y_2, (Q_1 - Q_2) y_2 \rangle_T + \langle u, (R_1 - R_2) u \rangle_T \\ &\quad - 2\langle y_2, Q_1 \Delta y \rangle_T + \langle \Delta y, Q_1 \Delta y \rangle_T - 2\langle \Delta y, S_1 u \rangle_T \\ &\geq r_2 + (\underline{\lambda}(Q_1 - Q_2) - \xi \lambda_2) \|y_2\|_T^2 \\ &\quad + \left( \underline{\lambda}(R_1 - R_2) - \frac{\gamma^2}{\xi} - 2\lambda_1 \gamma \right) \|u\|_T^2 + \langle \Delta y, Q_1 \Delta y \rangle_T. \end{aligned}$$

Since  $\Sigma_2$  is  $(Q_2, S_2, R_2)$ -dissipative,  $r_2 \geq 0$ . Two cases are possible. If  $Q_1 > 0$ , we have  $b = 0$ ,  $\langle \Delta y, Q_1 \Delta y \rangle_T \geq 0$ . Thus, from (15), we obtain  $r_1 \geq r_2 \geq 0$ . If  $Q_1 \leq 0$ , we have  $b = \bar{\lambda}(-Q_1)\gamma^2$  and from (9),

$$\langle \Delta y, Q_1 \Delta y \rangle_T \geq -\bar{\lambda}(-Q_1)\gamma^2 \langle u, u \rangle_T.$$

If (15) holds, we obtain  $r_1 \geq r_2 \geq 0$ . In summary,  $r_1 \geq 0$  if (15) is satisfied and thus  $\Sigma_1$  is  $(Q_1, S_1, R_1)$ -dissipative.  $\blacksquare$

*Remark 5:* (1). Similar arguments can be developed when  $S_1 - S_2 = 0, Q_1 - Q_2 > 0, R_1 - R_2 > 0$  does not hold. However, the analysis is more involved. (2). When  $S_i = 1/2I$ ,  $Q_i > 0$  or  $R_i > 0$  ( $i = 1, 2$ ) indicates the system has a shortage of passivity.

## V. OTHER APPROXIMATION METHODS

In this section, we shall apply the results developed in Section IV to the case when the approximate model is produced using some particular approximation methods. We begin with linearization about an equilibrium point of a nonlinear system.

### A. Linearization of Nonlinear Systems

Consider the following nonlinear system  $\Sigma_1$  (with initial state  $x_1(t_0) = 0$  for simplicity),

$$\begin{aligned} \dot{x}_1 &= f(x_1) + g(x_1)u, \\ y_1 &= h(x_1) + J(x_1)u, \end{aligned} \tag{16}$$

where  $f, g, h$  and  $J$  are smooth mappings of appropriate dimensions and  $f(0) = 0, h(0) = 0$  without loss of generality. We assume that the pair  $(x_1 = 0, u = 0)$  is an equilibrium point for the nonlinear system (16). Define

$$A \triangleq \frac{\partial f}{\partial x_1} \Big|_{x_1=0}, B \triangleq g(0), C \triangleq \frac{\partial h}{\partial x_1} \Big|_{x_1=0}, D \triangleq J(0). \tag{17}$$

With (17), the linearized system  $\Sigma_2$  about the equilibrium point  $(0, 0)$  is given by

$$\begin{aligned} \dot{x}_2 &= Ax_2 + Bu, \\ y_2 &= Cx_2 + Du. \end{aligned} \tag{18}$$

The linearized model  $\Sigma_2$  is accurate up to the first order and is called first-order approximation of  $\Sigma_1$  [4], [7]. We consider the case when  $\Sigma_2$  is VSP. If  $\Sigma_2$  is observable, then VSP implies it is also asymptotically stable, see e.g. [3], [6]. We have the following result.

*Proposition 1:* Consider a nonlinear system  $\Sigma_1$  given by (16), where  $f, g, h$  and  $J$  are analytic. Let  $\Sigma_2$  be the linearization of  $\Sigma_1$  given by (18) with (17). Suppose the linearized model  $\Sigma_2$  is observable and VSP for  $(\rho, \nu)$ . Define  $\Delta y \triangleq y_2 - y_1$ . Then, in a neighborhood of the equilibrium point  $(0, 0)$ , there exist constants  $d > 0$  and  $\epsilon > 0$ , such that

$$\|\Delta y\|_{\mathcal{L}_2}^2 \leq d^2 \|u\|_{\mathcal{L}_2}^2 + \epsilon. \quad (19)$$

*Proof:* First, the linearized model  $\Sigma_2$  is asymptotically stable, thus  $A$  is Hurwitz and  $x_1 = 0$  is an exponentially stable equilibrium point for the nonlinear system  $\Sigma_1$  as well (see e.g. Corollary 4.3 in [6]). As a result, in a neighborhood of  $u = 0$  (i.e. for small-signal inputs), we have  $\|x_2\|_{\mathcal{L}_2}$  and  $\|x_1\|_{\mathcal{L}_2}$  are bounded (see also Lemma 4.6 in [6]).

Further, Taylor series expansions for  $f, g, h$  and  $J$  about  $x_1 = 0$  can be obtained as

$$f(x_1) = Ax_1 + F(x_1), h(x_1) = Cx_1 + H(x_1), g(x_1) = B + G(x_1), J(x_1) = D + M(x_1), \quad (20)$$

where  $F(x), H(x), G(x)$  and  $M(x)$  contain higher-order terms corresponding to  $f(x), h(x), g(x)$  and  $J(x)$ , respectively. Thus, in a neighborhood of  $x_1 = 0$ , there exist constants  $L_1 > 0$  and  $L_2 > 0$ , for which  $\|H(x_1)\|^2 \leq \frac{L_1}{2} \|x_1\|^2$  and  $\|M(x_1)\|^2 \leq \frac{L_2}{2} \|x_1\|^2$ .

Next, we have the following relation based on (20) that

$$\begin{aligned} \Delta y &= Cx_2 + Du - [Cx_1 + H(x_1) + (D + M(x_1))u] \\ &= C(x_2 - x_1) - H(x_1) - M(x_1)u. \end{aligned}$$

For any  $a, b \in \mathbb{R}^m$ , the relation  $(a - b)^2 \leq 2(a^2 + b^2)$  holds. Thus, we obtain

$$\begin{aligned} \|C(x_2 - x_1) - H(x_1)\|_{\mathcal{L}_2}^2 &\leq 2\bar{\lambda}(C^T C)(\|x_1 - x_2\|_{\mathcal{L}_2}^2) + 2\|H(x_1)\|_{\mathcal{L}_2}^2 \\ &\leq 4\bar{\lambda}(C^T C)(\|x_1\|_{\mathcal{L}_2}^2 + \|x_2\|_{\mathcal{L}_2}^2) + 2\|H(x_1)\|_{\mathcal{L}_2}^2 \\ &\leq 4\bar{\lambda}(C^T C)(\|x_1\|_{\mathcal{L}_2}^2 + \|x_2\|_{\mathcal{L}_2}^2) + L_1\|x_1\|_{\mathcal{L}_2}^2, \end{aligned}$$

and the last inequality holds in a neighborhood of  $x_1 = 0$ . Since  $\|x_2\|_{\mathcal{L}_2}$  and  $\|x_1\|_{\mathcal{L}_2}$  are bounded in a neighborhood of  $(x_1 = 0, u = 0)$ , there exist a constant  $\epsilon > 0$  such that

$$\|C(x_2 - x_1) - H(x_1)\|_{\mathcal{L}_2}^2 \leq \frac{\epsilon}{2}.$$

Finally, in a neighborhood of  $(x_1 = 0, u = 0)$  such that  $\|x_1\|^2 \leq \frac{d^2}{L_2}$ , we have

$$\begin{aligned} \|\Delta y\|_{\mathcal{L}_2}^2 &\leq 2\|M(x_1)\|^2 \|u\|_{\mathcal{L}_2}^2 + 2\|C(x_2 - x_1) - H(x_1)\|_{\mathcal{L}_2}^2 \\ &\leq L_2\|x_1\|^2 \|u\|_{\mathcal{L}_2}^2 + \epsilon \leq d^2 \|u\|_{\mathcal{L}_2}^2 + \epsilon. \end{aligned}$$

Therefore, relation (19) holds. This completes the proof.  $\blacksquare$

*Corollary 4:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 1, where  $\Sigma_1$  is given by (16) and  $\Sigma_2$  is linearization of  $\Sigma_1$  given by (18) with (17). Suppose the linearized model  $\Sigma_2$  is observable and VSP for  $(\rho, \nu)$ . Then, in a neighborhood of the equilibrium point  $(0, 0)$ , there exist constants  $d > 0$  and  $\epsilon > 0$  such that (19) holds. Further, we have the following results:

- 1) If  $d \leq \rho\nu^2 + \nu$ , then  $\Sigma_1$  is passive;
- 2) If  $d < \min\{\rho, \nu\}$  and  $d^2 - (\rho - \frac{2}{\rho})d + \nu^2 - 2 \geq 0$ , then  $\Sigma_1$  is VSP for  $(\rho - d, \nu - d)$ .

*Remark 6:* 1) The value of  $d$  is determined by the radius of the ball around  $x_1 = 0$  that under consideration. As  $x_1 \rightarrow 0$ ,  $d \rightarrow 0$  and the difference between passivity levels of the two systems  $((\rho, \nu)$  for  $\Sigma_2$  and  $(\rho - d, \nu - d)$  for  $\Sigma_1$ ) tends to zero as well.

- 2) Similar results can be developed to evaluate ISP and OSP properties of the nonlinear system  $\Sigma_1$  from its linearization  $\Sigma_2$ .




Fig. 3. Sampled-data System with an ideal sampler and a ZOH device, for which  $u(t) = u_d(k)$  for  $kh \leq t < (k+1)h$ ,  $y_d(k) = y(kh)$  for all  $k \geq 0$ , where  $h$  represents the sampling period.

### B. Sampled-data Systems

Consider a continuous-time system  $\Sigma_1$  with input  $u(t)$  and output  $y(t)$  and a sampled-data system  $\Sigma_2$  with input  $u_d(k)$  and output  $y_d(k)$ , see Fig. 3. For standard discretization with an ideal sampler and a zero-order hold (ZOH) device, the control inputs for  $\Sigma_1$  and  $\Sigma_2$  are related as  $u(t) = u_d(k)$  for  $kh \leq t < (k+1)h$ , where  $h$  represents the sampling period and the outputs of the two systems are related as  $y_d(k) = y(kh)$  for all  $k \geq 0$ . It is well known that passivity is not preserved under standard discretization. Passivity degradation under standard discretization has been studied in [21] with the following assumption that we also make.

*Assumption 2:* Suppose for  $\Sigma_1$ , there exists  $\alpha > 0$  such that for any  $T \geq 0$  and all  $u \in \mathbb{R}^m$ ,

$$\int_0^T \|\dot{y}(t)\|^2 dt \leq \alpha^2 \int_0^T \|u(t)\|^2 dt. \quad (21)$$

Next, we investigate how the framework of Section IV can be applied in this case. We first present a condition that characterizes the approximation induced by sampling.

*Proposition 2:* Consider  $\Sigma_1$  and  $\Sigma_2$  in Fig. 3. Suppose system  $\Sigma_1$  satisfies Assumption 2. Define  $\Delta y = y - y_d$ , then (9) holds for  $\gamma = \alpha h$ , where  $h$  is the sampling period.

*Proof:* We have the following relation for all  $kh \leq t < (k+1)h$  and all  $k \geq 0$ ,

$$\left\| \int_{kh}^t \dot{y}(s) ds \right\| \leq \int_{kh}^t \|\dot{y}(s)\| ds \leq \int_{kh}^{(k+1)h} \|\dot{y}(s)\| ds,$$

and thus the following relation holds

$$\int_{kh}^{(k+1)h} \left\| \int_{kh}^t \dot{y}(s) ds \right\|^2 dt \leq \int_{kh}^{(k+1)h} \left( \int_{kh}^{(k+1)h} \|\dot{y}(s)\| ds \right)^2 dt \leq h \left( \int_{kh}^{(k+1)h} \|\dot{y}(s)\| ds \right)^2. \quad (22)$$

From Cauchy-Schwarz inequality, we have

$$\left( \int_{kh}^{(k+1)h} \|\dot{y}(s)\| ds \right)^2 \leq h \int_{kh}^{(k+1)h} \|\dot{y}(s)\|^2 ds. \quad (23)$$

By assumption (21) and setting  $T = Kh$ , we obtain

$$\sum_{k=0}^{K-1} \int_{kh}^{(k+1)h} \|\dot{y}(s)\|^2 ds \leq \alpha^2 \int_0^T \|u(t)\|^2 dt.$$

Together with (22), (23), we can derive that

$$\sum_{k=0}^{K-1} \int_{kh}^{(k+1)h} \left\| \int_{kh}^t \dot{y}(s) ds \right\|^2 dt \leq h^2 \alpha^2 \int_0^T \|u(t)\|^2 dt. \quad (24)$$




Fig. 4. Quantized-input, Quantized-output system:  $\Sigma_1$  satisfies (27) and the quantizer  $Q_i$  satisfies (26) with  $a_i u^T u \leq u^T Q_i(u) \leq b_i u^T u$ . The control input  $u$  and the outputs  $y_1, y_2$  are of the same dimensions.

Thus, we obtain the following relation from (24),

$$\begin{aligned}
 \langle \Delta y, \Delta y \rangle_T &= \sum_{k=0}^{K-1} \int_{kh}^{(k+1)h} \|y(t) - y_d(k)\|^2 dt \\
 &= \sum_{k=0}^{K-1} \int_{kh}^{(k+1)h} \left\| \int_{kh}^t \dot{y}(s) ds \right\|^2 dt \\
 &\leq \alpha^2 h^2 \langle u, u \rangle_T.
 \end{aligned} \tag{25}$$

Therefore, (9) is satisfied for  $\gamma = \alpha h$ . This completes the proof.  $\blacksquare$

The following result is immediate from Theorem 1, Theorem 3 and equation (25).

*Corollary 5:* Consider a continuous-time system  $\Sigma_1$  and its sampled-data system  $\Sigma_2$  obtained from standard discretization, as shown in Fig. 3. Suppose that Assumption 2 is satisfied.

- 1) If  $\Sigma_2$  has IFP( $\nu$ ) and  $\alpha h < \nu$ , then  $\Sigma_1$  has IFP no less than  $\nu - \alpha h$ ;
- 2) If  $\Sigma_2$  has IFP( $\nu$ ) and  $\alpha h \leq \nu$ , then  $\Sigma_1$  is passive;
- 3) If  $\Sigma_2$  is VSP for  $(\rho, \nu)$  and  $\rho\nu^2 + \nu - \alpha h \geq 0$ , then  $\Sigma_1$  is passive.

*Remark 7:* 1) Again,  $\Sigma_1$  and  $\Sigma_2$  can exchange places in the above result. Therefore, if the continuous-time system  $\Sigma_1$  has IFP( $\nu$ ), then the sampled-data system  $\Sigma_2$  has IFP no less than  $\nu - \alpha h$ . This is consistent with the results derived in [21].

- 2) If  $\Sigma_1$  has IFP( $\nu$ ), from  $\alpha h \leq \nu$ , we obtain  $\frac{\nu}{\alpha}$  provides an upper bound for the sampling period  $h$  for preserving passivity. When  $\alpha$  is large (the system may be oscillatory [21]), we need a small sampling period  $h$  to ensure passivity.

### C. Quantization of Stable Systems

The quantizer we consider in this paper (see also [22]) is based on the sector bound method and given as

$$a u^T u \leq u^T Q(u) \leq b u^T u, \tag{26}$$

where  $Q(u)$  is the output of the quantizer with input  $u$  and  $0 \leq a \leq b < \infty$ . This kind of quantizers characterizes several practical quantizers, such as the logarithmic quantizer and mid-tread quantizer. It has been shown in [22] that the parameters  $a, b$  of the quantizer play an important role in preserving OSP of a system after quantization.

Consider system  $\Sigma_1$  with input  $u$  and output  $y_1$ , as shown in Fig. 4. For simplicity, we assume zero initial conditions.  $\Sigma_1$  is finite-gain stable if there exists a  $\kappa > 0$  such that  $\forall T \geq 0$  and  $\forall u$ ,

$$\langle y_1, y_1 \rangle_T \leq \kappa^2 \langle u, u \rangle_T. \tag{27}$$

Next, we shall investigate whether the system  $\Sigma_2$  (i.e. the system of  $\Sigma_1$  after quantization) is passive or has an excess of passivity. We have the following result.

*Corollary 6:* Consider the two systems in Fig. 4, where  $\Sigma_1$  is  $\mathcal{L}_2$  stable, i.e. (27) holds for some  $\kappa > 0$ . The quantizer  $Q_i$  satisfies  $a_i u^T u \leq u^T Q_i(u) \leq b_i u^T u$ , where  $0 \leq a_i \leq b_i < \infty$ . Then, (9) is

satisfied for  $\gamma \triangleq \kappa(1 + b_1 b_2)$ . If  $\Sigma_1$  has IFP( $\nu$ ), the following results hold: (1).  $\Sigma_2$  is ISP for  $\nu - \gamma$  if  $\gamma < \nu$ ; (2).  $\Sigma_2$  is passive if  $\gamma \leq \nu$ .

*Remark 8:* By setting  $a_1 = b_1 = 1$ , we have  $Q_1(u) = u$ , corresponding to the case only when the output of  $\Sigma_1$  is quantized. Likewise, by setting  $a_2 = b_2 = 1$ , we have  $Q_2(u) = u$ , corresponding to the case only when the input of  $\Sigma_1$  is quantized. We do not consider the trivial case when  $a_i = b_i = 1$  for  $i = 1, 2$  (no quantizers are used).

*Proof:* It is sufficient to prove that (9) is satisfied for  $\gamma \triangleq \kappa(1 + b_1 b_2)$  and  $\epsilon = 0$ . Denote the input to quantizer  $Q_2$  as  $y$ , then we have  $y_2 = Q_2(y)$  and  $a_2 y^T y \leq y^T Q_2(y) \leq b_2 y^T y$ . Therefore, we obtain  $Q_2^T(y) Q_2(y) \leq b_2^2 y^T y$ . Because  $\Sigma_1$  is stable, we have  $\langle y, y \rangle_T \leq \kappa^2 \langle Q_1(u), Q_1(u) \rangle_T$ . Also, from  $a_1 u^T u \leq u^T Q_1(u) \leq b_1 u^T u$ , we obtain  $Q_1^T(u) Q_1(u) \leq b_1^2 u^T u$ . Then, we have

$$\langle Q_2(y), Q_2(y) \rangle_T \leq \kappa^2 b_2^2 b_1^2 \langle u, u \rangle_T.$$

From (27) and Cauchy-Schwarz inequality, we can derive that

$$|\langle y_1, Q_2(y) \rangle_T| \leq \kappa^2 b_2 b_1 \langle u, u \rangle_T.$$

From the above relations, we can derive that

$$\begin{aligned} \langle \Delta y, \Delta y \rangle_T &\triangleq \langle y_2 - y_1, y_2 - y_1 \rangle_T \\ &= \langle Q_2(y), Q_2(y) \rangle_T + \langle y_1, y_1 \rangle_T - 2 \langle y_1, Q_2(y) \rangle_T \\ &\leq (1 + b_1 b_2)^2 \kappa^2 \langle u, u \rangle_T. \end{aligned}$$

Therefore, (9) holds for  $\gamma \triangleq \kappa(1 + b_1 b_2)$ . The result is then immediate from Theorem 1.  $\blacksquare$

Corollary 6 applies to the cases when only the input (by setting  $b_2 = 1$ ) or the output of  $\Sigma_1$  is quantized (by setting  $b_1 = 1$ ). It has been shown that passivity may not be preserved after quantization, see e.g. [22]. However, passivity of  $\Sigma_2$  is desired in many cases, especially when  $\Sigma_2$  as a subsystem to be interconnected with another passive systems through parallel or feedback configurations, see e.g. [3]. Corollary 6 presents a sufficient condition under which passivity (or an excess of passivity) is preserved after quantization.

*Remark 9:* Quantizers of form (26) and OSP systems are considered in [22]. In order to preserve the OFP under quantization, an input-output coordinate transformation scheme was used, however this scheme may not be implemented from a practical point of view.

## VI. DISCUSSIONS IN THE DISCRETE-TIME SETTING

In this section, we consider the same problem (i.e. Problem 1) in the discrete-time domain. In this case, the signal space under consideration is  $\ell_2$  space or the extended  $\ell_2$  space. The set of time instants is  $\mathbb{Z} = \{0, 1, 2, \dots\}$ . The inner product of truncated signals  $u_T(k), y_T(k)$  is defined as  $\langle u, y \rangle_T \triangleq \sum_0^T u^T(k) y(k)$  where  $0 \leq T < \infty$ . The  $\ell_2$ -induced norm of a signal  $u$  is denoted by  $\|u\|_T$ , where  $\|u\|_T^2 \triangleq \sum_0^T u^T(k) u(k)$ .

The definitions of passivity in the discrete-time domain can be found in e.g. [23], [24], [25]. In fact, we can apply Definition 1 as well if we use *the time instant  $k$*  and *the inner product introduced above*. Analogously, we can define *passivity indices* and *passivity levels* of a discrete-time system  $\Sigma$  as in the continuous-time domain.

To study Problem 1 in the discrete-time setting, similar arguments in the continuous-time domain can be developed. In fact, the results derived in this paper (Lemma 2-3, Theorem 1-4 and Corollary 1-3), apply to discrete-time domain. The only difference is that in discrete-time setting, the time instants are integers and the inner product is defined as summations.

$$G^1 = \frac{0.5s^8 + 28.6s^7 + 352.2s^6 + 1887s^5 + 5299s^4 + 8295s^3 + 7190s^2 + 3173s + 542.9}{s^8 + 18.5s^7 + 133.5s^6 + 496.1s^5 + 1047s^4 + 1290s^3 + 911.1s^2 + 337.5s + 50.18} \quad (16)$$

$$\Lambda = \text{diag}\{4.6357, 0.4834, 0.0375, 0.0023, 3.5 \times 10^{-4}, 1.9 \times 10^{-5}, 0, 0\}. \quad (17)$$

$$A = \begin{pmatrix} -5 & 0.1 & 1.2 & 0 & 0 & 1 \\ 0.1 & -3 & 0 & -0.3 & 0 & -1 \\ 1.2 & 0 & -6 & -2 & 0.5 & -2 \\ 0 & -0.3 & -2 & -4 & 0.4 & 0.5 \\ 0 & 0 & 0.5 & 0.4 & -4 & -0.8 \\ 1 & -1 & -2 & 0.5 & -0.8 & -8 \end{pmatrix}, B = \begin{pmatrix} 1 \\ 2 \\ 1 \\ 3 \\ 2 \\ 0.8 \end{pmatrix}, C = B^T, D = 2. \quad (18)$$

## VII. NUMERICAL EXAMPLES

In this section, we consider numerical examples to illustrate our results. In the following examples,  $\Sigma_1$  is considered to be a linear system of relaxation type (denoted by  $G$ ) and  $\Sigma_2$  is an approximation of  $\Sigma_1$  (denoted by  $G_a$ ) obtained from the PR-TBR procedure (e.g. in [10]).

*Example 1 (ISP):* Consider the following relaxation system

$$\begin{aligned} \dot{x} &= \begin{pmatrix} -1.62 & -1.522 \\ -1.522 & -4.18 \end{pmatrix} x + \begin{pmatrix} -3.876 \\ -2.01 \end{pmatrix} u, \\ y &= \begin{pmatrix} -3.876 & -2.01 \end{pmatrix} x + 0.5u, \end{aligned}$$

which is a minimal realization of

$$G_a(s) = \frac{0.5s^2 + 21.96s + 47.85}{s^2 + 5.8s + 4.456}.$$

This second-order system is obtained from the PR-TBR procedure (see Algorithm 1). We have shown that  $G_a(s)$  is ISP for  $\rho \geq D = 0.5$ . In fact, the IFP( $\rho$ ) for  $G_a$  (defined in [3]) can be computed as

$$\rho = \min_{w \in \mathbb{R}} \text{Re}[G_a(jw)] = 0.5.$$

The original system  $G(s)$  given by (16) is of order 8. The Hankel singular values, i.e. the eigenvalues of the product  $W_c W_o$ , are given by  $\Lambda$  in (17) and ordered as  $\sigma_1 \geq \sigma_2 \cdots \geq \sigma_8$ . Therefore, we have [10]

$$\|G_r - G_a\|_{H_\infty} \leq 2 \sum_{k=3}^8 \sigma_k = 0.0803.$$

Thus,  $\gamma$  in (9) is given by  $\gamma = 0.0803 < 0.5$ . According to Theorem 1,  $\Sigma_1(G)$  is input strictly passive for

$$\tilde{\nu} = \nu - \gamma = 0.5 - 0.0803 = 0.4197.$$

This is true because the passivity index for  $G_r(s)$  is actually 0.5, which is greater than  $\tilde{\nu} = 0.4197$ .

The Nyquist plots of  $G$  and  $G_a$  are given in Figure 5. Figure 5 demonstrates the second-order system  $G_a(s)$  approximates the real system  $G(s)$  very well and the IFP for the two systems are both 0.5. If we use a forth-order approximate model,  $\gamma = 8 \times 10^{-4}$ ,  $\nu = 0.5$ . Thus, the error in the transfer function is upper bounded by  $8 \times 10^{-4}$ . Besides, the passivity level for  $G$  is then given by  $\nu - \gamma = 0.5 - 8 \times 10^{-4}$ , very close to its passivity index 0.5.

*Example 2 (OSP):* Consider the following system

$$G_a(s) = \frac{1.8s + 19.37}{s + 4.132},$$




Fig. 5. The Nyquist Plots of  $G$  and  $G_a$  in Example 1.

which is obtained from the PR-TBR algorithm. It is obvious that  $G_a^{-1}(s)$  exists and stable. Also, we have

$$\eta = \|G_a^{-1}(s)\|_{H_\infty} = 0.5556,$$

$$\nu = \min_{w \in \mathbb{R}} \operatorname{Re}[G_a^{-1}(jw)] = 0.213.$$

The real system  $G(s)$  is of order 5 and given through

$$\frac{1.8s^5 + 53.56s^4 + 590.8s^3 + 3034s^2 + 7279s + 6543}{s^5 + 23s^4 + 203.1s^3 + 861.7s^2 + 1759s + 1382},$$

and the error in the transfer function is given by the Hankle singular values  $\sigma_k$  (in a decreasing order), where

$$\|G - G_a\|_{H_\infty} \leq 2 \sum_{k=2}^5 \sigma_k = 0.0461.$$

For  $\gamma = 0.0461 < \nu$ , (12) holds because

$$\frac{1}{\eta^2} - \left(1 + 2(\nu - \gamma)\frac{1}{\nu} + (\nu - \gamma)\gamma\right) = 0.6695 > 0.$$

From Theorem 2, we can conclude that  $G$  is OSP for

$$\tilde{\nu} = \nu - \gamma = 0.213 - 0.0461 = 0.1669.$$

This is true because the OFP for  $G$  is given by 0.211, which is larger than  $\tilde{\nu} = 0.1669$ .

The Nyquist plots of  $G^{-1}$  and  $G_a^{-1}$  are given in Figure 2. From this figure, we can read the OFP indices: 0.213 for  $G_a$  and 0.211 for  $G$ , respectively. If a second-order approximation is used, we can obtain a smaller error in the transfer function with  $\gamma = 0.0015$ , and for which the passivity level for  $G$  is given by  $\tilde{\nu} = 0.2095$  from Theorem 2, which is very close to the OFP for  $G$  (0.211).

*Remark 10:* For linear systems, a higher-order reduced model will result in smaller error in the transfer function and the passivity level, as indicated by Example 1 and 2. Therefore, there exists a tradeoff between how simple (i.e. small order)  $\Sigma_2$  is and how accurate  $\Sigma_2$  is.




Fig. 6. The Nyquist Plots of  $G^{-1}$  and of  $G_a^{-1}$  in Example 2.

*Example 3 (VSP):* The original system  $G$  is given by (4). Its second-order approximation is given by

$$G_a = \frac{2s^2 + 42.06s + 183.8}{s^2 + 11.22s + 26.79},$$

which is VSP for  $(\rho, \nu)$ , where  $\nu = 1.2, \rho = 0.01$ . This can be verified through  $\Pi \leq 0$  [25], where  $\Pi$  is given by

$$\begin{bmatrix} A^T P + PA + \rho C^T C & PB - (1/2 C^T - \rho C^T D) \\ B^T P - (1/2 C - \rho D^T C) & \nu I + \rho D^T D - D \end{bmatrix},$$

with  $A, B, C, D$  as a minimal realization of  $G_a$  and  $P = I$ .

The error in  $G_a$  and  $G$  is given by  $\gamma = 0.0042$ . For our choice of  $\rho, \nu$ , we obtain

$$\nu^2 - 2(\rho - \gamma)/\rho - (\rho - \gamma)\gamma = 0.2869 > 0,$$

therefore (14) is satisfied. According to Theorem 3, the original system  $G$  is VSP for  $(\tilde{\rho}, \tilde{\nu})$ , where

$$\tilde{\nu} = \nu - \gamma = 1.1958, \tilde{\rho} = \rho - \gamma = 0.0058.$$

This can also be verified through  $\Pi \leq 0$  by setting  $P = I$  and substituting  $\tilde{\rho}, \tilde{\nu}$  for  $\rho, \nu$ , respectively.

*Example 4 (QSR):* Consider a simple example, where the original system  $G$  is given by  $C = B^T, D = -1$  and

$$A = \begin{pmatrix} -2 & 0.1 & 1.2 & 0 & 0 \\ 0.1 & -1 & 0 & -0.3 & 0 \\ 1.2 & 0 & -4 & -2 & 0.5 \\ 0 & -0.3 & -2 & -3 & 0.4 \\ 0 & 0 & 0.5 & 0.4 & -1 \end{pmatrix}, B = \begin{pmatrix} 1 \\ 2 \\ 1 \\ 1 \\ 2 \end{pmatrix}.$$

The reduced-order model  $G_a$  is obtained through the standard truncated balanced realization [10], for which  $W_c$  and  $W_o$  are the basis for transformation.  $G_a$  is given as

$$G_a(s) = \frac{-s^2 + 7.402s + 21.96}{s^2 + 3.485s + 2.139}.$$

It can be verified that  $G_a$  is  $(Q_2, S_2, R_2)$ -dissipative for  $Q_2 = 0.1, R_2 = 1, S_2 = 0.5$ . This can be done by testing  $\Pi \leq 0$  with  $P = 0.5I, \rho = -0.1, \nu = -1$ .




Fig. 7. Feedback connection




Fig. 8. Simulink Model for Example 5.

The error in the transfer functions is given as  $\gamma = 0.0318$ . From the assumption that  $Q_1 > Q_2 = 0.1$ . Choose  $\xi = 0.5, Q_1 = 0.2$ , we obtain  $Q_1 - Q_2 - \xi Q_1 = 0$ . Also,  $b = 0$  for this example, we can choose  $R_1 > R_2 + 2\gamma^2 + \gamma = 1.0338$  from (15), for instance,  $R_1 = 1.1$ . According to Theorem 4,  $G$  is  $(Q_1, S_1, R_1)$ -dissipative, where  $Q_1 = 0.2, S_1 = 0.5, R_1 = 1.1$ . Again, this can be verified through  $\Pi \leq 0$  by setting  $P = 0.5I, \rho = -0.2, \nu = -1.1$ .

*Example 5 (Sector Nonlinearity):* Consider a feedback connection as shown in Figure 5, represented by a linear system and a feedback loop containing a memoryless nonlinearity [6], [15]. This connection is often used in absolute stability analysis. Here, we are more interested in passivity of the closed-loop system  $\Sigma_1$  with input  $u$  and output  $y_1$ . We use the linear system  $G_a(s)$  with input  $u$  and output  $y_2$  as an approximation of  $\Sigma_1$ . The simulink model for the two system models is built in Fig. 6.

The linear system is given by

$$G_a(s) = \frac{2s^2 + 9.04s + 8.48}{s^2 + 4s + 3}.$$

The difference of the outputs for the same input function  $u(t) = \cos(t) + 2$  is shown in Fig. 7. The error  $\gamma$  is upper bounded by 0.3. One can verify that the conditions in Corollary 1-3 are satisfied. Thus, the nonlinear system  $\Sigma_1$  is passive as well. If we plot the product of  $u^T y$ , we can see from Fig. 8 that  $u^T y \geq 0$  for all time  $t$ . Therefore, the system  $\Sigma_1$  is passive from Definition 1. (One can verify the results for other choices of input as well.)

### VIII. CONCLUDING REMARKS

In this paper, we established conditions under which the passivity properties of a system can be obtained by analyzing its approximation. The approximate model is assumed to be input/output/very




Fig. 9. The outputs of the two systems for the same control input  $u$  in Example 5.




Fig. 10. The product of  $y_1$  and control input  $u$  in Example 5.

strictly passive and the results are of the form that if the error between the system and its approximation is small, the original system has a guaranteed passivity level. The analysis is extended to a general case when the approximation is QSR dissipative (not necessarily passive). The results may be interpreted as robustness properties of passivity with respect to model uncertainties. It has also been shown that our results can be used to derive variations in the passivity levels of a linear system and its reduced-order approximation.

## IX. ACKNOWLEDGMENT

The support of the National Science Foundation under Grant No. CNS-1035655 is gratefully acknowledged.

## X. APPENDIX

*Lemma 2:* If a system is VSP for  $(\rho, \nu)$ , then for any  $0 \leq \epsilon < \min\{\rho, \nu\}$ , it is also VSP for  $(\rho - \epsilon, \nu - \epsilon)$ .

*Proof:* First note that for  $\epsilon \geq 0$ ,

$$\epsilon \langle u, u \rangle_T \geq 0, \epsilon \langle y, y \rangle_T \geq 0.$$

Therefore, we have the following relation

$$\begin{aligned} & \langle u, y \rangle_T - (\rho - \epsilon) \langle u, u \rangle_T - (\nu - \epsilon) \langle y, y \rangle_T \\ &= \langle u, y \rangle_T - \rho \langle u, u \rangle_T - \nu \langle y, y \rangle_T + \epsilon \langle u, u \rangle_T + \epsilon \langle y, y \rangle_T \\ &\geq \langle u, y \rangle_T - \rho \langle u, u \rangle_T - \nu \langle y, y \rangle_T. \end{aligned}$$

Next, from the definition for VSP systems, we obtain

$$\langle u, y \rangle_T - \rho \langle u, u \rangle_T - \nu \langle y, y \rangle_T \geq \beta.$$

Therefore, for  $\epsilon < \min\{\rho, \nu\}$ , the following relation holds,

$$\langle u, y \rangle_T - (\rho - \epsilon) \langle u, u \rangle_T - (\nu - \epsilon) \langle y, y \rangle_T \geq \beta,$$

thus the system is VSP for  $(\rho - \epsilon, \nu - \epsilon)$ . ■

The constraints on  $\rho$  and  $\nu$  for  $\Sigma$  to be VSP are given through the following lemma. A similar problem is studied in [16] for QSR dissipative systems (4) where  $Q = -\nu I, R = -\rho I, S = \delta I$ . Their result is based on the eigenvalues of a dissipativity matrix, however, we use a different proof for the special case of VSP in this paper.

*Lemma 3:* If a system is VSP for  $(\rho, \nu)$ , where  $\rho > 0, \nu > 0$ , then  $\rho, \nu$  satisfy  $\rho\nu \leq \frac{1}{4}$ .

*Proof:* It is equivalent to say, if  $\rho\nu > \frac{1}{4}$ , the system is not VSP for  $(\rho, \nu)$ . To see this, we use the following relation

$$(\sqrt{\rho}u - \sqrt{\nu}y)^T(\sqrt{\rho}u - \sqrt{\nu}y) \geq 0.$$

Therefore, for all  $u$ , all  $T \geq 0$ , we have

$$\rho \langle u, u \rangle_T + \nu \langle y, y \rangle_T - 2\sqrt{\rho\nu} \langle u, y \rangle_T \geq 0.$$

From the above inequality, we can derive that

$$\begin{aligned} & \langle u, y \rangle_T - \rho \langle u, u \rangle_T - \nu \langle y, y \rangle_T \\ &\leq \frac{1}{2\sqrt{\rho\nu}} (\rho \langle u, u \rangle_T + \nu \langle y, y \rangle_T) - \rho \langle u, u \rangle_T - \nu \langle y, y \rangle_T \\ &= \left( \frac{1}{2\sqrt{\rho\nu}} - 1 \right) (\rho \langle u, u \rangle_T + \nu \langle y, y \rangle_T). \end{aligned}$$

If  $\rho\nu > \frac{1}{4}$ , then  $\frac{1}{2\sqrt{\rho\nu}} - 1 < 0$ , and thus  $\forall u, \forall T \geq 0$ ,

$$\langle u, y \rangle_T - \rho \langle u, u \rangle_T - \nu \langle y, y \rangle_T \leq 0,$$

and the equality holds only for  $u = 0, y = 0$ . Therefore, the system *cannot* be VSP for  $(\rho, \nu)$ . ■

A PR-TBR procedure is given in [10] and shown in Algorithm 1 for completeness.

*Algorithm 1 ([10]):* PR-TBR

- 1) Solve (6) for  $P$ .
- 2) Solve (7) for  $X$ .
- 3) Compute Cholesky factors  $P = L_1 L_1^T, X = L_2 L_2^T$ .
- 4) Compute singular value decomposition of  $U \Lambda V = L_1^T L_2$ , where  $\Lambda$  is diagonal positive and  $U, V$  have orthonormal columns.
- 5) Compute the balancing transformations  $T = L_2 V \Lambda^{-1/2}$  and  $T^{-1} = \Lambda^{-1/2} U^T L_1^T$ .
- 6) Form the balanced realization  $\hat{A} = T^{-1} A T, \hat{B} = T^{-1} B, \hat{C} = C T$ .
- 7) Select the reduced model order and partition  $\hat{A}, \hat{B}, \hat{C}$  conformally.
- 8) Truncate  $\hat{A}, \hat{B}, \hat{C}$  to form the reduced realization  $\tilde{A}, \tilde{B}, \tilde{C}$ .

## REFERENCES

- [1] A. van der Schaft, *L2-Gain and Passivity Techniques in Nonlinear Control*, 2nd ed. Springer, 2000.
- [2] D. Hill and P. Moylan, "The stability of nonlinear dissipative systems," *Automatic Control, IEEE Transactions on*, vol. 21, no. 5, pp. 708 – 711, oct 1976.
- [3] J. Bao and P. L. Lee, *Process Control: The passive systems approach*, 1st ed. Springer-Verlag, Advances in Industrial Control, London., 2007.
- [4] W. S. Levine, *Control System Fundamentals*, 1st ed. Boca Raton, FL, USA: CRC Press, Inc., 1999.
- [5] A. A. C., *Approximation of Large-Scale Dynamical Systems*. Society for Industrial and Applied Mathematics, 2005. [Online]. Available: <http://epubs.siam.org/doi/abs/10.1137/1.9780898718713>
- [6] H. K. Khalil, *Nonlinear Systems*, 3rd ed. Prentice Hall, Upper Saddle River, New Jersey, 2002.
- [7] P. Antsaklis and A. Michel, *Linear Systems*. Birkhauser Boston, 2nd Corrected Printing, 2006.
- [8] S. Gugercin and A. C. Antoulas, "A survey of model reduction by balanced truncation and some new results," *International Journal of Control*, vol. 77, no. 8, pp. 748–766, 2004. [Online]. Available: <http://www.tandfonline.com/doi/abs/10.1080/00207170410001713448>
- [9] H. Nijmeijer, R. Ortega, A. Ruiz, and A. van der Schaft, "On passive systems: from linearity to nonlinearity," in *Proceedings 2nd IFAC Symposium on Nonlinear Control Systems (NOLCOS 2004)*, June 1992, pp. 214–219.
- [10] J. Phillips, L. Daniel, and L. Silveira, "Guaranteed passive balancing transformations for model order reduction," *Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on*, vol. 22, no. 8, pp. 1027 – 1041, aug. 2003.
- [11] M. McCourt and P. Antsaklis, "Control design for switched systems using passivity indices," in *American Control Conference (ACC), 2010*, 30 2010-july 2 2010, pp. 2499 –2504.
- [12] W. Su and L. Xie, "Robust control of nonlinear feedback passive systems," *Systems and Control Letters*, vol. 28, no. 2, pp. 85 – 93, 1996. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0167691196000114>
- [13] W. Lin and T. Shen, "Robust passivity and feedback design for minimum-phase nonlinear systems with structural uncertainty," *Automatica*, vol. 35, no. 1, pp. 35 – 47, 1999. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0005109898001204>
- [14] R. Lozano, B. Brogliato, O.Egeland, and B. Maschke, *Dissipative Systems Analysis and Control: Theory and Applications*, 1st ed. London: Springer, 2000.
- [15] W. M. Haddad and V. Chellaboina, *Nonlinear Dynamical Systems and Control: A Lyapunov-Based Approach*, 1st ed. Prentice university press, 2008.
- [16] S. Hirche, T. Matiakis, and M. Buss, "A distributed controller approach for delay-independent stability of networked control systems," *Automatica*, vol. 45, no. 8, pp. 1828 – 1836, 2009.
- [17] J. C. Willems, "Dissipative dynamical systems part ii: Linear systems with quadratic supply rates," *Archive for Rational Mechanics and Analysis*, vol. 45, pp. 352–393, 1972, 10.1007/BF00276494. [Online]. Available: <http://dx.doi.org/10.1007/BF00276494>
- [18] D. J. Hill and P. J. Moylan, "Dissipative dynamical systems: Basic input-output and state properties," *Journal of the Franklin Institute*, vol. 309, no. 5, pp. 327 – 357, 1980. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/0016003280900265>
- [19] T. C. Ionescu, K. Fujimoto, and J. M. Scherpen, "Dissipativity preserving balancing for nonlinear systems a hankel operator approach," *Systems and Control Letters*, vol. 59, no. 34, pp. 180 – 194, 2010. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0167691110000149>
- [20] T. C. Ionescu and J. M. Scherpen, "Positive real balancing for nonlinear systems," *Scientific Computing in Electrical Engineering Mathematics in Industry*, vol. 11, no. 34, pp. 152 – 159, 2007. [Online]. Available: <http://dx.doi.org/10.1007/978-3-540-71980-9-14>
- [21] Y. Oishi, "Passivity degradation under the discretization with the zero-order hold and the ideal sampler," in *Decision and Control (CDC), 2010 49th IEEE Conference on*, Dec. 2010, pp. 7613 –7617.
- [22] F. Zhu, H. Yu, M. McCount, and P. Antsaklis, "Passivity and stability of switched systems under quantization," in *HSCC '12 Proceedings of the 15th ACM international conference on Hybrid Systems: Computation and Control*, Apr. 2012, pp. 237–244.
- [23] G. C. Goodwin and K. S. Sin, *Adaptive Filtering Prediction and Control*. Prentice-Hall, 1984.
- [24] J. L. Chen and L. Lee, "Passivity approach to feedback connection stability for discrete-time descriptor systems," in *Decision and Control, 2001. Proceedings of the 40th IEEE Conference on*, vol. 3, 2001, pp. 2865 –2866 vol.3.
- [25] N. Kottenstette and P. Antsaklis, "Relationships between positive real, passive dissipative, amp; positive systems," in *American Control Conference (ACC), 2010*, 30 2010-july 2 2010, pp. 409 –416.