

Issued: Wednesday, August 23, 2006

Literature Resources

- Society journals, CD & DVD collections
- IEEE Xplore: <http://ieeexplore.ieee.org>
- ResearchIndex: <http://www.researchindex.com>
- Google: <http://scholar.google.com>

Topics

- Background
 - Detection theory [1]
 - Information theory [2]
 - Wireless communication [3, 4, 5]
- “Simple” Multiuser Channels Models [6, 7, 2]
 - Multiple-Access Channel, Multiuser Detection [2, 8, 9]
 - Broadcast Channel [10, 11]
 - Interference Channel [12]
 - Two-Way Channel [13]
 - Relay Channel [14, 15, 16, 17, 18, 19, 20, 21, 22]
 - Channel State Information, Feedback [23, 24, 25]
- Multiuser Source Coding [26]
 - Slepian-Wolf Coding [27]
 - Wyner-Ziv Coding [28, 29, 30, 31, 32]
 - The CEO Problem [33, 34]
 - Multiple Descriptions [35]

- Successive Refinement [36, 37]
- Wireless [5, 38]
 - Multiple Antennas [39, 40, 41, 42, 43, 44]
 - Power Control, Multiuser Diversity [45, 46]
 - Networks [47, 48, 49, 21]
- Networks [50]
 - Network Coding [51, 21]
- Connections to Singleuser Systems [52, 53]

References

- [1] H. L. Van Trees, *Detection, Estimation, and Modulation Theory: Part I*. John Wiley & Sons, 1968.
- [2] T. M. Cover and J. A. Thomas, *Elements of Information Theory*. New York: John Wiley & Sons, Inc., 1991.
- [3] J. G. Proakis, *Digital Communications*, Fourth ed. New York: McGraw-Hill, Inc., 2001.
- [4] T. S. Rappaport, *Wireless Communications: Principles and Practice*. Upper Saddle River, New Jersey: Prentice-Hall, Inc., 1996.
- [5] E. Biglieri, J. Proakis, and S. Shamai (Shitz), “Fading channels: Information-theoretic and communications aspects,” *IEEE Trans. Inform. Theory*, vol. 44, no. 6, pp. 2619–2692, Oct. 1998.
- [6] A. D. Wyner, “Recent results in shannon theory,” *IEEE Trans. Inform. Theory*, vol. 20, no. 1, pp. 2–10, Jan. 1974.
- [7] E. C. van der Meulen, “A survey of multi-way channels in information theory : 1961–1976,” *IEEE Trans. Inform. Theory*, vol. 23, no. 1, pp. 1–37, Jan. 1977.
- [8] S. Verdú, “Minimum probability of error for asynchronous gaussian multiple-access channels,” *IEEE Trans. Inform. Theory*, vol. 32, no. 1, pp. 85–86, Jan. 1986.
- [9] R. Lupas and S. Verdú, “Linear multiuser detectors for synchronous code-division multiple-access channels,” *IEEE Trans. Inform. Theory*, vol. 35, no. 1, pp. 123–136, Jan. 1989.
- [10] T. M. Cover, “Broadcast channels,” *IEEE Trans. Inform. Theory*, vol. 18, no. 1, pp. 2–14, Jan. 1972.

- [11] T. M. Cover, "Comments on broadcast channels," *IEEE Trans. Inform. Theory*, vol. 44, no. 6, pp. 2524–2530, Oct. 1998.
- [12] A. B. Careial, "Outer bounds on the capacity of interference channels," *IEEE Trans. Inform. Theory*, vol. 29, no. 4, pp. 602–606, Jan. 1983.
- [13] C. E. Shannon, "Two-way communication channels," in *Proc. Fourth Berkeley Symp. Math. Stat. Prob.* University of California Press, 1961, pp. 611–644.
- [14] T. M. Cover and A. A. E. Gamal, "Capacity theorems for the relay channel," *IEEE Trans. Inform. Theory*, vol. 25, no. 5, pp. 572–584, Sept. 1979.
- [15] A. Sendonaris, E. Erkip, and B. Aazhang, "Increasing uplink capacity via user cooperation diversity," in *Proc. IEEE Int. Symp. Information Theory (ISIT)*, Cambridge, MA, Aug. 1998.
- [16] A. Sendonaris, E. Erkip, and B. Aazhang, "User cooperation diversity, Part I: System description," to appear in *IEEE Trans. Commun.*
- [17] A. Sendonaris, E. Erkip, and B. Aazhang, "User cooperation diversity, Part II: Implementation aspects and performance analysis," to appear in *IEEE Trans. Commun.*
- [18] J. N. Laneman and G. W. Wornell, "Energy-efficient antenna sharing and relaying for wireless networks," in *Proc. IEEE Wireless Comm. and Networking Conf. (WCNC)*, Chicago, IL, Sept. 2000.
- [19] B. Schein and R. G. Gallager, "The Gaussian parallel relay network," in *Proc. IEEE Int. Symp. Information Theory (ISIT)*, Sorrento, Italy, June 2000, p. 22.
- [20] B. Schein, "Distributed coordination in network information theory," Ph.D. dissertation, Massachusetts Institute of Technology, Cambridge, MA, Aug. 2001.
- [21] P. Gupta and P. Kumar, "Towards an information theory of large networks: An achievable rate region," in *Proc. IEEE Int. Symp. Information Theory (ISIT)*, Washington DC, June 2001, p. 150.
- [22] J. N. Laneman, D. N. Tse, and G. W. Wornell, "Cooperative diversity in wireless networks: Efficient protocols and outage behavior," Jan. 2002, submitted to *IEEE Trans. Inform. Theory*.
- [23] T. M. Cover and C. S. Leung, "An achievable rate region for the multiple-access channel with feedback," *IEEE Trans. Inform. Theory*, vol. 27, no. 3, pp. 292–298, May 1981.
- [24] F. M. Willems, "Informationtheoretical results for the discrete memoryless multiple access channel," Ph.D. dissertation, Katholieke Universiteit Leuven, Leuven, Belgium, Oct. 1982.
- [25] L. H. Ozarow, "The capacity of the white Gaussian multiple access channel with feedback," *IEEE Trans. Inform. Theory*, vol. 30, no. 4, pp. 623–629, July 1984.

- [26] T. Berger and J. D. Gibson, "Lossy source coding," *IEEE Trans. Inform. Theory*, vol. 44, no. 6, pp. 2693–2723, Oct. 1998.
- [27] D. S. Slepian and J. K. Wolf, "Noiseless coding of correlated information sources," *IEEE Trans. Inform. Theory*, vol. 19, no. 4, pp. 471–480, July 1973.
- [28] A. D. Wyner, "On source coding with side information at the decoder," *IEEE Trans. Inform. Theory*, vol. 21, no. 3, pp. 294–300, May 1975.
- [29] A. D. Wyner and J. Ziv, "The rate-distortion function for source coding with side information at the decoder," *IEEE Trans. Inform. Theory*, vol. 22, no. 1, pp. 1–10, Jan. 1976.
- [30] M. H. M. Costa, "Writing on dirty paper," *IEEE Trans. Inform. Theory*, vol. 29, no. 3, pp. 439–441, May 1983.
- [31] J. A. O'Sullivan and P. Moulin, "Information-theoretic analysis of information hiding," 1999, submitted to *IEEE Trans. Inform. Theory*.
- [32] B. Chen and G. W. Wornell, "Quantization index modulation: A class of provably good methods for watermarking and information embedding," *IEEE Trans. Inform. Theory*, vol. 47, no. 4, pp. 1423–1443, May 2001.
- [33] T. Berger, Z. Zhang, and H. Viswanathan, "The CEO problem: Multiterminal source coding," *IEEE Trans. Inform. Theory*, vol. 42, no. 3, pp. 887–902, May 1996.
- [34] S. C. Draper, "Successive structuring of source coding algorithms for data fusion, buffering, and distribution in networks," Ph.D. dissertation, Massachusetts Institute of Technology, Cambridge, MA, June 2002.
- [35] A. A. E. Gamal and T. M. Cover, "Achievable rates for multiple descriptions," *IEEE Trans. Inform. Theory*, vol. 28, no. 6, pp. 851–857, Nov. 1982.
- [36] W. H. R. Equitz and T. M. Cover, "Successive refinement of information," *IEEE Trans. Inform. Theory*, vol. 37, no. 2, pp. 269–275, Mar. 1991.
- [37] B. Rimoldi, "Successive refinement of information: Characterization of the achievable rates," *IEEE Trans. Inform. Theory*, vol. 40, no. 1, pp. 253–259, Jan. 1994.
- [38] L. H. Ozarow, S. Shamai (Shitz), and A. D. Wyner, "Information theoretic considerations for cellular mobile radio," *IEEE Trans. Veh. Technol.*, vol. 43, no. 5, pp. 359–378, May 1994.
- [39] I. E. Telatar, "Capacity of multi-antenna Gaussian channels," Bell Labs, Lucent Technologies, Tech. Rep., 1995.
- [40] G. J. Foschini, "Layered space-time architecture for wireless communication in a fading environment when using multi-element antennas," *Bell Syst. Tech. J.*, pp. 41–59, Autumn 1996.

- [41] G. J. Foschini and M. J. Gans, "On limits of wireless communications in a fading environment when using multiple antennas," *Wireless Personal Communications*, vol. 6, no. 3, pp. 311–335, Mar. 1998.
- [42] V. Tarokh, N. Seshadri, and A. R. Calderbank, "Space-time codes for high data rate wireless communication: Performance criterion and code construction," *IEEE Trans. Inform. Theory*, vol. 44, no. 2, pp. 744–765, Mar. 1998.
- [43] V. Tarokh, H. Jafarkhani, and A. R. Calderbank, "Space-time block codes from orthogonal designs," *IEEE Trans. Inform. Theory*, vol. 45, no. 5, pp. 1456–1467, July 1999.
- [44] A. Narula, M. D. Trott, and G. W. Wornell, "Performance limits of coded diversity methods for transmitter antenna arrays," *IEEE Trans. Inform. Theory*, vol. 45, no. 7, pp. 2418–2433, Nov. 1999.
- [45] S. V. Hanly and D. N. Tse, "Multiaccess fading channels — Part II: Delay-limited capacities," *IEEE Trans. Inform. Theory*, vol. 44, no. 7, pp. 2816–2831, Nov. 1998.
- [46] D. N. Tse and S. V. Hanly, "Multiaccess fading channels – Part I: Polymatroid structure, optimal resource allocation and throughput capacities," *IEEE Trans. Inform. Theory*, vol. 44, no. 7, pp. 2796–2815, Nov. 1998.
- [47] S. Toumpis and A. J. Goldsmith, "Some capacity results for ad-hoc networks," in *Proc. Allerton Conf. Communications, Control, and Computing*, Monticello, IL, Oct. 2000.
- [48] M. Grossglauser and D. N. Tse, "Mobility increases the capacity of ad-hoc wireless networks," Mar. 2001, submitted to *IEEE/ACM Trans. Networking*.
- [49] P. Gupta and P. Kumar, "The capacity of wireless networks," *IEEE Trans. Inform. Theory*, vol. 46, no. 2, pp. 388–404, Mar. 2000.
- [50] A. Ephremides and B. Hajek, "Information theory and communication networks: An unconsumed union," *IEEE Trans. Inform. Theory*, vol. 44, no. 6, pp. 2416–2434, Oct. 1998.
- [51] R. Koetter and M. Medard, "An algebraic approach to network coding," in *Proc. IEEE Int. Symp. Information Theory (ISIT)*, Washington, DC, June 2001, p. 104.
- [52] S. Shamai (Shitz), "A broadcast strategy for the Gaussian slowly fading channel," in *Proc. IEEE Int. Symp. Information Theory (ISIT)*, Ulm, Germany, June 29 – July 4 1997, p. 150.
- [53] U. Wachsmann, R. F. Fischer, and J. B. Huber, "Multilevel codes: Theoretical concepts and practical design rules," *IEEE Trans. Inform. Theory*, vol. 45, no. 5, pp. 1361–1391, July 1999.