

(pp. 117-124) **Non Context Free Languages** (Sec. 2.3)

- (p. 125) **Pumping Lemma for CFLs**
  - IF A is a CFL, then for some # p (**pumping length**)
    - If s is any string in A,  $|s| \geq p$
    - Then  $s = uvxyz$  (for *some* 5 substrings u,v,x,y,z) where
      - For all  $i \geq 0$ ,  $uv^ixy^iz$  is in A
      - And  $|vy| > 0$ 
        - the length of the 2 pumped parts v and y is not 0
        - but just one of v or y could be  $\epsilon$
      - and  $|vxy| \leq p$ 
        - The middle string x is at most the pumping length
  - Using this lemma: if we can find even one string from L where
    - there is no possible partitioning into 5 pieces
      - i.e. we look at all possible partitionings
    - where all conditions hold (esp. the first)
    - then L is not CFL

- (p. 124) Notional proof
  - If L is CFL then we can draw a parse tree like (p. 126) Fig. 2.35 (a) to generate each string in L
  - Pick a string “long enough” that we have to reuse one of the non-terminals, say R
  - The derivation between the 1<sup>st</sup> point where R is in the tree and its reuse could then be substituted over and over (Fig. 2.35 b) for the second use, or not at all (Fig. 2.35c)
- Example: develop language for, and then draw parse tree for  $S \rightarrow aSb$   $S \rightarrow \#$

- Estimating pumping length  $p$ 
  - Let  $G$  be CFG for  $A$
  - Let  $b = \max \#$  of variables on any rule RHS
  - Thus, in any parse tree, no interior node (variable) can have more than  $b$  children.
    - So at most  $b$  leaves are one step from start variable
    - At most  $b^2$  children 2 steps from start
    - At most  $b^3$  children 3 steps from start
    - ....
    - Or, at most  $b^h$  leaves from start in tree of  $h$  levels
    - **OR: if height of parse tree  $\leq h$  then string length  $\leq b^h$**
    - **OR: If  $|s| \geq b^h + 1$ , then parse tree at least  $h+1$  high**
- Now assume  $p = b^{|V|+1} (\geq b^{|V|+1})$ 
  - If  $|s| \geq p$  then parse tree must be at least  $|V|+1$  high
  - So some  $R$  must have been used more than once
    - For convenience select  $R$  as 1<sup>st</sup> one that repeats among lowest  $|V|+1$  variables on longest path
  - Upper occurrence of  $R$  generates  $vxy$
  - Lower occurrence of  $R$  generates  $x$
  - Replacing the lower by the upper “pumps up”
  - Replacing upper by lower “pumps down”
  - All must be in  $A$  because generated by  $G$

- (p. 128) Example  $B = \{a^n b^n c^n \mid n \geq 0\}$  not CFL
  - Assume B CFL so there is some  $p$
  - Select  $s = a^p b^p c^p$  (we need only 1 string for contradiction)
    - Clearly in B with length  $> p$
  - Pumping lemma says no matter how we divide  $s$  in  $uvxyz$ , one condition fails
    - Either  $v$  or  $y$  must be non empty
  - Two cases
    - Only one kind of terminal in  $v$  and  $y$ 
      - Then  $x$  must be same terminal
      - And then  $vxy$  must be in one of 3 parts  $a^n$ ,  $b^n$ , or  $c^n$ 
        - And thus all characters in  $vxy$  are same
      - And then pumping  $v$  and  $y$  (one is non empty) destroys balance
    - When either  $v$  or  $y$  contain more than one type of terminal, then  $uv^2xy^2z$  might contain right #s but not all grouped together.

- (p. 128) Example  $C = \{a^i b^j c^k \mid 0 \leq i \leq j \leq k\}$  not CFL
  - Consider  $s = a^p b^p c^p$
- (p. 129) Example  $D = \{ww \mid w \in \{0,1\}^*\}$  not CFL
  - Consider  $s = 0^p 1^p 0^p 1^p$ 
    - Must straddle midpoint
    - Then it distorts trailing 1s on left from trailing 1s on right
- See also problems 2.30-2.33, 2.45,