

Chapter 10 Miscellaneous Problems

1. Suppose a smooth function $f(x)$ is such that $f(0) = 0$, $f'(0) = -2$, $f''(0) = 1$, $f'''(0) = 24$

- (a) Write down the 3rd-degree Taylor polynomial of $f(x)$ about 0.
- (b) Write down the 2nd-degree Taylor polynomial of $g(x) = e^{f(x)}$ about 0.
- (c) Write down the 3rd-degree Taylor polynomial of $h(x) = f(x - 1)$ about 1.
- (d) Write down the 2nd-degree Taylor polynomial of $k(x) = x \cdot f(x)$ about 0.

2a. Write down the 5th-degree Taylor polynomial of $f(x) = e^x$ about 0.

2b. Estimate e with your result in Part (a).

(Hint: Check your work against the calculator)

3. Let $f(x)$ and $g(x)$ be two functions such that

$$\begin{aligned} f(0) &= 0, & f'(0) &= 5, & f''(0) &= -6, & f'''(0) &= 18 \\ g(0) &= 1, & g'(0) &= -1, & g''(0) &= 2, & g'''(0) &= 12 \end{aligned}$$

- (a) Find the 3rd-degree Taylor polynomial of $f(x)$ about 0.
- (b) Find the 2nd-degree Taylor polynomial of $k(x) = e^{f(x)}$ about 0.
- (c) Find the 2nd-degree Taylor polynomial of $p(x) = f(x) \cdot g(x)$ about 0.

4. The 4th-degree polynomial of the cost function $C(x)$ (in millions of dollars) of a certain company about 0 is given by $3 + 2x + 5x^3 + 2x^4$ where x is the quantity of a product sold in millions of units.

- (a) What is the marginal cost at $x = 0$?
- (b) Find the equation of the tangent line to the graph of the cost function at $x = 0$. Give your answer in the form $y = mx + b$.
- (c) Write down the values of $C(0)$, $C'(0)$, $C''(0)$, $C'''(0)$, and $C^{(4)}(0)$.

5. The 4th-degree polynomial of the function $f(x)$ about -2 is given by

$$P_4(x) = -1 + 2(x + 2) - 3(x + 2)^2 + 4(x + 2)^4.$$

- (a) What is the slope of $f(x)$ at $x = -2$? Find the equation of the tangent line to the graph of $f(x)$ at $x = -2$. Give your answer in the form $y = mx + b$.
- (b) Write down the values of $f(-2)$, $f''(-2)$, $f'''(-2)$, and $f^{(4)}(-2)$.

6. The 4th-degree Taylor polynomial of $f(x)$ about 2 is given by

$$P_4(x) = -3 + 2(x - 2)^2 - 4(x - 2)^3 + (x - 2)^4$$


- (a) Write down the value of $f'(2)$. What can you say about the graph of $f(x)$ at $x = 2$?
- (b) Write down the value of $f''(2)$. What can you say about the graph of $f(x)$ at $x = 2$? (Hint: $f''(2) = 4 > 0$)
- (c) Write down the values of $f(2)$, $f'''(2)$, and $f^{(4)}(2)$.

7. Let $f(x) = \ln(3 - x)$ for $x < 3$.

- (a) Write down the 3rd-degree Taylor polynomial of $f(x)$ about 2.
- (b) Use your result in (a) to estimate the value of $\ln(1.2)$.
- (c) Using summation notation, write the error (remainder term) for the estimate in (b) as an infinite sum.

8. Demand function of a certain product is given by $q = f(p)$ where q number of items in hundreds and p is the price in thousands of dollars per unit. If the demand is 400 when each unit of the product is priced at two thousand dollars, and the graph of the **derivative** $f'(p)$ of $f(p)$ is as shown below, find the 2nd-degree Taylor polynomial of the **revenue** $R(p)$ function about $p = 2$ (thousand dollars).

(Hint: $R = p \cdot q$. Write down also the values of f and its derivatives at $p = 2$)



9. Consider the Taylor series for $\ln x$ about 1:

$$\ln x = \sum_{k=1}^{\infty} (-1)^{k-1} \frac{(x-1)^k}{k} = (x-1) - \frac{(x-1)^2}{2} + \frac{(x-1)^3}{3} - \dots \quad \text{for } 0 < x \leq 2$$

- (a) Estimate $\ln(1.4)$ with the 4th-degree Taylor Polynomial of $\ln x$ about 1. (Hint: Check your work against the calculator)
- (b) Using summation notation, write the error (remainder term) for the estimate in (a) as an infinite sum.
- (c) Write down the Taylor series for $\ln(x+2)$ about -1 , stating the values of x for which the series is convergent. (Hint: Replace x by $(x+2)$ in the given series)

10. The amount of capital held by an economy at time t (in years) is given by $C(t)$. Suppose the labor (number of workers in units of millions) at time t is given by the function $L(t) = e^t$.

- (a) Write down the capital stock $k(t)$ in terms of $C(t)$. Recall that capital stock is capital per unit of workers.
- (b) Find the 2nd-degree Taylor polynomial of $k(t)$ about 0 if $C(0) = 3$, $C'(0) = -1$, $C''(0) = 1$.

(Ans: $P_2(t) = 3 - 4t + 3t^2$)

11. Given that the Taylor series for some common functions about 0, and their values of x for which they converges are given below:

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} + \cdots = \sum_{k=1}^{\infty} (-1)^{k-1} \frac{x^k}{k} \quad \text{for } -1 < x \leq 1$$

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \cdots = \sum_{k=0}^{\infty} \frac{x^k}{k!} \quad \text{for } -\infty < x < \infty$$

- (a) Using the appropriate series above, write down the Taylor series for $\ln(x-2)$ about 3 stating the values of x for which the series is convergent.
- (b) Estimate $\ln(1.3)$ with the 5th-degree Taylor Polynomial of $\ln(1+x)$ about 0.
- (c) Estimate e^2 with the 5th-degree Taylor Polynomial of e^x about 0.